

HP Color LaserJet Enterprise Multifunction M680 Printer series



A reliable boost to your workflow

Tackle high-volume jobs with this high-performance colour MFP. Print and copy, plus scan and fax. Enhanced scanning features and a 20cm (8-inch) colour touchscreen smooth workflows. Mobile printing options help you stay productive on the go.



HP Color LaserJet Enterprise Multifunction M680dn Printer



HP Color LaserJet Enterprise Multifunction M680f Printer



Color touchscreen



Color laser technology



2-sided printing



NFC

Boost your workflow.

- Get more done much faster: scan two-sided documents in a single pass – no missed pages, no flipping pages by hand.
- Preview and edit scans, adjust images, and launch standard processes, all at the 20 cm (8-inch) colour touchscreen.
- Fast, accurate input: enter data more quickly and accurately, using the pull-out keyboard³.
- Scan and send digital files directly to email, SharePoint®, network folders or the cloud⁴.

Mobilise business printing.

- Print without wires or a network. Get easy access to the MFP through optional wireless direct printing⁵.
- Mobile printing at a touch: enable touch-to-print convenience from mobile devices⁶.
- Easily print from smartphones, tablets, and notebooks at work, home, or on the go with Apple® AirPrint™⁷ and HP ePrint²; Mopria certified.
- Pull print jobs from your pocket – walk up and print or scan from your USB drive.

Easily upgrade and add new capabilities as your needs change.

- Secure your investment – depend on an MFP that can expand with your business, whenever solutions advance.
- Keep a close watch, even from afar – centrally monitor and control your MFPs with HP Web Jetadmin⁸.
- Be confident that sensitive business data is protected with advanced security and an encrypted hard disk.


Power up your productivity.

- Tackle high volume printing: load the MFP with up to 3,100 sheets and high-capacity Original HP cartridges, and let it go to work⁹.
- Reduce employee time at the MFP, using the automatic document feeder.
- Confidently capture data. HP EveryPage lets you scan without worry and detect potential errors on the spot¹⁰.
- Save time with automatic job sorting and finishing, using the 3-bin stapling mailbox¹¹.

Product walkaround

HP Color LaserJet Enterprise Flow MFP M680z shown:

1. Intuitive 20.3 cm colour touchscreen control panel
2. 100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning and HP EveryPage with ultrasonic double-feed detection
3. Home button (returns to home screen)
4. 900-sheet, 3-bin stapling mailbox accessory
5. 500-sheet output bin
6. Hardware integration pocket (for connecting accessory and third-party devices)
7. Easy access USB port to save and print files directly (An administrator must enable the easy-access USB port before use)
8. Front door (access to toner cartridges)
9. Built-in automatic duplexer
10. Lower-right door (access for clearing jams)
11. 500-sheet tray 2
12. 2 x 500-sheet tray
13. 1,500-sheet high-capacity input with stand
14. Pull-out keyboard for easy, accurate data entry
15. Right-side door (access for clearing jams)
16. 100-sheet multipurpose tray
17. On/off button
18. Fax port
19. HP High-Performance Secure Hard Disk
20. 800 MHz processor, 2 GB RAM
21. Foreign interface harness (for connecting external devices)
22. Hi-Speed USB 2.0 printing port
23. Hi-speed USB 2.0 port (for connecting third-party devices)
24. HP Jetdirect Gigabit Ethernet print server
25. Access port for optional Kensington-style lock



Series at a glance



Model	HP Color LaserJet Enterprise Multifunction M680dn Printer	HP Color LaserJet Enterprise Multifunction M680f Printer	HP Color LaserJet Enterprise Flow Multifunction M680z Printer
Product number	CZ248A	CZ249A	CZ250A
Analog fax	Optional	Yes	Yes
Automatic two-sided printing	Yes	Yes	Yes
100-sheet multipurpose tray 1	Yes	Yes	Yes
500-sheet tray 2	Yes	Yes	Yes
500-sheet tray 3	Optional*	Not available	Not available
500-sheet tray 4	Optional*	Not available	Not available
500-sheet feeder tray with cabinet	Optional*	Yes	Not available
2x500-sheet and 1,500-sheet feeder tray and stand	Optional*	Not available	Yes
900-sheet, 3-bin stapling mailbox accessory	Optional*	Optional	Yes
ENERGY STAR® qualified	Yes	Yes	Yes
HP Secure High Performance Hard Disk	Yes	Yes	Yes
Workflow features (Hard key Board, HP Every Page Precision Feed, Heavy Duty Scanner, OCR)	Not available	Not available	Yes

*M680dn model: Only up to 2 additional paper handling options can be added: additional 500-sheet tray (up to 2); or one additional 500-sheet tray and 900-sheet 3-bin stapling mailbox accessory; or 900-sheet 3-bin mailbox accessory and either the 500-sheet feeder tray with cabinet or the 2x500-sheet and 1500-sheet feeder tray and stand.

What's in the box



HP Color LaserJet Enterprise Multifunction M680dn Printer (CZ248A)

HP Color LaserJet Enterprise MFP M680dn; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges(installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-in); Encrypted Hard Drive



HP Color LaserJet Enterprise Multifunction M680f Printer (CZ249A)

HP Color LaserJet Enterprise MFP M680f; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges(installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-in); Encrypted Hard Drive: 500 capacity sheet paper input w/cabinet/stand; Fax; Fax cable



HP Color LaserJet Enterprise Flow Multifunction M680z Printer (CZ250A)

HP Color LaserJet Enterprise MFP M680z; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges(installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-in); Encrypted Hard Drive; 2x500/1x1500-sheet paper feeder and stand; Fax; Fax cable; 900 sheet 3-bin stapling mailbox

Accessories, Supplies and Support

Accessories	CZ261A HP LaserJet 500-sheet Paper Tray
	CZ262A HP LaserJet 500-sheet Paper Feeder with Cabinet
	CZ263A HP 2x500/1x1500-sheet Paper Feeder and Stand
	CZ264A HP 900-sheet 3-bin Stapling Mailbox
	C8091A HP Staple Cartridge Refill (5000 staples) for Stapler/Stacker accessories
	CC487A HP LaserJet MFP Analog Fax Accessory 500
	L2718A HP 100 ADF Roller Replacement Kit 100,000 pages
Connectivity	A7W13A HP LaserJet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland
	J8021A HP Jetdirect ew2500 802.11b/g Wireless Print Server
	J8026A HP Jetdirect 2700w USB Wireless Print Server*
Supplies	J8029A HP Jetdirect 2800w NFC/Wireless Direct Accessory*
	E5K46A HP 1200w NFC/Wireless Mobile Print Accessory
	CF320A HP 652A Black Original LaserJet Toner Cartridge 11,500 pages
	CF320X HP 653X High Yield Black Original LaserJet Toner Cartridge 21,000 pages
	CF321A HP 653A Cyan Original LaserJet Toner Cartridge 16,500 pages
	CF322A HP 653A Yellow Original LaserJet Toner Cartridge 16,500 pages
	CF323A HP 653A Magenta Original LaserJet Toner Cartridge 16,500 pages
	CE246A HP Color LaserJet CE246A 110V Fuser Kit 150,000 pages
	CE247A HP Color LaserJet CE247A 220V Fuser Kit 150,000 pages
	CE249A HP Color LaserJet CE249A Image Transfer Kit 150,000 pages
CE265A HP 648A Toner Collection Unit Toner Collection Unit capacity approximately 36,000 pages (individual experience may vary considerably based on images printed, media used, environmental conditions and other factors).	
Service and support	U1PE9E - HP 3 year Next Business Day Color LaserJet M680 MFP Hardware Support
	U1PF0E - HP 4 year Next Business Day Color LaserJet M680 MFP Hardware Support
	U1PF1E - HP 5 year Next Business Day Color LaserJet M680 MFP Hardware Support
	U1PF2E - HP 3 year 4 hour 9x5 Color LaserJet M680 MFP Hardware Support
	U1PH0PE - HP 1 year Post Warranty Next Business Day Color LaserJet M680 MFP Hardware Support
	U1PH1PE - HP 2 year Post Warranty Next Business Day Color LaserJet M680 MFP Hardware Support
U1PH2PE - HP 1 year Post Warranty 4 hour 9x5 Color LaserJet M680 MFP Support. U1PF2E and U1PH2P, please check availability at country level.	

*HP Jetdirect 2700w and HP Jetdirect 2800w cannot be installed at the same time.

Technical specifications

Model	HP Color LaserJet Enterprise Multifunction M680dn Printer	HP Color LaserJet Enterprise Multifunction M680F Printer	HP Color LaserJet Enterprise Flow Multifunction M680z Printer
Product number	CZ248A	CZ249A	CZ250A
Print technology	Laser		
Control Panel	20.3 cm capacitive-touchscreen, SVGA (800 x 600 resolution), gesture support	20.3 cm capacitive-touchscreen, SVGA (800 x 600 resolution), gesture support	20.3 cm capacitive-touchscreen, SVGA (800 x 600 resolution), gesture support and extended keyboard
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Processor speed	800 Mhz		
Memory	2 GB (system memory)		
Print speed	Up to 42 ppm black (A4); Up to 42 ppm colour (A4); Up to 38 ipm duplex (A4) Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.		
First page out time	As fast as 10.5 sec black (A4, ready); As fast as 10.5 sec colour (A4, ready)		
Duplex printing	Automatic		
Monthly duty cycle	Up to 120,000 pages (A4), Recommended monthly page volume: 3000 to 17000		
Print Area	Print margins: Top: 4.3 mm; Bottom: 4.3 mm; Left: 4.3 mm; Right: 4.3 mm; Maximum print area: 215.9 x 355.6 mm		
Print resolution	Up to 1200 x 1200 dpi black; Up to 1200 x 1200 dpi colour		
Print languages	HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation, PDF, PDF and AirPrint (URF and PDF)		
Auto document feeder capacity	Standard, 100 sheets		
Copy speed	Up to 42 cpm black (A4), Up to 42 cpm colour (A4)		
Copier settings	Two-Sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering content orientation, collation, booklet, job build, edge-to-edge, job storage; Maximum number of copies: Up to 9999 copies; Copy resolution: Up to 600 x 600 dpi (Flatbed), 300 x 600 dpi (ADF)		
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Charge Coupled Device (CCD); Scan input modes: Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXF) applications; Duplex ADF scanning: Yes, single pass duplex ADF; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution: Up to 600 dpi		
Scan speed	Up to 60 ppm (black & white), up to 45 ppm (colour); duplex: Up to 60 ipm (b&w), up to 45 ipm (colour)	Up to 60 ppm (black & white), up to 45 ppm (colour); duplex: Up to 60 ipm (b&w), up to 45 ipm (colour)	Up to 62 ppm (black & white), up to 60 ppm (colour); duplex: Up to 86 ipm (b&w), up to 63 ipm (colour)
Bit depth/ Grey scale levels	24-bit/ 256		
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, Text (OCR), Unicode Text (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)
Scannable area	Flatbed: Maximum media size: 216 x 356 mm Scannable area (ADF): Minimum media size: 68 x 148 mm; Maximum media size: 216 x 356 mm		
Scanner Advanced Features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto job notification; Blank page suppression; HP Quick Sets	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto job notification; Blank page suppression; HP Quick Sets	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; Auto orientation; Auto page crop; HP Quick Sets
Digital sending	Standard: Scan to e-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send to workflow; Send to printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management	Standard: Scan to e-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL	Standard: Scan to e-mail; Save to Network Folder; Scan to SharePoint; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL
Fax	Optional	Yes, 33.6 kbps	Yes, 33.6 kbps
Fax smart software features	Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation		
Standard connectivity	1 Hi-Speed device USB 2.0; 2 Host USB 2.0 (for third party connections); 1 Jetlink; 1 Accessory (for Kensington Lock); 1 Gigabit Ethernet 10/100/1000; 1 FIH		
Wireless	Optional, enabled with purchase of HP Jetdirect 2700w USB Wireless Print Server J8026A or HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A. Please note: HP Jetdirect 2800W (J8029A) and HP Jetdirect 2700W (J8026A) accessories cannot be installed at the same time.		
Mobile printing capability	HP ePrint, Apple AirPrint™, Mobile Apps, optional Touch-to-Print, optional Wireless Direct printing		
Minimum system requirements	Windows: Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2003 (SP1 or higher), Windows Server 2008; Windows Server 2008 R2 (64 bit); Windows Server 2012 (64-bit); 200 MB available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Operating system compatible hardware system requirements see http://www.microsoft.com Mac: Mac OS X v10.6 Snow Leopard; OS X v10.7 Lion; OS X v10.8 Mountain Lion; OS X v10.9 Mavericks; CD-ROM or DVD drive, or Internet connection; Dedicated Universal Serial Bus (USB 1.1 or 2.0), or network connection; 1 GB available hard disk space; Operating system compatible hardware system requirements see http://www.apple.com		
Compatible operating systems	Windows XP SP3 or greater (32-bit and 64-bit); Windows Vista (32-bit and 64-bit); Windows 7 (32-bit and 64-bit); Windows 8 (32-bit and 64-bit); Windows Server 2003 SP2 or greater (32-bit and 64-bit); Windows Server 2008 (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit); Mac OS X v10.6 Snow Leopard; OS X v10.7 Lion; OS X v10.8 Mountain Lion; OS X v10.9 Mavericks; For the latest operating system support see: Air Print http://support.apple.com/kb/ht4356 ; Android Citrix® and Windows Terminal Services (http://www.hp.com/go/upd); HP ePrint Software Driver http://www.hp.com/go/eprintssoftware ; Linux (http://www.hplip.net); Novell (http://www.novell.com/print); SAP device types http://www.hp.com/go/sapdrivers ; SAP Print http://www.hp.com/go/sap/print ; UNIX http://www.hp.com/go/unix ; UNIX Jetdirect http://www.hp.com/go/jetdirectunix_software ; Unix Model Scripts http://www.hp.com/go/unixmodelscripts		

Model	HP Color LaserJet Enterprise Multifunction M680dn Printer	HP Color LaserJet Enterprise Multifunction M680F Printer	HP Color LaserJet Enterprise Flow Multifunction M680z Printer
Product number	CZ248A	CZ249A	CZ250A
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, iPrint		
Software included	Windows: HP Installer/Uninstaller, HP PCL 6 print driver, Wizard, Scan to Folder Setup Wizard, Scan to e-mail setup Wizard, HP Send Fax, DXP (Device Experience), HP Help & Learn Center, Product Registration Assist. Mac: HP Installer/Uninstaller, HP Postscript driver, HP Utility, HP Alerts, HP Firmware Updater		
Input capacity	Tray 1: sheets (75 g/m ²): 100, labels: 10, transparencies, cardstock (163 g/m ²): 50; cardstock (216 g/m ²): 30; envelopes: 10 Tray 2: sheets (75 g/m ²): 500; Glossy Paper (160 g/m ²): 300; Glossy Paper (220 g/m ²): 100 Tray 3: Optional	Tray 3: sheets (75 g/m ²): 500; Glossy Paper (160 g/m ²): 300; Glossy Paper (220 g/m ²): 100	Tray 3 and 4: sheets (75 g/m ²): 500; Glossy Paper (160 g/m ²): 300; Glossy Paper (220 g/m ²): 100; Tray 5: sheets (75 g/m ²): 1500; Glossy Paper (160 g/m ²): 300; Glossy Paper (220 g/m ²): 100 Maximum: Up to 3100 sheets
Paper weight	Tray 1: 60 to 216 g/m ² (plain), 105 to 220 g/m ² (glossy); Trays 2: 60 to 120 g/m ² (plain), 105 to 220 g/m ² (glossy) ADF: 60 to 120 g/m ²	Tray 1: 60 to 216 g/m ² (plain), 105 to 220 g/m ² (glossy); Trays 2, 3, 4: 60 to 120 g/m ² (plain), 105 to 220 g/m ² (glossy)	Tray 1: 60 to 216 g/m ² (plain), 105 to 220 g/m ² (glossy); Trays 2, 3, 4, 5: 60 to 120 g/m ² (plain), 105 to 220 g/m ² (glossy)
Paper size	Tray 1: A4, A5, A6, B5 (JIS), B6 (JIS); envelopes (C5, B5, C6, DL ISO); Postcard; Dpostcard; Tray 2, 3: A4, A5, B5 (JIS); Tray 5: A4 ADF: A4; A5; B5		
Output capacity	Up to 500 sheets, Up to 75 envelopes, Up to 200 sheets Transparencies Maximum: Up to 900 sheets		
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transparency, labels, letterhead, envelope, preprinted, prepunched, coloured, rough, opaque film, user-defined		
Printer management	HP Web Jetadmin; HP Utility (Mac)		
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & e-mail (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for security solutions; Security management: Compatible with HP Imaging and Printing Security Center		
Printer dimensions (W x D x H)	840 x 632 x 585 mm	840 x 681 x 1135 mm	1020 x 681 x 1180 mm
Package dimensions (W x D x H)	764 x 769 x 733 mm	856 x 760 x 1373 mm	856 x 760 x 1732 mm
Printer Weight	56.5 kg	77.9 kg	87.0 kg
Package weight	61.6 kg	96.6 kg	116.8 kg
Operating environment	Temperature: 15 to 30°C, Humidity: 30 to 70% RH		
Storage	Temperature: 0 to 35°C, Humidity: 10 to 90% RH		
Acoustics	Acoustic power emissions: 7.1 B(A); Acoustic pressure emissions: 54 dB(A)		
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A Consumption: 797 watts (printing), 83 watts (ready), 7 watts (sleep), 0.07 watts (manual-off), 1.53 (auto-off/wake on LAN), 0.07 (auto-off/manual-on). Typical Electricity Consumption (TEC): 5.687 kWh/Week.		
Certifications	CISPR 22:2008/EN 55022:2010 (Class A), EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008, EN 55024:2010, FCC Title 47 CFR, ICES-003, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries		
Warranty	One-year, onsite warranty. Warranty may vary by country as required by law. Go to hp.com/support to learn about HP award winning service and support options in your region.		

¹ Fax functionality not available on the HP Color LaserJet Enterprise MFP M680dn.

² Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/businessmobileprinting for more details. Mopria-certified devices adhere to a common standard that enables easy mobile printing with little or no setup.

³ Keyboard is available on the HP Color LaserJet Enterprise MFP M680z only.

⁴ Scanning to SharePoint and/or the cloud requires an Internet connection to the printer. Services may require registration. Availability varies by country, language, and agreements. For details, see hp.com/go/mfp.

⁵ Mobile device needs to be connected directly to the WiFi network of a wireless-direct-capable MFP prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see hp.com/go/businessmobileprinting. Wireless direct printing requires purchase of optional module.

⁶ Touch-to-print capability requires purchase of optional module. Mobile device must support near-field communications-enabled printing. For a list of supported devices, see hp.com/go/businessmobileprinting.

⁷ Supports OS X Lion, OS X Mountain Lion and the following devices running iOS 4.2 or later: iPad® (all models), iPhone® (3GS or later), and iPod touch® (third generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your OS X or iOS device. Wireless performance is dependent on physical environment and distance from the access point. OS X, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the United States and other countries. AirPrint™ and the AirPrint logo are trademarks of Apple Inc.

⁸ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin.

⁹ Maximum paper capacity of 3100-sheets requires purchase of additional paper trays for the HP LaserJet Enterprise M680dn.

¹⁰ HP EveryPage is available on the HP Color LaserJet Enterprise MFP M680z only.

¹¹ Three-bin stapling mailbox requires additional purchase for the HP Color LaserJet Enterprise MFP M680dn and HP Color LaserJet Enterprise MFP M680F.



<http://www.hp.com/uk>

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 04/14 4AA4-9548EEE

