

Data Sheet

FUJITSU LIFEBOOK® E544 Notebook

Reliable Business Performer

Fujitsu recommends Windows

The FUJITSU LIFEBOOK E544 has a 14-inch display, weighs 4.19 lbs. and meets all the requirements of a mobile business professional.

It comes with an extensive business feature-set as well as excellent security features and connectivity. This package makes the LIFEBOOK E544 an extremely reliable performer for demanding corporate environments.

Reliable and secure performance

This notebook was specifically designed to meet corporate demands.

- It is a perfect package of comprehensive business feature-sets and reliable performance at a surprisingly competitive price.

Two form factors - one design

You get the kind of mobility, ease of use and modern looks you would expect for an on-the-go professional.

- The LIFEBOOK E Series includes a 14-inch and a 15.6-inch notebook to best meet the specific needs of various daily business requirements.

Family concept

Looking for decreased expenses and reduced complexity?


- This notebook has the same BIOS and mainboard as the LIFEBOOK E554. It shares components and accessories such as the port replicator and modular bay elements with the LIFEBOOK E744 and LIFEBOOK E754. The port replicator can even be used with the LIFEBOOK E Line (LIFEBOOK E754, E744 and E734).



It just keeps going and going with the optional high-capacity battery pack

Faced with lots of meetings, long trips, and no time to recharge your battery pack?

- Get extended battery life (up to 11 hours, 20 minutes depending on configuration) with the optional 72 Wh high capacity battery that will keep you up and running longer.



Components

Fujitsu recommends Windows

Processor	4th Generation Intel® Core™ i3-4000M (3 MB, up to 2.4 GHz) * 4th Generation Intel® Core™ i3-4100M (3MB, up to 2.5 GHz) * 4th Generation Intel® Core™ i5-4210M (3MB, up to 3.2 GHz) * 4th Generation Intel® Core™ i5-4310M (3MB, up to 3.4 GHz) 4th Generation Intel® Core™ i7-4712MQ processor (6 MB, up to 3.3 GHz) *
	*Processor only for education, government, retail and SMB
Software	
Operating systems	Windows® 7 Professional 64-bit Windows 8.1 Pro 64-bit Windows 8.1 64-bit
Additional Software	McAfee Multi Access (anti-virus and internet security software; 60 days trial version) Adobe® Reader®, Conduciv ExpressCache, CyberLink® PowerDirector, CyberLink® MakeDisc, CyberLink® PowerDVD, Cyberlink® YouCam®, Dolby DTS Boost, Fujitsu Disc Burning Utility, Fujitsu Display Manager, Fujitsu Function Manager, Fujitsu HotKey Utility, Fujitsu Mobility Center, Fujitsu Power Saving Utility, Intel® Wireless Display Utility, LIFEBOOK Application Panel, Roxio® Creator, Anytime USB Charge application, Fingerprint sensor application, TPM application.
Memory modules	2 GB DDR3L, 1600 MHz, PC3-12800, SO DIMM 4 GB DDR3L, 1600 MHz, PC3-12800, SO DIMM 8 GB DDR3L, 1600 MHz, PC3-12800, SO DIMM
Hard disk drives¹ (internal)	500 GB (5400 rpm) Hybrid hard drive with 8GB Cache, 128 GB Solid State Drive -With and without TCG Opal Compliant Self-encrypted Drive (SED) 256 GB Solid State Drive 320 GB (5400 rpm) hard drive - With and without TCG Opal Compliant Self-encrypted Drive (SED) 500 GB (5400 rpm) hard drive (All SSD drives support Intel® RST Technology)
Modular Bay	DVD Super Multi, Weight saver 2nd hard disk drive optional
Interface add on cards/components (optional)	
WLAN (optional)	Intel® Centrino® Wireless-N 7260 2x2 b/g/n with integrated Bluetooth® 4.0 Intel® Dual Band Wireless-AC 7260 2x2 ac/a/b/g/n with integrated Bluetooth® 4.0
Display	(14-inch), LED backlight, (HD+), Anti-glare display, compound, 1,600 x 900 pixel, 300:1, 220 cd/m ² (14-inch), LED backlight, (HD), Anti-glare display, compound, 1,366 x 768 pixel, 300:1, 220 cd/m ²
Multimedia	
Camera	Built-in webcam, HD

Base Unit

Fujitsu recommends Windows

Base unit	LIFEBOOK E544 HM86
-----------	--------------------

General system information

Chipset	Intel® HM86
Memory slots	2 DIMM (DDR3L)
Supported capacity RAM (max.)	16 GB
Memory notes	DDR3L – 1,600 MHz
LAN	10/100/1,000 MBit/s Realtek RTL8111G
BIOS features	BIOS based on Phoenix SecureCore
Audio type	On board
Audio codec	Realtek ALC3233
Audio features	Stereo speakers

Graphics

Base unit	LIFEBOOK E554 HM86
TFT resolution (DisplayPort)	up to 2,560 x 1,600
TFT resolution (VGA)	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200
Graphics brand name	Intel® HD Graphics 4600
Graphics notes	Shared memory depending on main memory size and operating system

Interfaces

DC-in	1
Audio: line-out / headphone	1
Audio: line-in / microphone	1
Internal microphones	2x digital microphones (array)
USB 3.0 total	3 (1 with Anytime USB Charge ² functionality)
VGA	1
DisplayPort	1
Ethernet (RJ-45)	1
Memory card slots	1
SmartCard slot	1 (optional)

Port Replicator interfaces (optional)

DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 3.0 total	4
DisplayPort	2 (up to 2560 x 1600) - 1 DP (next to DVI) is shared with DVI, works when DVI not connected
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200) - shared with DP (next to DVI) - works when DP (next to DVI) not connected
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1 (Portrep & System)
eSATA	1
Notes	Port replicator supports 0-Watts functionality

Keyboard and pointing devices

Isolation keyboard
Touchpad with two mouse buttons
Status LED
Application buttons
Power Button

Technical details

Fujitsu recommends Windows

Wireless technologies

Antennas	2 Dual band WLAN antennas
Bluetooth	v4.0
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
WiDi support	Yes (with Intel W-LAN)

Power supply

AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard AC-Adapter, 0.55 lb. (0.250 kg), 4.25x1.81x1.18in. (108x46x30 mm) 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 0-Watt AC Adapter technology, 0.75lb. (0.340kg), 5.1x2.20x1.10 in. (140x56x28 mm) 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 2-pin (grounded) AC-Adapter
------------	--

Battery

1st battery options ³	Main Li-Ion battery 6-cell, 5,800 mAh, 63 Wh High Capacity Li-Ion battery 6-cell, 6,700 mAh, 72 Wh Li-Ion battery 6-cell, 4,500 mAh, 49 Wh.
Runtime main battery	Up to 9 hours, 40 minutes with HDD
Runtime high capacity battery	Up to 11 hours, 20 minutes with HDD

Dimensions / Weight / Environmental

Dimensions (W x D x H)	13.23x9.05x0.99 / 1.24in. (336 x 230 x 25.1 / 31.4mm)
Weight	4.19 lbs. (1.9 kg)
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	20 - 80% RH (relative humidity)

Compliance

FCC Part 15B Class B and FCC Part 15C; FCC Part 15E; FCC Part 22/24/27; IC ICES-003 Class B and RSS-210; UL-cUL Listed; CE Marking; CB Generic Report, RF Human exposure Standard; ENERGY STAR® Qualified; Qualifies for treatment as U.S. Trade Agreements Act ("TAA") compliant finished product.

Additional Software

Additional software (optional)	Drivers & Utilities DVD (DUDVD)
User Security	User and supervisor BIOS password, Hard disk password, Lock slot, Computrace® enabled BIOS, TPM (optional), Integrated Fingerprint Sensor (optional), Integrated Smart Card slot (optional)

Warranty⁴

Standard Warranty	One Year International Limited Warranty, 24/7 technical support; Fujitsu extended service plans available
Service Weblink	http://www.fujitsu.com/us/support

Recommended Accessories

Main Battery
High Capacity Battery
Port Replicator
Carrying Case
Modular Hard Drive Kit
Auto/Air AC Adapter

Notes

- 1) One gigabyte (GB) = one billion bytes; accessible capacity will be less and actual capacity depends on the operating environment and formatting.
- 2) Some USB devices (e.g. mobile telephones) require a driver in order to utilize the USB charging function. In this case the USB charging function will not work when the notebook is switched off, as no drivers are active when the notebook is switched off. Battery life tested using MobileMark 2007 and Windows® 7 operating system, and may include audio muted and power saving utility enabled. Battery life will vary depending on the product configuration, product model, application loaded on the product, power management settings on the product, Operating System, and the product features used by the customer. As with all batteries, the maximum capacity of the installed batteries will decrease with time, usage, and how often the batteries are charged by the user.
- 3) Battery life tested using MobileMark 2007 Productivity Workload. Battery life will vary depending on the product configuration, product model, application loaded on the product, power management settings on the product, Operating System, and the product features used by the customer. As with all batteries, the maximum capacity of the installed batteries will decrease with time, usage, and how often the batteries are charged by the user.
- 4) Service and warranty turnaround time may vary by country and product. The International warranty is only valid for products purchased in North, Central, and South America.

About Fujitsu Americas

Fujitsu America, Inc. is the parent and/or management company of a group of Fujitsu-owned companies operating in North, Central and South America and Caribbean, dedicated to delivering the full range of Fujitsu products, solutions and services in ICT to our customers in the Western Hemisphere. These companies are collectively referred to as Fujitsu Americas. Fujitsu enables clients to meet their business objectives through integrated offerings and solutions, including consulting, systems integration, managed services, outsourcing and cloud services for infrastructure, platforms and applications; data center and field services; and server, storage, software and mobile/tablet technologies. For more information, please visit: <http://solutions.us.fujitsu.com/> and <http://twitter.com/fujitsuamerica>

Fujitsu platform solutions

In addition to Fujitsu PRIMERGY servers, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

As a global IT infrastructure provider, Fujitsu offers a complete range of servers designed to fill any role in today's business. Whether your business requires affordable entry-level servers, compact and scalable blade systems, or advanced multiprocessor servers capable of handling the most demanding data center applications, the PRIMERGY® line delivers Intel® Architecture servers with the rock-solid reliability and industry-leading performance you need.

PRIMERGY Servers

www.fujitsu.com/global/services/computing/
■ PRIMERGY: Industrial standard server
■ SPARC Enterprise: UNIX server
■ PRIMEQUEST: Mission-critical IA server
■ ETERNUS: Storage system

Software

www.fujitsu.com/software/
■ Interstage:
Application infrastructure software
■ Systemwalker:
System management software

More information

For more information, please visit:
<http://solutions.us.fujitsu.com/>

For Information on our Intel based PRIMERGY Servers:

[http://solutions.us.fujitsu.com/www/content/products/servers/ primergy/index.php](http://solutions.us.fujitsu.com/www/content/products/servers/primergy/index.php)

For Information on our Enterprise Storage:
<http://solutions.us.fujitsu.com/www/content/products/storage/ETERNUS/index.php>

For Information on our SPARC® Enterprise Servers:

http://solutions.us.fujitsu.com/www/products_sparc.shtml?products/servers/sparc/index

For Information on the new PRIMEQUEST® Servers:

[http://solutions.us.fujitsu.com/www/content/products/servers/ primequest/](http://solutions.us.fujitsu.com/www/content/products/servers/primequest/)

Copyright

Fujitsu, and the Fujitsu logo, are registered trademarks of Fujitsu Limited. Microsoft, Lync and Windows are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries. Intel, Intel Core, Centrino and the Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Bluetooth and the Bluetooth logo are registered trademarks of Bluetooth SIG, Inc. ENERGY STAR is a registered trademark of the U.S. Government. All other trademarks mentioned herein are the property of their respective owners.

Product description data represents Fujitsu design objectives and is provided for comparative purposes; actual results may vary based on a variety of factors. Specifications are subject to change without notice.

Copyright ©2015 Fujitsu America, Inc.

All rights reserved.

FPC65-7247-05 09/15

15.0800



Contact

FUJITSU AMERICA, INC.
Address: 1250 East Arques Avenue Sunnyvale, CA 94085-3470, U.S.A.
Telephone: 800 831 3183 or 408 746 6000
Website: <http://solutions.us.fujitsu.com>
Contact Form: <http://solutions.us.fujitsu.com/contact>
Have a question? Email us at: AskFujitsu@us.fujitsu.com