

HP LaserJet Enterprise MFP M527 series



Fantastic performance. Strong security.

Finish tasks faster with an MFP that starts right away and helps conserve energy.¹ Multi-level device security helps protect from threats.² Original HP Toner cartridges with JetIntelligence and this printer produce more high-quality pages.³



Accelerate your work and use less energy

- Don't wait for documents. Print your first page in as few as 8.7 seconds from energy-efficient sleep mode and 5.7 seconds from ready.
- Print two-sided documents without sacrificing performance slowdowns for duplexing and let high-volume jobs handle themselves with a 2,300-sheet maximum input capacity.
- Scan two-sided documents in a single pass with super-fast scan speeds. HP EveryPage allows employees to scan without worry, detect potential errors or missed pages on the spot and save time with the advanced workflow features with the Flow MFP M527c.
- This MFP leads its HP class in low energy use – thanks to its innovative design and toner technology.⁴

Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.²
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.²
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.⁵
- Centralise control of your printing environment with HP Web Jetadmin⁶ – and help build business efficiency.

More. Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Get more. Original HP Toner with JetIntelligence delivers more pages per cartridge than predecessors.³
- Get the professional results you expect from HP with a choice of JetIntelligence cartridges to fit your budget.⁷
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.

Stay connected with secure mobile printing options

- Use optional, 128-bit encrypted wireless direct printing from mobile devices – no network needed.⁸
- Add the option to print with a touch of your NFC-enabled mobile device to this printer – no network needed.⁹
- Easily access, print, and share resources with Ethernet and optional wireless networking.¹⁰



Color touchscreen



Low energy

Product walkaround

HP LaserJet Enterprise Flow MFP M527c shown

1. 100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning and HP EveryPage
2. Hardware Integration Pocket (HIP) for connecting accessory and third-party devices
3. Easy-access USB port to save and print files directly
4. 250-sheet output tray
5. Top cover (access to Original HP Toner cartridges with JetIntelligence)
6. 100-sheet multipurpose tray
7. 550-sheet tray 2
8. Intuitive 20.3 cm touchscreen control panel
9. Pull-out keyboard for easy, accurate data entry
10. Convenience stapler
11. Convenient front on/off button
12. Built-in automatic duplexer
13. Built-in wireless direct and NFC touch-to-print
14. 1.2 GHz processor, 1.75 GB upgradeable to 2.5 GB
15. HP High-Performance Secure Hard Disk
16. Slot for optional cable-type security lock
17. Fax port
18. HP Jetdirect Gigabit Ethernet print server
19. Hi-Speed USB 2.0 port (for connecting third-party devices)
20. Hi-Speed USB 2.0 printing port
21. Rear door (access to the print path)



Series at a glance



Model	HP LaserJet Enterprise MFP M527dn	HP LaserJet Enterprise MFP M527f	HP LaserJet Enterprise Flow MFP M527c
Product number	F2A76A	F2A77A	F2A81A
Analog Fax	Optional	Yes	Yes
100-sheet multipurpose tray 1	Yes	Yes	Yes
550-sheet tray 2	Yes	Yes	Yes
550-sheet tray 3	Optional	Optional	Optional
550-sheet tray 4	Optional	Optional	Optional
550-sheet tray 5	Optional	Optional	Optional
Printer Cabinet	Optional	Optional	Optional
HP High-Performance Secure Hard Disk	16GB eMMC / Optional	Yes	Yes
100-page ADF with single-pass, two sided scanning	Yes	Yes	Yes (Plus HP EveryPage)
Advanced workflow capabilities *	Not available	Not available	Yes
Convenience Stapler	Not available	Yes	Yes
Wireless direct and NFC touch to print	Optional	Optional	Optional
ENERGY STAR® and Blue Angel certified	Yes	Yes	Yes

* Advanced workflow capabilities includes Heavy Duty Scanner, HP Every Page, Pull-out key Board, embedded OCR, send to SharePoint and automatic document editing features

Accessories, Supplies and Support

Supplies	CF287X HP 87X High Yield Black Original LaserJet Toner Cartridge 18,000 pages CF287A HP 87A Black Original LaserJet Toner Cartridge 9,000 pages
Accessories	Q7432A HP Staple Cartridge Pack Q7432A HP Staple Cartridge Pack (2 cartridges, 1,500 staples each) F2A72A HP LaserJet 550-sheet Paper Tray F2A73A HP LaserJet Printer Cabinet B5L53A HP LaserJet MFP Analog Fax Accessory 600 B5L29A HP High-Performance Secure Hard Disk F5562A HP Trusted Platform Module Accessory A7W14A HP LaserJet Swedish Overlay Keyboard E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM F2A87A HP Internal USB Ports B5L31A HP Foreign Interface Harness
Connectivity	J8030A HP Jetdirect 3000w NFC/Wireless Accessory J8031A HP Jetdirect 2900nw Print Server
Service and support	U8TT5E HP 3 year Next business day with Defective Media Retention LaserJet M527 MFP Hardware Support U8TT6E HP 4 year Next business day with Defective Media Retention LaserJet M527 MFP Hardware Support U8TT7E HP 5 year Next business day with Defective Media Retention LaserJet M527 MFP Hardware Support U8TT8E HP 3 year 4 hour 9x5 with Defective Media Retention LaserJet M527 MFP Hardware Support U8TV6PE HP 1 year Post Warranty Next business day with Defective Media Retention LaserJet M527 MFP Hardware Support U8TV7PE HP 2 year Post Warranty Next business day with Defective Media Retention LaserJet M527 MFP Hardware Support U8TV8PE HP 1 year Post Warranty 4 hour 9x5 with Defective Media Retention LaserJet M527 MFP Hardware Support

Technical specifications

Model	HP LaserJet Enterprise MFP M527dn	HP LaserJet Enterprise MFP M527f	HP LaserJet Enterprise Flow MFP M527c
Product number	F2A76A	F2A77A	F2A81A
Functions	Print, copy, scan	Print, copy, scan, fax	
Control panel	20.3 cm (8") colour LCD with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu)		20.3 cm (8") colour LCD with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Integrated keyboard
Print			
Print technology	Laser		
Print speed ¹	Black (A4, normal): Up to 43 ppm; Black (A4, duplex): Up to 34 ipm		
First page out ²	Black (A4, ready): As fast as 5.7 sec; Black (A4, sleep): As fast as 8.7 sec		
Print resolution	Black (best): Up to 1200 x 1200 dpi; Technology: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200		
Monthly duty cycle ³	Up to 150,000 pages (A4); Recommended monthly page volume⁴: 2,000 to 7,500		
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB		
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v1.7)		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode fonts (Andale Mono World Type); 2 internal Windows Vista/8 fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Print area	Print margins: Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm; Maximum print area: 215.9 x 355.6 mm		
Duplex printing	Automatic (standard)		
Copy			
Copy speed ⁵	Black (A4): Up to 43 cpm		
Copier specifications	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes); Maximum number of copies: Up to 9,999 copies; Copy resolution: Up to 600 x 600 dpi; Reduce/Enlarge: 25 to 400%		
Scan			
Scan speed ⁶	Normal (A4): Up to 43 ppm/43 ipm (monochrome), up to 38 ppm/38 ipm (colour); Duplex (A4): Up to 43 ipm (monochrome), up to 38 ipm (colour)	Normal (A4): Up to 45 ppm/64 ipm (monochrome), up to 45 ppm/58 ipm (colour); Duplex (A4): Up to 64 ipm (monochrome), up to 58 ipm (colour)	
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pct, .cht)	

Model	HP LaserJet Enterprise MFP M527dn	HP LaserJet Enterprise MFP M527f	HP LaserJet Enterprise Flow MFP M527c
Product number	F2A76A	F2A77A	F2A81A
Scanner specifications	Scanner type: Flatbed, ADF (two-sided, single-pass); Scan technology: CIS (Contact Image Sensor); Scan input modes: Front panel applications: Copy, Email, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXF) applications; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 356 x 216 mm; Optical scan resolution: Up to 600 dpi		
Scanner Advanced Features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets		Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR); Auto crop to page; Auto-tone
Recommended monthly scan volume ⁷	4,150 to 6,900		8,350 to 13,900
Scannable area	Maximum media size (flatbed): 356 x 216 mm; Minimum media size (ADF): 105 x 127 mm; Maximum media size (ADF): 356 x 216 mm		
Bit depth/ Grey scale levels	24-bit / 256		
Digital sending	Standard: Scan to Email; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send to workflow; Send to printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book	Standard: Scan to Email; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send to workflow; Send to printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book	Standard: Scan to Email; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send to workflow; Send to printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book
Fax			
Fax	Optional	Yes, 33.6 kbps	
Fax specifications		Fax memory: Up to 500 pages Fax resolution: Standard: 203 x 98 dpi Fine: 203 x 196 dpi Superfine: 203 x 392 or 300 x 300 dpi; Telecom compliance: Telecom wired: ES 203 021; R&TTE Directive 1999/5/EC with CE marking (Europe); Other Telecom approvals as required by individual countries	
Fax smart software features		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	
Processor speed	1.2 GHz		
Connectivity			
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Fax	
Optional	HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 2900nw Print Server J8031A		
Wireless	Optional, enabled with purchase of HW accessories.		
Mobile printing capability ⁸	HP ePrint; Apple AirPrint™; Mopria™-certified		
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint		
Network capabilities	Yes, via built-in Gigabit Ethernet		
Hard disk	Optional, 500 GB (with accessory B5L29A)	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 128 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk); U.S. Government: Standard, FIPS 140-2 validated hard disk, minimum 500 GB	
Memory	Standard: 1.25 GB (printer), 500 MB (scanner) - Total standard memory: 1.75 GB; Maximum: ⁹ 2.0 GB (printer), 500 MB (scanner) - Total maximum memory: 2.5 GB		
Media handling			
Number of paper trays	Standard: 2; Maximum: 4		
Media types	Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough), envelopes, labels, cardstock, transparencies, user-defined		
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional trays 3+: 102 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, A5, A6, B5, 10 x 15 cm, post cards (JIS single and double), envelopes (DL, C5, C6, B5), custom media sizes: 76 x 127 to 216 x 356 mm; Tray 2, optional trays 3, 4, and 5: A4, A5, B5, double postcard custom media sizes: 102 x 148 to 216 x 297 mm ADF: A4, A5, B5		
Media handling	Standard input: 1 x 550-sheet input tray; 1 x 100-sheet multipurpose tray Standard output: 250-sheet output bin Optional input: Optional 550-sheet tray (add up to 3 trays)	Standard input: 1 x 550-sheet input tray; 1 x 100-sheet multipurpose tray Standard output: 250-sheet output bin, convenience stapler Optional input: Optional 550-sheet tray (add up to 3 trays)	
Media weight	Tray 1: 60 to 200 g/m ² ; Trays 2-5: 60 to 120 g/m ² ; ADF: 45 to 200 g/m ²		

Model	HP LaserJet Enterprise MFP M527dn	HP LaserJet Enterprise MFP M527f	HP LaserJet Enterprise Flow MFP M527c
Product number	F2A76A	F2A77A	F2A81A
Input capacity	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 550 Tray 3: Sheets: 550 each Maximum: Up to 2,300 sheets ADF: Standard, 100 sheets		
Output capacity	Standard: Up to 250 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 75 sheets Maximum: Up to 250 sheets		
Compatible operating systems	Windows OS compatible with In-Box Driver: Windows 10 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit/64-bit editions, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows OS compatible with Universal Print Driver (from http://www.hp.com): Windows 10 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit/64-bit editions, Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.); Mac OS (HP print drivers available from http://www.hp.com and Apple Store): OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS (In-OS drivers): iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS: UNIX		
Compatible network operating systems	Windows OS compatible with In-Box Driver: Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-bit/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or product-specific drivers from http://www.hp.com : Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-bit/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Citrix (on Windows Server 2003/2003 R2); Citrix MetaFrame Presentation Server 3.0; Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3); Citrix Presentation Server 4.0/4.5; Citrix XenApp 5.0 (Plus Feature Pack 2 & 3); Citrix (on Windows Server 2008/2008R2); Citrix XenApp 5.0 (Plus Feature Pack 2 & 3); Citrix XenApp 6.0/6.5/7.5; Citrix XenDesktop 5.6/7.0/7.5; Citrix (on Windows Server 2012/2012R2); Citrix XenApp 7.5; Citrix XenDesktop 7.0/7.5; Novell Servers (www.novell.com /iprint); Novell iPrint Appliance v1.0; Novell Open Enterprise Server 11/SP1; Novell Open Enterprise Server 2 for Linux; NetWare 6.5/SP8; Novell Clients (www.novell.com /iprint); Windows 8 (32-bit/64-bit) recommend v5.86+; Windows 8.1 recommend v5.94+; Windows 7 (32-bit/64-bit) recommend v5.82+; Windows Vista (32-bit/64-bit) recommend v5.82+; Setup Scan To Folder and Email		
Minimum system requirements	Windows: Windows 10 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit/64-bit editions, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), CD-ROM/DVD drive or Internet connection, dedicated USB or network connection or Wireless connection, 200 MB available hard disk space, OS compatible hardware (for OS hardware requirements see http://www.microsoft.com); Mac: Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite, Internet, USB, 1 GB available hard disk space, OS compatible hardware (for OS hardware requirements see http://www.apple.com)		
Software included	For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen (directs users to HP.com or OS App Store for LaserJet Software)		
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in		
Printer management	UPD Printer Administrator Resource Kit; Active Directory Administrator Template for UPD, AutoUpgradeUPD, Driver configuration Utility, Driver Deployment Utility, Managed Print Administrator, PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove PlugPlay Drivers; HP Web JetAdmin Software, HP Proxy Agent Software, HP JetAdvantage Security Manager		
Dimensions and Weight			
Printer dimensions (W x D x H)	Minimum: 482 x 496 x 497 mm; Maximum: 507 x 631 x 497 mm		
Package dimensions (W x D x H)	735 x 592 x 613 mm		
Printer weight ¹⁰	21.9 kg	22.0 kg	22.1 kg
Package weight	27.52 kg		
Operating environment	Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH		
Storage	Temperature: -20 to 60°C; Humidity: 10 to 90% RH		
Acoustics ¹¹	Acoustic power emissions: 6.8 B(A); Acoustic pressure emissions: 54 dB(A)		
Power	Requirements: Input voltage: 220 to 240 VAC, 50/60 Hz, 4.0 A (+/- 10%); Consumption¹²: 671 watts (printing), 27.8 watts (ready), 3.2 watts (sleep), 0.71 watts (auto-off/auto-on), LAN connection: 0.06 watts (auto-off), 0.06 watts (off); Typical Electricity Consumption (TEC)¹³: 1.752 kWh/Week (Energy Star); Power supply type: Built-in power supply	Requirements: Input voltage: 220 to 240 VAC, 50/60 Hz, 4.0 A (+/- 10%); Consumption¹²: 671 watts (printing), 27.8 watts (ready), 3.2 watts (sleep), 0.71 watts (auto-off/auto-on), LAN connection: 0.06 watts (auto-off), 0.06 watts (off); Typical Electricity Consumption (TEC)¹³: 1.648 kWh/Week (Blue Angel); 1.752 kWh/Week (Energy Star); Power supply type: Built-in power supply	Requirements: Input voltage: 220 to 240 VAC, 50/60 Hz, 4.0 A (+/- 10%); Consumption¹²: 671 watts (printing), 27.8 watts (ready), 3.2 watts (sleep), 0.71 watts (auto-off/auto-on), LAN connection: 0.06 watts (auto-off), 0.06 watts (off); Typical Electricity Consumption (TEC)¹³: 1.648 kWh/Week (Blue Angel); 1.752 kWh/Week (Energy Star); Power supply type: Built-in power supply
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy		
Certifications	CISPR 22:2008 (International) - Class A; EN 55022:2010 (EU) - Class A; EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010; EMC Directive 2004/108/EC; Other EMC approvals as required by individual countries ENERGY STAR® qualified; CECP; EPEAT® Silver Blue Angel compliant: No; Please refer to the ECI document	CISPR 22:2008 (International) - Class A; EN 55022:2010 (EU) - Class A; EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010; EMC Directive 2004/108/EC; Other EMC approvals as required by individual countries ENERGY STAR® qualified; CECP; EPEAT® Silver Blue Angel compliant: No; Please refer to the ECI document	CISPR 22:2008 (International) - Class A; EN 55022:2010 (EU) - Class A; EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010; EMC Directive 2004/108/EC; Other EMC approvals as required by individual countries ENERGY STAR® qualified; EPEAT® Gold; CECP Blue Angel compliant: Yes; Blue Angel RAL-UZ 205
What's in the box	HP LaserJet Enterprise MFP M527dn; HP 87A Black Original LaserJet Toner Cartridge (9,000 pages); CDs containing software and electronic documentation; User Guide; Support flyers; Warranty cards; Required erratas	HP LaserJet Enterprise MFP M527f; HP 87A Black Original LaserJet Toner Cartridge (9,000 pages); CDs containing software and electronic documentation; User Guide; Support flyers; Warranty cards; Required erratas	HP LaserJet Enterprise Flow MFP M527c; HP 87A Black Original LaserJet Toner Cartridge (9,000 pages); CDs containing software and electronic documentation; User Guide; Support flyers; Warranty cards; Required erratas
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.		

Footnotes

- ¹ Based on HP internal testing of first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary.
- ² Only HP offers a combination of security features for integrity checking down to the BIOS with self-healing capabilities. Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at hp.com/go/printersthatprotect.
- ³ More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>.
- ⁴ Based on HP testing using the ENERGY STAR[®] program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov as of 8/2015. Actual results may vary.
- ⁵ Some solutions require download or additional purchase. Learn more at <http://www.hp.com/go/printingsolutions>.
- ⁶ Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at <http://www.hp.com/go/webjetadmin>.
- ⁷ HP 87X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.
- ⁸ Wireless direct printing requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see <http://www.hp.com/go/businessmobileprinting>.
- ⁹ Touch-to-print capability requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see <http://www.hp.com/go/businessmobileprinting>.
- ¹⁰ Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Measured using ISO/IEC 17629. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the input voltage, system configuration, software application, driver, and document complexity.
- ³ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- ⁴ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ⁵ First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁶ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁷ HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.
- ⁸ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>.
- ⁹ Maximum memory is with 1 GB DIMM installed. The maximum the Firmware can use is 2 GB so 250 MB is unused in this configuration.
- ¹⁰ Includes size A toner cartridge.
- ¹¹ Acoustic values are subject to change. For current information, see <http://www.hp.com/support>.
- ¹² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.
- ¹³ Based on the Blue Angel TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.



www.blauer-engel.de/uz205



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

