



Zenit cinema speakers

- 5.1 CH wireless rear and sub
- Bluetooth® and NFC
- HDMI 4K-2K

CSS5530B/37

Embrace the look and feel of Zen

Free from wires and clutter

Embrace pure simplicity with Philips Zenit cinema speakers and enjoy natural, balanced sound from a design featuring modern, authentic materials. Smart cable management and wireless rear speakers ensure an uncluttered, sublime experience.

Benefits

Designed to enhance your living space

- Wireless rear speakers and subwoofer for hassle free set-up
- Smart cable management for organized cables across your room

Great listening experience

- MTM speakers allow loud and truly reproduced sound
- Subwoofer base reflector radiates sound smoothly
- Dolby Digital and Pro Logic II surround sound

Simply enjoy all your entertainment

- HDMI 4K2K pass-through for ultra HD content enjoyment
- Bluetooth wireless music streaming from your music devices
- One-Touch with NFC-enabled smartphones for Bluetooth pairing
- HDMI ARC to access all the sound from your TV

Features

Wireless rear speakers and sub

Smart cable management

PHILIPS

MTM speakers

Midwoofer-tweeter-midwoofer (MTM) configuration in all main and satellite speakers allow loud and truly reproduced sound regardless of listening position. You can always enjoy crystal clear sound without distortion no matter when you are sitting.

Subwoofer base reflector

Dome shaped base reflector enhances a stronger and deeper base by radiating sound smoothly in 360 degree direction. The design also prevents damping effect when the subwoofer is being placed on carpet.

Bluetooth wireless streaming




NFC technology



Pair Bluetooth devices easily with one-touch NFC (Near Field Communications) technology. Just tap the NFC enabled smartphone or tablet on the NFC area of a speaker to turn the speaker on, start Bluetooth pairing, and begin streaming music.

Dolby Digital and Pro Logic II



A built-in Dolby Digital decoder eliminates the need for an external decoder by processing all six channels of audio information to provide a surround sound experience and an astoundingly natural sense of ambience and dynamic realism. Dolby Pro Logic II provides five channels of surround processing from any stereo source.

HDMI ARC

Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Sound

Sound Enhancement	Crystal Clear sound Dolby Digital 5.1 Dolby Digital Prologic II
Sound System	Dolby Digital 5.1 Dolby pro-logic 2
Total Power RMS @ 10% THD	420 W
Center speaker output power	40 W
Satellite speaker output power	40 W
Subwoofer output power	220 W

Loudspeakers

System	5.1 system
Loudspeaker types	1 x Centre speaker 4 x Satellite speakers 1 x Subwoofer
Drivers per Center speaker	2 racetrack full range woofers 1 x 1" tweeter
Center speaker freq range	80Hz – 18k Hz
Center speaker impedance	4 ohm
Drivers per Satellite speaker	2 x 2.5" full range woofers 1 x 1" tweeter
Satellite speaker freq range	120Hz - 18k Hz
Satellite speaker impedance	5 ohm
Subwoofer type	Wireless subwoofer

Subwoofer driver	Bass reflex system 1 x 6.5" woofer
Subwoofer freq range	45 - 150 Hz
Subwoofer impedance	3 ohm

Connectivity

Rear Connections	Digital optical in Audio in 3.5 mm jack Easy-Fit Speaker Jacks HDMI in (x1) HDMI out (4K passthrough, ARC) USB audio (5V, 500mA DC)
Wireless connections	Bluetooth 4.1 NFC Wireless rear speakers Wireless subwoofer

Convenience

EasyLink (HDMI-CEC)	Audio Return Channel Automatic audio input mapping One touch standby Remote Control-Passthrough
HDMI Features	Support 4K passthrough (30fps) Audio Return Channel (ARC) Content Type

Power

Centre speaker	100-240V AC, 50/60Hz
Power supply	Via power adaptor
Subwoofer Power supply	110-127V AC, 50/60Hz

Wireless box Power supply
Standby power consumption

110-240V AC, 50/60Hz
<0.5 W

Trademarks Sheet

Sustainability

Packaging

80% recycled corrugated board
Soya based ink

Dimensions

Subwoofer (W x H x D) 228 x 406 x 265 mm
Center Speaker (W x H x D) 580 x 52 x 98 mm
Satellite Speaker (W x H x D) 110 x 301 x 110 mm
Satellite Speaker Cable length 5 m
Center Speaker Weight 1.3 kg
Satellite Speaker Weight 1.2 kg
Subwoofer Weight 5.7 kg

Accessories

Included accessories

Remote Control
Wireless rear audio receiver
AAA Battery (x1)
Power adapter
AC power cord (x3)
Wall mount brackets (x4)
Screws (x8)
User Manual
World Wide Warranty leaflet
Safety & Legal Leaflet

Outer Carton

Gross weight 14.916 kg
Height 41.5 cm
Length 79.5 cm
Number of consumer packagings 1
Tare weight 1.845 kg
Width 28 cm
Nett weight 13.071 kg
UPC 8 89446 00490 8

Packaging dimensions

Depth 28 cm
Gross weight 14.916 kg
Height 41.5 cm
Nett weight 13.071 kg
Number of products included 1
Packaging type Carton
Tare weight 1.845 kg
Type of shelf placement Laying
Width 79.5 cm
UPC 8 89446 00490 8

Product dimensions

Depth 9.8 cm
Height 5.35 cm
Weight 1.25 kg
Width 58 cm



data subject to change
2017, August 5

Version: 4.2.4
UPC: 889446004908

© 2017 Koninklijke Philips N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com