

Noise cancellation headphones

- 32mm drivers/closed-back
- On-ear
- Compact folding

SHL3750NC/27

More sound, less noise

powerful bass

Be immersed in your music with innovative ActiveShield active noise canceling technology. Pressure-relieving cushions provide long wearing comfort and a compact foldable design is ideal for portability and easy storage.

Benefits

Art of Noise Cancellation

ActiveShield[™] noise canceling reduces noise by up to 97%

Powerful sound

- 32mm neodymium speaker drivers for rich bass
- Closed-back design blocks out noise for noise isolation

Make life more convenient

• Slim and compact foldable design for easy portability



Features

32mm high definition drivers



Finely tuned 32mm neodymium drivers combined with a closed-back acoustic system design and on-ear sealing provide rich bass.

ActiveShield™



ActiveShieldTM active noise canceling technolgy features two feed-backward microphones used for canceling low frequencies. It detects ambient noise and inverting the sound wave, effectively cancelling it out and converting background noise to silence.

2.161 lb

Closed-back design



Tuned 32mm neodymium drivers combined with a closed-back acoustic system design and on-ear sealing provide an excellent and impressive precision sound.

Compact folding



Slim and compact foldable design for easy portability on the go.

Specifications

Gross weight

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Packaging dimensions		Tare weight	0.455 kg
Width	19.5 cm	Tare weight	1.003 lb
Width	7.7 inch	GTIN	1 08 89446 00428 8
Height	20 cm	Number of consumer	3
Height	7.9 inch	packagings	
Depth	5 cm	1 0 0	
Depth	2.0 inch	Sound	
Nett weight Nett weight Gross weight Tare weight Tare weight UPC Number of products included Packaging type Type of shelf place-	0.175 kg 0.386 lb 0.282 kg 0.622 lb 0.107 kg 0.236 lb 8 89446 00428 1 1 Carton Both	Impedance Magnet type Maximum power input Sensitivity Speaker diameter Acoustic system Diaphragm Frequency response	16 Ohm Neodymium 30 mW 105 dB 32 mm Closed PET 10 - 22,000 Hz
ment Outer Carton		Cable Connection Finishing of	single sided
Outer Carton		connector	gold-plated
Length	20.3 cm	Cable length	1.2 m
Length	8.0 inch	Connector	3.5 mm
Width	16.2 cm		
Width	6.4 inch	Power	
Height	21.6 cm	Musis - Isuting -	40 h
Height Nott weight	8.5 inch 0.525 kg	Music playtime	40 hr 50 hr
Nett weight Nett weight	1.157 lb	Standby time	50 111
Gross weight	0.98 kg		
GLOSS WEIGHT	0.70 Kg		



data subject to change 2017, July 29 Version: 2.0.8 UPC: 889446004281 © 2017 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com