

# Product datasheet

Specifications



## APC Smart-UPS On-Line SRT Battery Pack for 2.2kVA Extended runtime model 72V

SRT72BP

EAN Code: 0731304317708

### Main

Product or component type	External battery pack
Number of rack unit	2U
Battery type	Lead-acid battery
Provided equipment	Documentation CD Installation guide
Range of product	Smart-UPS Battery Systems
Replacement battery	<a href="#">APCRBC141</a>

### Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Battery voltage	72 V
Number of battery replacement quantity	2

### Physical

Colour	Black
Height	432 mm
Width	85 mm
Depth	594 mm
Product weight	33.9 kg
Mounting mode	Rack-mounted with kit

### Output

Battery capacity	10 Ah
------------------	-------

### Environmental

Ambient air temperature for operation	0...40 °C
Operating altitude	0...10000 ft
Relative humidity	0...95 % non-condensing
Ambient air temperature for storage	-15...45 °C
Storage altitude	0...15240 m
Storage Relative Humidity	0...95 % non-condensing

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	24.500 cm
------------------	-----------

---

Package 1 Width	61.500 cm
-----------------	-----------

---

Package 1 Length	84.000 cm
------------------	-----------

---

Package 1 Weight	39.000 kg
------------------	-----------

## Logistical informations

---

Country of origin	VN
-------------------	----

## Contractual warranty

---

Warranty (in months)	24
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	173 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	140 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	9 kg CO2 eq.
Carbon footprint of the installation phase [A5]	11 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	136 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	13 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	488c31fb-3af8-42cf-9558-1362d000a07e
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	48
End of life manual availability	<a href="#">End of Life Information</a>
Removable battery	User replaceable
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

