# Product datasheet

Specifications



## APC Smart-UPS On-Line SRT Battery Pack for 2.2kVA Extended runtime model 72V

SRT72BP

**EAN Code: 0731304317708**

## Main

| | |
|---|---|
| **Product or component type** | External battery pack |
| **Battery type** | Lead-acid battery |
| **Provided equipment** | Documentation CD<br>Installation guide |
| **Range of product** | Smart-UPS Battery Systems |
| **Mounting mode** | Rack-mounted with kit |
| **Number of rack unit** | 2U |
| **Replacement battery** | APCRBC141 |

## Batteries & Runtime

| | |
|---|---|
| **Battery life** | 3…5 year(s) |
| **Battery voltage** | 72 V |
| **Battery capacity** | 10 Ah |
| **Number of battery filled slots** | 0 |
| **Number of battery free slots** | 0 |
| **Number of battery replacement quantity** | 2 |
| **Battery power in VAh** | 734 VAh |

## Physical

| | |
|---|---|
| **Colour** | Black |
| **Height** | 432 mm |
| **Width** | 85 mm |
| **Depth** | 594 mm |
| **Net weight** | 33.9 kg |

## Environmental

| | |
|---|---|
| **Relative humidity** | 0…95 % non-condensing |
| **Storage Relative Humidity** | 0…95 % non-condensing |
| **Ambient air temperature for storage** | -15…45 °C |
| **Ambient air temperature for operation** | 0…40 °C |
| **Operating altitude** | 0...10000 ft |
| **Storage altitude** | 0…15240 m |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 24.500 cm |
| **Package 1 Width** | 61.500 cm |
| **Package 1 Length** | 84.000 cm |
| **Package 1 Weight** | 39.000 kg |

## Logistical informations

| | |
|---|---|
| **Country of origin** | VN |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 24 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **173 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **140 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **9 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **11 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **136 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **13 kg CO2 eq.** |
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Average percentage of recycled plastic content | **15 %** |
| Packaging made with recycled cardboard | **Yes** |
| Packaging without single use plastic | **No** |
| SCIP Number | **488c31fb-3af8-42cf-9558-1362d000a07e** |
| EU RoHS Directive | **Compliant** |
| REACh Regulation | **Reference contains Substances of Very High Concern above the threshold** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Recyclability potential, in % | **48** |
| End of life manual availability | **End of Life Information** |
| Removable battery | **User replaceable** |
| Take-back | **No** |
| WEEE Label | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins** |

Image of product / Alternate images

**Alternative**




