
# **LX770H Pro**:**Centric SMART** Edge-lit LED IPTV with Integrated **Pro**:**Idiom** and *b*-LAN™





### Pro:Centric® Smart IPTV

The LX770H Series is a cost effective Smart IPTV model series offering an edge-lit LED display with a slim bezel design and supporting the Pro:Centric Smart applications platform, which includes Smart Share, Smart Management, Pro:Idiom<sup>®</sup> & *b*-LAN<sup>™</sup> support.

Media Share features: Smart Share, Screen Share, Bluetooth Sound Sync, SoftAP, DIAL, Pre-loaded applications

#### PRE-LOADED APPLICATIONS

Pre-loaded applications include: Accuweather, Crackle, HULU, Rhapsody, Pandora, Web Browser, and YouTube (other applications may be added in the future, subject to licensing terms).

#### SMART SHARE

The LX770H is designed for "second screen" support and options includes DIAL, WiDi, Wi-Fi Direct<sup>®</sup> and Miracast<sup>®</sup> technologies, which are used to pair guests mobile devices with the TV enabling them to share and view their content on the large HD screen.



#### OTHER HOSPITALITY FEATURES



Present your guests with a greeting message or hotel image and logo on the TV boot-up screen prior to the TV channel being displayed.



External Speaker Out

The external speaker out function lets users enjoy the TV sound in a separate location, such as the bathroom.



'Instant On' feature removes application boot time, so guests are immediatelypresented with the user interface screen when they turn on the TV.



Software Access Point provides a wireless hotspot to enable guests to connect their personal devices for internet access.

Hospitality features available without the use of the Pro:Centric Server.

## BLUETOOTH SOUND SYNC (BLUETOOTH 3.0)

By bluetooth connection between a mobile device and commercial TV, Bluetooth Sound Sync enables users to listen to music on a mobile device through TV speakers.

\* Support devices for Bluetooth Sound Sync. : Android(Above v4.4 Kitkat) / iOS based Mobile Device

#### DIAL

Share Share

DIAL is a simple way of enjoying portable devices' content on a TV via a connection through the cloud. For example, YouTube service can be paired in the cloud, viewed on the TV, and controlled via the moble device.



www.LG.com/us/commercial



## Pro:Idiom

#### GLOBAL LEADING DIGITAL RIGHTS MANAGEMENT SOLUTION

Pro:ldiom unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high value digital content.

Pro:Idiom has been designed specifically for users of premium HDTV content from cable, satellite, or video on demand (VOD) services, and is intended to lower costs and reduce maintenance. This leading DRM system is embraced for its security solution, prevents illegal copying of copyrighted content.

#### REDUCED TOTAL COST OF OWNERSHIP



Using LG's optional Pro:Centric server, you can remotely manage cloning and channel mapping for TVs in guest rooms without having to visit each room.

The EZ-Manager's auto configuration function makes installation quick and easy. The EZ-Manager guides the installer to set up the TV with simple steps without having to set up the menu manually, saving time and cost.

#### EFFECTIVELY MANAGE IN-ROOM TVs



The USB Cloning feature allows you to simply copy the TV settings onto all TVs using a USB memory device, a process that is fully automated to save time without having to set each TV one-by-one.

#### Pro:Centric Smart Application Platform



The LX770H is the latest in the line of Pro:Centric TVs that provide a unique and dedicated hotel applications hosting platform for LG's System Integrators' interactive applications, enabling delivery for a wide range of custom applications tailored to both hotel management and guests' needs.

LG Pro:Centric SMART offers extended customizable tools: HTML5, Java and Flash. With these, the partners can optimize Commercial TVs to edit and develop their own enhanced service design. Also, it gives visual impact on and delivers messages to customers as users intend.

#### The LX770H Pro:Centric Application

Personalize the televison experience with the Pro:Centric Application (PCA), which provides guests' access to a variety of additional features, such as an interactive Electronic Program Guide, weather forecast and map, and customized electronic billboards for information on hotel amenities, all conveniently presented through the on-screen menu.



Main Welcome Portal



Remote Help Learn how to use the Remote controller with easily accessible menu on TV



Channel Guide Simple Channel List: Select the broadcast logo to watch your selected TV program



Language Access the system in multiple languages for international guest service from various nations.

## FREE INTERACTIVE ELECTRONIC PROGRAM GUIDE SERVICE FOR Pro:Centric TVs!

#### PLAN HIGHLIGHTS

If your property has purchased or plans to purchase LG's Pro:Centric TVs, you qualify for a free Electronic Program Guide (EPG) that allows guests to easily navigate TV channels and programs - just like they do at home.

Participating properties must purchase and install a Pro:Centric server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your Free-To-Guest (FTG) channel line up.



FREE program guide service runs until December 2017, replacing the previous programming fee of \$1.50 per room per month.

Contact your LG sales representative or visit LG.com/us/commercial/display-discover/epg/index.jsp

#### LG'S FREE-TO-GUEST COST EFFECTIVE SOLUTION

When using LG televisions in Free-To-Guest hotel installations, the Pro:Centric server (PCS200R) supports remote management of TV settings, such as virtual channel mapping and cloning of Installer Menu settings.

Save time and labor using LG's PCS200R remote management option which eliminates the necessity of visiting individual rooms to change television settings.

#### Hotel Costs For Free-To-Guest Channel Management

	Estimated Labor Costs	MSRP	Total	Savings over room visit
LG Pro:Centric TV with Pro:Centric Server		\$2,499 (PCS200R)	\$2,499	\$17,501
Manual Room Updates	\$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:ldiom TV with embedded <i>b</i> -LAN plus FMA		\$2,900 (FMA-LG102)	\$2,900	\$17,100

MSRP subject to change. Installation not included.

PCS200R HEAD-END SYSTEM




Remote management functions are also supported via the Pro:Centric server. The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Applications features (Weather, EPG, Billboards...)

FMA-LG102 Free-To-Guest Management Appliance (FMA)

LG's Free-To-Guest Management Appliance delivers the FTG Channel Map to the guest rooms, via the hotel's RF distribution.





## LX770H Pro: Centric SMART Edge-lit LED IPTV with Integrated **Pro:Idiom** and *b*-LAN ™

#### ▶ 65LX770H

65" class (64.53" diagonal)

#### ▶ 55LX770H

55" class (54.64" diagonal)

▶ 49LX770H

49" class (48.7" diagonal)

▶ 40LX770H

▶ 43LX770H

40" class (39.6" diagonal)

43" class (42.8" diagonal)

HOSPITALITY

	MODEL	65LX770H 65" class	55LX770H 49LX770H 55" class 49" class		40LX770H 40" class	FEATURES	MODEL Moving Picture	65LX770H	55LX770H	49LX770H	43LX770H	40LX770H
	Size	(64.53" diagonal)	(54.64" (48.7" diagonal) diagonal)	(42.8"	(39.6" diagonal)		Playback Audio Codec		AC3 (Dolby D	Divx HD igital), E-AC-3, A	AC MP3 PCM	
	Resolution	<i>,</i>	1920 x 1080 (		5 /		USB Cloning		7100 (D010) D	Yes	(c, mi 3, i cm	
	Dynamic Contrast			•			Logical Channel					
	Ratio		1,000,000	1			Map			Yes		
	Static (Panel)	1,400:1	1,200:1		4,000:1		Multi IR Code			Yes		
	Contrast Ratio	,					Welcome Screen	1	``	Yes (Splash Image	2)	
	Viewing Angle Response Time	178°/178°			176°/176°		Auto Off / Auto			Yes		
	Frame Rate	8ms (G to G) 9ms (G to G) 8ms (G to G) 9.5ms (GtoG)   240Hz 60Hz				Sleep						
ROADCASTIN							Smart Energy Saving	Yes				
	Digital		ATSC, VSB, Clea	r QAM			Motion Eye Care	Yes				
IDEO	Triple XD Engine		Yes				Bluetooth	Yes				
	Dynamic Color	Yes					Sound Sync					
	Enhancer						Kensington Lock Credenza/Security			Stand		
	Real Cinema 24p Aspect Ratio	Yes (3:3 pull down) 5 modes (16:9, Just Scan, Set By Program, 4:3, Zoom)					Screw Hole	Yes				
UDIO	Audio Output	5 1100	10W + 10		200111)		Lock Down Plate	2		Yes		
	Speaker System		2.0 ch				Comm Grade			Yes (Except 65")		
	Sound Mode	6 mod	les (Standard, News, Music	. Cinema. Sport.	Game)		Stand					
	Smart Sound Mode	Yes				SIDE	HDMI In USB		2			
	Optical Sound Sync		Yes				RFIn			1(2.0)		
	Wireless Sound	Ready				REAR	AV In	1 (	Composite (Shar	ing with Compon	ent In) + Audio (I	/R)
	Sync	· · · · · · · · · · · · · · · · · · ·					Component In	1 Composite (Sharing with Component In) + Audio (L/R) 1 Y,Pb,Pr + Audio (L/R)				
	apt-X codec Sound Expansion	Yes				Digital Audio	igital Audio					
	Sound Expansion Sound Optimizer		Yes 3 modes(Off, Wall-Mount				Out			1 (Optical)		
	Clear Voice		Yes	Type, Stand Type	:)		HDMI			1		
ATURES	Pro:Centric Smart		Yes				USB			1 (2.0)		
	Hybrid Streaming		Yes (IP & RF) HTTP Data Carousel				PC Audio Input			g with Componen		
	RF	1 Tuner					Service LAN Port		1 (3.5mm Jack) Service Only			
	HCAP	GEM / Flash / HTML				RJ	2					
	HCAP Input Driver	USB Mouse, USB Keyboard, Magic Motion Remote,				Speaker Out /						
	Support	USB Camera, Remote App				Line Out	1 (3.5mm RJ-45 jack)					
	Auto Config SP	Ez-Manager				PTC Service			1 (3.5mm Jack)			
	Remote Diagnosis Multicast/Unicast	Yes				TV-Link CFG	1 (3.5mm Jack)					
	Ready	Yes				Game Control / MPI Port	1 (RJ-12)					
	IP Streaming	UDP/Multicast, Smart Share (IGMPv3 SSM Support)				DOWED	Voltage, Hz		10	00 ~ 240V, 50/60	IHz	
	SNMP		Yes			POWER	Typical	60.7W	48.7W	44W	35.8W	33.2W
	Comm Smart UX	Yes (Smart Home / Input)					Standby			< 0.5W		
	Pro:centric	Commercial CP/Apps				CERTIFICATION			UL, FCC, RoHS	S, cUL, NOM, ENE	RGY STAR 7.0	
	Web Browser	Yes			DIMENSIONS	VESA®		300mm x 300mm			x 200mm	
	Magic Motion Remote		Yes				Bezel Width On	16.1mm,	15.1mm,	15.1mm,	14.9mm,	15.5mm,
	Remote App						(L/R, U, B) Bezel Width Off	13.1mm, 21.8mm 13.6mm,	12.7mm, 17.8mm 12.6mm,		12.5mm, 17.6mm 12.6mm,	12.8mm, 16.3m 14.5mm,
	Compatibility		Yes				(L/R, U, B)		10.2mm, 15.3mm	12.6mm, 10.2mm, 15.3mm		
	Smart Share	Yes (RTSP, HLS, USB Video Streaming)					Swivel Angle	N/A			90° with option)	
	DLNA	Yes					WxHxD (with	57 5"v35 //"v11 6"	48.9"x30.7"x12.8"	/3 5"v27 6"v12 8"	38 3"v7/ 6"v17 8"	35 Q"v77 7"v11
	WiDi/Screen Share		Yes				Stand)					
	Miracast		Yes				Weight	75.0lbs	46.5lbs	39.2lbs	30.0lbs	22.9lbs
	Wi-Fi Direct			Yes Yes			WxHxD (w/o stand)	57.5"x33.4"x2.3"	48.9"x28.5"x2.2"	43.5"x25.5"x2.2"	38.3"x22.3"x2.2"	35.9"x20.8"x2.2
	DIAL HDMI-CEC						Weight	63.5lbs	39.0lbs	31.7lbs	22.5lbs	16.5lbs
	HDMI-CEC HTNG-CEC		Yes Yes					60.9"x38.2"x6.3"				
P	Pro:Idiom		Yes				Weight	90.4lbs	55.3lbs	46.3lbs	35.1lbs	27.1lbs
	Instant ON		Yes			ACCESSORIE			S-Con / Magi	c Motion RCU (so	old separately)	
	b-LAN	Yes					Power Cord		Power cord (5.8')			
	Wi-Fi		Built-in				Manual / ESG			Simple Book		
	Soft AP		Yes			OTHER	Warranty		arranty Parts/Labor			
	Installer Menu		Yes			REMOTE JACK	UPC	719192 917934	719192 917927	7 19192 91791 0	/ 19192 91790 3	7 19192 91789
	IR Pass Through		Yes (MPI Po			PACK		🥭 talaa daat				
	External Speaker Out		Variable/Fixed/Line Out, Single ended Type (GND RJ-45,HDN	) 1W with 8Ω		Compatibilit (RJP)		Keeping Your World Connected*				
	RJP Interface RJP Compatibility	Tele	RJ-45,HDM eadapt (RJ-45, HDMI CEC),		EC)	COMPATIBLE		PLWK		0.0	Tala	N
	USB	icit	USB 2.0		/	INTERACTIVE SYSTEMS		T	acentic	Guest	idently HOISTLC	
	Picture		JPEG			(SEPARATE	Λ	4 INTERNET			bespitabig (	MAGINE.
ENERG			termined in accordance with 16 CF and 40LX770H are \$15, \$12, \$11			SET-TOP BOX MAY BE REQUIRED)	HEDIA   COMMENTICATIONS	at-visions		WORLDCIN	-	
							ACUTEK.	💥 infov			Exception Innovatio	
GUIDE		ling rule (18 CFR I	Part 305, as added by 76 Fed. Rec	1. 1038 (Jan 6. 2011	)).		ACOTER	A		D		
		ling rule (18 CFR I	Part 305, as added by 76 Fed. Reg	g. 1038 (Jan 6, 2011	)).		SOLUTIONS passed by decrease	images are simulate change without noti			adrıga Smar	

VESA is a registered trademark of Video Electronics Standards Association. HDMI, the "HDMI" Logo and High-Definition Millimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. Wi-Fi Direct and Miracast are registered trademarks of Vi-Fi Allinec. Java is a trademark of Oracle, Inc. Adobe and Flash, are either registered trademarks of trademark of Solution. Call other product and brand names are trademarks or registered trademarks of their respective companies.

Customer Service: 888.865.3026 www.LG.com/us/commercial/display-support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com

LG\_SPEC\_LX770H\_011606\_PR

Printed in the U.S.A.. January 2016





www.LG.com/us/commercial

