




E2275PWJ

21.5 inch (54.6 cm) LCD MONITOR

Comfortable viewing, remarkable performance



ADJUSTABLE
STAND



Height adjustable stand

We care about your well-being. This is why this monitor offers height adjustment options, which help you find your perfect posture while working, playing or watching videos. Adapting your AOC monitor to your needs not only helps you reduce fatigue and keep your body healthy. In the end it lets you and your team achieve better results in whatever you are doing.



Integrated Speakers

Built-in speakers make it easy to catch up with family, friends and colleagues. For movies, music, games and more, you'll enjoy quality audio without the hassle of connecting external speakers.



Kensington Lock

Kensington Lock is an anti-theft system, comprising a metal-reinforced hole in the body of the respective device, to use with a metal cable secured with a key/lock system. Kensington locks enable you to secure your AOC monitor during a LAN event, an organisation, or wherever you carry it.



HDMI

HDMI (High-Definition Multimedia Interface) is supported by the current gaming consoles, current GPUs, set-top boxes, supporting the HDCP digital content protection system. HDMI 1.3-1.4b versions support up to 144 Hz refresh rate@1080p and 75 Hz@1440p, while HDMI 2.0-2.0b versions support 240Hz@1080p, 144Hz@1440p and 60 Hz@2160p (4K).

General

Model name	E2275PWJ
EAN	4038986125482
Product Line	Pro-line
Series	75 Series
Classification	Mainstream
Section	Business
Launch date	31-01-2016

Screen

Resolution	1920x1080
Refresh rate	60Hz
Screen size (inch)	21.5 inch
Screen size (cm)	54.6 cm
Backlight	WLED
Display Colours	16.7 Million
Active Screen Area (HxW)	477.5x268.5 mm
Pixel Pitch	248
Scanning Frequency	30-83khz/55-75Hz
Pixel Frequency	148.5Mhz
Response time (GtG)	2 ms
Contrast (static)	1000:1
Contrast (dynamic)	200M:1
Brightness (typical)	250 cd/m ²
OSD languages	EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP

Exterior

Monitor colour	Black
Bezel Type	Normal

Ergonomics

Vesa Wallmount	100x100
Tilt	-5/25 °
Swivel	-165/+165 °
Pivot	✓
Height Adjust Amount	130mm

Multimedia

Built-in Speakers	2 W x 2
Audio output	Headphone out (3,5mm)

Connectivity and Multimedia

Signal Input	HDMI 1.4 x 1, VGA, DVI
--------------	------------------------

What's in the Box?

VGA cable	1,8 m
-----------	-------

DVI cable	1,8 m
-----------	-------

Audio Cable	1,8 m
-------------	-------

Power Cable C13	1,8 m
-----------------	-------

Power / Environmental

Powersupply	Internal
-------------	----------

Powersource	100 - 240V 50/60Hz
-------------	--------------------

PowerConsumption On (Energystar)	14.3 watt
----------------------------------	-----------

PowerConsumption Standby (Energystar)	0.3 watt
---------------------------------------	----------

PowerConsumption Off (Energystar)	0.3 watt
-----------------------------------	----------

EnergyClass	B
-------------	---

Approbations / Regulations

TCO	7
-----	---

EPEAT	Yes
-------	-----

Listed on Epeat Website	✓
-------------------------	---

TUV-GS	✓
--------	---

CE	✓
----	---

FCC	✓
-----	---

EAC	✓
-----	---

ISO 9241-307 class I	✓
----------------------	---

Rohs compliant	✓
----------------	---

Warranty

Pixel Policy	ISO 9241-307
--------------	--------------

Warranty Period	3 Years
-----------------	---------

MTBF	50.000 hours
------	--------------

Dimensions / Weights

Product height (mm)	212.9
---------------------	-------

Product width (mm)	504
--------------------	-----

Product depth (mm)	468.8
--------------------	-------

Packaging Dimensions (L x W x H)	653x190x395 mm
----------------------------------	----------------

Product Dimensions (incl base)	504x212.9x468.8 mm
--------------------------------	--------------------

Gross Weight (including package)	6.5 Kg
----------------------------------	--------

Net Weight (excluding package)	4.8 Kg
--------------------------------	--------

Texts and USP

Marketing title

21.5 inch 1920x1080@60Hz 2 ms HDMI 1.4 x 1, VGA, DVI

Features

Flicker-free

✓