



# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Important information** \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. \*\*\*

### 1.1. Product identifier

**Trade name or designation of the mixture** T6L95Series  
**Registration number** -  
**UFI:** QCWM-GC5D-361W-59YX  
**Synonyms** None.  
**Issue date** 04-Jun-2016  
**Version number** 19  
**Revision date** 24-Feb-2026  
**Supersedes date** 19-Apr-2025

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Inkjet printing  
**Uses advised against** None known.

### 1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West  
300 Thames Valley Park Drive, Reading, RG6 1PT  
**Telephone** +44 20 7660 0596 (Consumer)  
+44 20 7660 0403 (Commercial)

### HP Inc. health effects line

**(Toll-free within the US)** 1-800-457-4209  
**(Direct)** 1-760-710-0048

### HP Inc. Customer Care Line

**(Toll-free within the US)** 1-800-474-6836  
**(Direct)** 1-208-323-2551

**Email:** sustainability@hp.com

**1.4 Emergency telephone number** +1 760 710 0048

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

#### Health hazards

Skin sensitization Category 1 H317 - May cause an allergic skin reaction.

#### Environmental hazards

Very persistent and very mobile Classified EUH451 - Can cause very long-lasting and diffuse contamination of water resources.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** 5,5-Dimethylimidazolidine-2,4-dione, reaction products with oxirane, 2,4,7,9-Tetramethyl-5-decyne-4,7-diol, ethoxylated, 2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone), 1,2-Benzisothiazolin-3-one (Benzisothiazolinone)

#### Hazard pictograms



**Signal word** Danger

**Hazard statements**

H317 May cause an allergic skin reaction.  
EUH451 Can cause very long-lasting and diffuse contamination of water resources.

**Precautionary statements**

**Prevention**

P280 Wear protective gloves/protective clothing/eye protection.  
P261 Avoid breathing mist/vapor.  
P272 Contaminated work clothing must not be allowed out of the workplace.

**Response**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage**

Not available.

**Disposal**

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Supplemental label information** Incorporates biocides: Benzisothiazolinone and Methylisothiazolinone.

**2.3. Other hazards**

Endocrine disrupting properties (Toxicity/Ecotoxicity): This mixture does not contain known components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels above possible trace contaminate levels. Potential routes of overexposure to this product are skin and eye contact.  
Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

---

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
5,5-Dimethylimidazolidine-2,4-dione, reaction products with oxirane	<10	26850-24-8 701-388-0	-	-	
<b>Classification:</b> vPvM;EUH451					
2,4,7,9-Tetramethyl-5-decyne-4,7-diol, ethoxylated	<1	9014-85-1 500-022-5	-	-	
<b>Classification:</b> Eye Dam. 1;H318, Skin Sens. 1;H317, Aquatic Chronic 3;H412, vPvM;EUH451					
2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone)	<0.05	2682-20-4 220-239-6	01-2120764690-50-XXXX	613-326-00-9	
<b>Classification:</b> Acute Tox. 3;H301, Acute Tox. 3;H311, Acute Tox. 2;H330, Skin Corr. 1B;H314, Eye Dam. 1;H318, Skin Sens. 1;H317, Aquatic Acute 1;H400(M=10), Aquatic Chronic 1;H410					
<b>Specific Concentration Limits:</b> Skin Sens. 1;H317: C ≥ 0.0015 %					
1,2-Benzisothiazolin-3-one (Benzisothiazolinone)	<0.036	2634-33-5 220-120-9	01-2120761540-60-XXXX	613-088-00-6	
<b>Classification:</b> Acute Tox. 4;H302, Acute Tox. 2;H330, Skin Irrit. 2;H315, Eye Dam. 1;H318, Skin Sens. 1;H317, Aquatic Acute 1;H400, Aquatic Chronic 2;H411					
<b>Specific Concentration Limits:</b> Skin Sens. 1A;H317: C ≥ 0.036 %					

**Composition comments** This ink supply contains an aqueous ink formulation.

---

## SECTION 4: First aid measures

**General information** Not available.

### 4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

<b>Skin contact</b>	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
<b>Eye contact</b>	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
<b>Ingestion</b>	If ingestion of a large amount does occur, seek medical attention.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Not available.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	Not available.

---

## SECTION 5: Firefighting measures

<b>General fire hazards</b>	Not available.
<b>5.1. Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Dry chemical, CO <sub>2</sub> , water spray or regular foam.
<b>Unsuitable extinguishing media</b>	None known.
<b>5.2. Special hazards arising from the substance or mixture</b>	Not available.
<b>5.3. Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Not available.
<b>Special fire fighting procedures</b>	Not available.
<b>Specific methods</b>	None established.

---

## SECTION 6: Accidental release measures

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
<b>For non-emergency personnel</b>	Wear appropriate personal protective equipment.
<b>For emergency responders</b>	Not available.
<b>6.2. Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
<b>6.3. Methods and material for containment and cleaning up</b>	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
<b>6.4. Reference to other sections</b>	Not available.

---

## SECTION 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	Avoid contact with skin, eyes and clothing.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Keep out of the reach of children. Keep away from excessive heat or cold.
<b>7.3. Specific end use(s)</b>	Not available.

---

## SECTION 8: Exposure controls/personal protection

<b>8.1. Control parameters</b>	
<b>Occupational exposure limits</b>	No exposure limits noted for ingredient(s).
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Recommended monitoring procedures</b>	Not available.
<b>Derived no effect levels (DNELs)</b>	Not available.
<b>Predicted no effect concentrations (PNECs)</b>	Not available.
<b>Exposure guidelines</b>	Exposure limits have not been established for this product.
<b>8.2. Exposure controls</b>	

<b>Appropriate engineering controls</b>	Use in a well ventilated area.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>General information</b>	Use personal protective equipment to minimize exposure to skin and eye.
<b>Eye/face protection</b>	Not available.
<b>Skin protection</b>	
- Hand protection	Not available.
- Other	Not available.
<b>Respiratory protection</b>	Not available.
<b>Thermal hazards</b>	Not available.
<b>Hygiene measures</b>	Handle in accordance with good industrial hygiene and safety practice.
<b>Environmental exposure controls</b>	Not available.

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Not available.
<b>Color</b>	Yellow
<b>Odor</b>	Not available.
<b>Odor threshold</b>	Not available.
<b>pH</b>	9 - 10
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	>230.0 °F (>110.0 °C) Pensky-Martens Closed Cup US EPA Method 1020
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Explosive properties</b>	Not available.
<b>Oxidizing properties</b>	Not determined

### 9.2. Other information

<b>Density</b>	1.04 g/cm <sup>3</sup>
<b>VOC</b>	<7 g/L

### 9.2. Other information

<b>9.2.2. Other safety characteristics</b>	No relevant additional information available.
--	---

---

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	Not available.
<b>10.2. Chemical stability</b>	Stable under recommended storage conditions.

<b>10.3. Possibility of hazardous reactions</b>	Will not occur.
<b>10.4. Conditions to avoid</b>	Not available.
<b>10.5. Incompatible materials</b>	Incompatible with strong bases and oxidizing agents.
<b>10.6. Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## SECTION 11: Toxicological information

**General information** Not available.

### Information on likely routes of exposure

<b>Inhalation</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
<b>Skin contact</b>	May cause an allergic skin reaction.
<b>Eye contact</b>	Contact with eyes may result in mild irritation.
<b>Ingestion</b>	Health injuries are not known or expected under normal use.

**Symptoms** Not available.

### 11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

Components	Species	Test Results
------------	---------	--------------

2,4,7,9-Tetramethyl-5-decyne-4,7-diol, ethoxylated (CAS 9014-85-1)

**Acute**

**Inhalation**

LC50	Rat	20 mg/l, 1 h Dusts, mists and fumes. The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).
------	-----	--

**Oral**

LD50	Rat	6300 mg/kg
------	-----	------------

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) (CAS 2682-20-4)

**Acute**

**Dermal**

LD50	Rat	242 mg/kg (OECD 402)
------	-----	----------------------

**Inhalation**

LC50	Rat	0.11 mg/l, 4 h (OECD 403)
------	-----	---------------------------

**Oral**

LD50	Rat	120 mg/kg
------	-----	-----------

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Irritation Corrosion - Skin**

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone)	Corrosive, rabbit (OECD 404)
2,4,7,9-Tetramethyl-5-decyne-4,7-diol, ethoxylated	Not irritating, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Test Duration: 24 h

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Eye**

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone)	Corrosive, based on OECD 404 results
2,4,7,9-Tetramethyl-5-decyne-4,7-diol, ethoxylated	Risk of serious damage to eyes, The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Species: Rabbit

**Respiratory sensitization** Based on available data, the classification criteria are not met.

**Skin sensitization** May cause an allergic skin reaction.

**Sensitization**

2,4,7,9-Tetramethyl-5-decyne-4,7-diol, ethoxylated	May cause sensitization by skin contact.
--	--

**Skin sensitization**

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone)

Sensitizing, mice (OECD 429), Sensitizing, guinea pigs (OECD 406)

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

Based on available data, the classification criteria are not met.

2,4,7,9-Tetramethyl-5-decyne-4,7-diol, ethoxylated

Ames (OECD 471), Chromosomal aberration (OECD 473), gene mutation (OECD 476), negative. The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**Specific target organ toxicity - single exposure**

Based on available data, the classification criteria are not met.

**Specific target organ toxicity - repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Mixture versus substance information**

Not available.

**Other information**Complete toxicity data are not available for this specific formulation  
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

---

**SECTION 12: Ecological information****12.1. Toxicity****Aquatic toxicity**

Not expected to be harmful to aquatic organisms.

**Product****Species****Test Results**

T6L95Series

**Aquatic***Acute*

Fish

LC50

Fathead minnow (*Pimephales promelas*)

&gt; 750 mg/l, 96 hours

**Components****Species****Test Results**

2,4,7,9-Tetramethyl-5-decyne-4,7-diol, ethoxylated (CAS 9014-85-1)

*Acute*

LC50

*Scophthalmus maximus* (turbot)

52 mg/l, 96 h

**Aquatic***Acute*

Crustacea

EC50

*Daphnia magna*

88 mg/l, 48 h The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). (OECD 202).

Fish

LC50

*Acartia tonsa*

166 mg/l, 48 h

Fish

LC50

*Pimephales promelas*

36 mg/l, 96 h The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). (OECD 203).

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) (CAS 2682-20-4)

*Acute*

EC50

Activated sludge

34.6 mg/l (DIN 38412-3)

Other

EC50

*Pseudokirchnerella subcapitata*

0.445 mg/l, 120 h (OECD 201)

**Aquatic***Acute*

Crustacea

EC50

*Daphnia magna*

1.68 mg/l, 48 h (OECD 202)

Fish

LC50

Rainbow Trout

6 mg/l, 96 h (OECD 203)

*Chronic*

Crustacea

NOEC

*Daphnia magna*

0.0442 mg/l, 21 d (OECD 211)

Fish

NOEC

*Oncorhynchus mykiss*

4.93 mg/l, 98 d (OECD 210)

## 12.2. Persistence and degradability

### Biodegradability

#### Percent degradation (Aerobic biodegradation-ready)

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) 54.1 %, (OECD 301B)  
Test Duration: 29 d

12.3. Bioaccumulative potential Not available.

### Partition coefficient

#### n-octanol/water (log Kow)

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) -0.32 (OECD 107)

### Bioconcentration factor (BCF)

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) 48.1, Viscera (1972)  
Species: Bluegill (*Lepomis macrochirus*)  
5.75, Carcass (1972)  
Species: Bluegill (*Lepomis macrochirus*)

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Product contains substances which are very persistent and very mobile (vPvM).

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Disposal methods/information Do not allow this material to drain into sewers/water supplies.  
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

---

## SECTION 14: Transport information

### ADR

14.1. UN number or ID number Not regulated as dangerous goods.

14.2. UN proper shipping name Not Regulated

#### 14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -

Hazard No. (ADR) Not assigned.

Tunnel restriction code Not assigned.

14.4. Packing group -

14.5. Environmental hazards No

14.6. Special precautions for user Not assigned.

### IATA

14.1. UN number or ID number Not regulated as dangerous goods.

14.2. UN proper shipping name Not Regulated

#### 14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -

14.4. Packing group -

14.5. Environmental hazards No

14.6. Special precautions for user Not assigned.

### IMDG

14.1. UN number or ID number Not regulated as dangerous goods.

**14.2. UN proper shipping name** Not Regulated

**14.3. Transport hazard class(es)**

**Class** Not assigned.

**Subsidiary hazard** -

**14.4. Packing group** -

**14.5. Environmental hazards**

**Marine pollutant** No

**EmS** Not assigned.

**14.6. Special precautions for user** Not assigned.

**14.7. Maritime transport in bulk according to IMO instruments** Not available.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Retained direct EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorizations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered**

Not listed.

**Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended**

Not listed.

**Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended**

Not listed.

#### Other regulations

HP complies with chemical regulatory requirements in chemical substance notification laws, where applicable. All chemical substances are notified or exempt from notification or listed in the inventory as existing substances in the following countries: US (TSCA), Canada (DSL/NDSL), Australia (AIC), Japan (ISHL, ENCS), Philippines (PICCS), New Zealand (NZIoC), Russia and China (IECSC). For guidance on importation and/or additional requirements for registration schemes such as EAEU, EU, South Korea, Turkey, UK, India and Taiwan, please contact the Sustainability and Compliance Center (sustainability@hp.com).

Not available.

**15.2. Chemical safety assessment** See attached SUMI or GEIS document, if applicable.

## Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2020/878. Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

---

## SECTION 16: Other information

### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

The information in this document is based on the present state of our knowledge, including but not limited to the data present in the registrations of the ingredients, it does not purport to be all-inclusive and shall be used only as a guide.

### Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

### Full text of any statements, which are not written out in full under sections 2 to 15

H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H330 Fatal if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.  
EUH451 Can cause very long-lasting and diffuse contamination of water resources.

### Revision information

SECTION 2: Hazards identification: Hazard statements  
SECTION 2: Hazards identification: GHS Signal Words  
SECTION 2: Hazards identification: Supplemental label information  
3. Composition / Information on Ingredients: Disclosure Overrides  
SECTION 6: Accidental release measures: For non-emergency personnel  
SECTION 12: Ecological information: 12.6. Other adverse effects

### Training information

Follow training instructions when handling this material.

### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>Acute Tox.</b>	Acute toxicity
<b>Aquatic Acute</b>	Short-term (acute) aquatic hazard
<b>Aquatic Chronic</b>	Long-term (chronic) aquatic hazard
<b>Asp. Tox.</b>	Aspiration hazard
<b>Carc.</b>	Carcinogenicity
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>Eye Dam.</b>	Serious eye damage
<b>Eye Irrit.</b>	Eye Irritation
<b>Flam. Liq.</b>	Flammable liquids
<b>Flam. Sol.</b>	Flammable solids
<b>Lact.</b>	Effects on or via lactation
<b>Muta.</b>	Germ cell mutagenicity
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>Ox. Liq.</b>	Oxidising liquids
<b>Ozone</b>	Hazardous to the ozone layer
<b>PEL</b>	Permissible Exposure Limit
<b>Press. Gas</b>	Gases under pressure
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>Repr.</b>	Reproductive toxicity
<b>Resp. Sens.</b>	Respiratory sensitization
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>Skin Corr.</b>	Skin corrosion
<b>Skin Irrit.</b>	Skin irritation
<b>Skin Sens.</b>	Skin sensitization
<b>STEL</b>	Short-Term Exposure Limit
<b>STOT RE</b>	Specific target organ toxicity - repeated exposure
<b>STOT SE</b>	Specific target organ toxicity - single exposure
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act

# Safe Use of Mixtures Information (SUMI)

--

## Water Based Ink: WB02 \*English\*

### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product Safety Data Sheet (SDS), the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS. The REACH registration numbers, where applicable, complete an extended product SDS.

### Operational conditions

Maximum duration	Up to 8 hours per day.
Frequency of exposure	< 240 days per year.
Physical state	Liquid.
Process conditions	Covers use at ambient temperatures. Provide a good standard of controlled ventilation (10 to 15 air changes per hour). Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures (RMM's) in place are being correctly used and Operational Conditions (OC's) followed.

### Risk management measures

Conditions and measures related to Personal Protection Equipment (PPE), hygiene and health evaluation	Wear safety glasses with side shields (or goggles), if splashing is possible. Wear appropriate chemical resistant gloves: see section 8 of the SDS. Wear appropriate chemical resistant clothing. In case of inadequate ventilation wear respiratory protection. Eye wash station and emergency showers are recommended. Avoid breathing mist/vapours. Avoid contact with skin, eyes and clothing. Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
---	---



### Good practice advice

Use personal protective equipment as required.  
Wash hands before breaks and after work.  
Keep good industrial hygiene and safety practice.  
Use only with adequate ventilation.  
Do no eat, drink or smoke when using this product.  
Wash contaminated clothing before reuse.  
Store at room temperature.



### Environmental measures

Do not allow this material to drain into sewers/water supplies.  
Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.  
Ensure collection and disposal with appropriately licenced waste contractor.

### Use descriptors

IS-Use at industrial sites.  
PW-Widespread use by professional workers.  
SU7-Printing and reproduction media.  
PC18-Inks and Toners.  
PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition.  
PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities.  
PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities.  
PROC28 - Manual maintenance (cleaning and repair) of machinery.  
ERC5-Use at industrial site leading to inclusion into/onto article.  
ERC8c-Widespread use leading to inclusion into/onto article (indoor).

### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.  
Most of the water based inks are "not classified".  
All ingredients contributing to the classification are stated in Section 3 of the SDS.  
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.  
The product may contain sensitizing ingredients that may cause allergic reaction to certain people.  
Section 2 of the SDS states these ingredients where applicable.