HP PageWide 377dw Multifunction Printer



Faster¹ than any colour MFP in its class, HP PageWide delivers professional-quality colour documents, fast two-sided scanning, and best-in-class energy efficiency³ – all at a low purchase price.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds





Color touchscree

L
HD DageW

2-sided printing

Mobile printing

Professional colour, low total cost²

- Results you expect, lasting value, and a low total cost of ownership.²
- Print professional-quality colour on a variety of papers perfect for office use.
- Spend less time and budget on scheduled maintenance with streamlined HP PageWide Technology.⁴

The fastest MFP in its class¹

- Wait less, do more with unmatched speeds¹ up to 45 ppm and the fastest first-page printing in its class.⁵
- Get fast two-sided scanning directly to email and the cloud.⁶
- Manage tasks from a 10.9 cm (4.3-inch) touchscreen. Easily print PDF and JPEG files from a USB drive.
- Print from your mobile device with Wi-Fi Direct[®] and NFC touch-to-print technology no network needed.^{7,8}

Proven technology. Superior energy efficiency.³

- Minimise downtime with HP PageWide Technology that delivers reliable performance businesses demand.
- Conserve with HP PageWide Technology designed to use less energy than any MFP in its class. $^{\rm 3}$
- Get professional-quality colour documents and the performance you expect with Original HP PageWide cartridges.



Product walkaround

Accessories, Supplies and Support

Supplies	F6T77AE HP 913A Cyan Original PageWide Cartridge (~3,000 pages)
	F6T78AE HP 913A Magenta Original PageWide Cartridge (~3,000 pages)
	F6T79AE HP 913A Yellow Original PageWide Cartridge (~3,000 pages)
	LOR95AE HP 913A Black Original PageWide Cartridge (~3,500 pages)
Accessories	D3Q23A HP PageWide Pro 500-sheet Paper Tray
Service and Support	U9HE9E HP 3 year Next Business Day Onsite Hardware Support for PageWide 377 MFP U9HF0E HP 4 year Next Business Day Onsite Hardware Support for PageWide 377 MFP U9HF1E HP 5 year Next Business Day Onsite Hardware Support for PageWide 377 MFP U9H60E HP 3 year Next Business Day Onsite Exchange Hardware Support for PageWide 377 MFP U9H61E HP 4 year Next Business Day Onsite Exchange Hardware Support for PageWide 377 MFP U9H62E HP 5 year Next Business Day Onsite Exchange Hardware Support for PageWide 377 MFP U9H62E HP 5 year Next Business Day Onsite Exchange Hardware Support for PageWide 377 MFP U9H62E HP 1 year Post Warranty Next Business Day Hardware Support for PageWide 377 MFP U9H67PE HP 2 year Post Warranty Next Business Day Hardware Support for PageWide 377 MFP U9H67PE HP 1 year Post Warranty Next Business Day Onsite Exchange HW Support for PageWide 377 MFP

Technical specifications

Functions Price, copp., souh, fax Corted panel 10:02 cm H al 31 CGD (Cobur Gophic Display), It tracharcem Print Bask Management and State Stat	Model	HP PageWide 377dw Multifunction Printer
Control panel 10.32 cm (4.31 CGD Colum Chuphe Dapa), If coucharsen Print Enterhology IP PageVide Inchnology with parvented ivide. Print Enterhology IP PageVide Inchnology with parvented ivide. Print Enterhology IP PageVide Inchnology with parvented ivide. Print Enterhology IB Ext (An corral), to a 3 pairs. Colur (An coped by 10:0 10 pairs. Back (An corral), to a 3 pairs. Colur (An coped by 10:0 10 pairs. IB Ext (An corral), to a 3 pairs. First page off Back (An corral), to a 3 pairs. Colur (An coped by 10:0 10 pairs. Print resolution IB Ext (An corral), to a 3 pairs. IE Ext (An corral), to a 3 pairs. Namethy dudg y clef Ip to a 0.000 pages. An Recommended monthly page values ¹ : 500 a 1.000 IP Ext (An corral), to a 2000 pages. An Recommended monthly page values ¹ : 500 a 1.000 Print exolution IP Ext (An corral), to a 2000 pages. An Recommended monthly page values ¹ : 500 a 1.000 IP Ext (An corral), to a 3 pairs. Standard print tanguages IP Ext (An corral), to a 3 pairs. The set (An corral) is a 3 pairs. IP Ext (An corral), to a 3 pairs. Standard print tanguages IP Ext (An corral), to a 3 pairs. The set (An corral) is a 3 pairs. IP Ext (An corral), to a 3 pairs. Standard print tanguages IP Ext (An corra). The set (An corral), to a 3 pairs. IP Ext (A	Product number	J9V80B
Print HP POLY (An one of the 16 percent of t	Functions	Print, copy, scan, fax
Print Echnology IPP PageMide Technology with algemented inks Print Echnology Back (A, enrmal (to 30) print Cakur (An ormal) Up to 30 print. Back (A, enroll-2, to 30 print Cakur (A, normal) Up to 30 print. Back (A, enroll-2, to 30 print) Cakur (A, and A) Agence (Sereer Mitted) Up to 30 print. First page out ² Back (A, enroll-2, to 30 print) Cakur (An ormal). The Sont (Sont (Sereer Mitted) Up to 30 print. Sont (Sereer Mitted) Up to 30 print. Print resolution Back (Sereer Up to 100 print). The Mitted Technology (Sereer Mitted). The Sont (Sont (Sereer Mitted). Sont (Sereer Mitted). Manthy Alory calls ² Up to 4000 print of the Mitted Technology. Sont (Sereer Mitted). Sont (Sereer Mitted). Manthy Alory calls ² Up to 4000 print of the Mitted Technology. Sont (Sereer Mitted). Sont (Sereer Mitted). Manthy Alory calls ² Callson Debate printing. Sont (Sereer Mitted). Sont (Sereer Mitted). Manthy Alory callson Debate printing. No Sont (Sereer Mitted). Sont (Sereer Mitted). Sont (Sereer Mitted). Manthy Alory callson Debate printing. No Sont (Sereer Mitted). Sont (Sereer Mitted). Sont (Sereer Mitted). Manthy Alory callson Debate printing. No Sont (Sereer Mitted). Sont (Serer Mitted). </td <td>Control panel</td> <td>10.92 cm (4.3") CGD (Colour Graphic Display), IR touchscreen</td>	Control panel	10.92 cm (4.3") CGD (Colour Graphic Display), IR touchscreen
Back (AA permed) bip to 20 perm: Claim (AA permed) bip to 30 perm: Print stream Back (AA permed) bip to 30 perm: Claim (AA permed) bip to 35 perm: Print stream Back (Aa permed) bip to 30 perm: Claim (AA permed) (bip to 35 perm: Print stream Back (Marrayk): fast at 32 perm: Claim (AA permed) (field bip to 35 perm: Print resolution Back (Marrayk): fast at 32 perm: Claim (AA permed) (field bip to 35 perm: Print resolution Back (Marrayk): fast at 32 perm: Claim (AA permed) (field bip to 35 perm: Monthly duty cycle ³ Us to 40,000 pages A4; Recommended monthly page volume! '500 to 3,000 Print ensulation Back (Marrayk): fast at 32 perm: Claim (AA permed) (field bip to 30 permine) (field	Print	
Phrt seed* Back (Ac, dupled), bip 16 jprin; Claur Ad, dupled, bip 16 jprin; First page ad* Back (Ac, dupled), bip 16 jprin; Claur Ad, dupled, bip 16 jprin; First page ad* Back (Ac, read), is fast a 3° ser; Claur (Ac read), As fast a 7.5 ser; Prent recalution Back (Bell tot 1000 : 1000 ; appinsed dip form 600 : 600 in put dip form 600 : 6	Print technology	HP PageWide Technology with pigmented inks
Back Dest Dir 200 x 1200 x 1200 x 1200 aginesid the final 600 x 600 red dip for superside plain pape. HP Premium Presentation Matte, and HP Brohure Mattel; Colour Dest). Up Monthly duty cycle ¹ Up to 40.000 page AA, Recommended monthly page waltime ⁴ 50 to 3.000 Premium Status HP Mobile Apps: Google Cloud Prinx V2, Apple APInin ¹⁰ : Montral Print Plain; HP APInit; HP Easy Color; Print preview, Automatic two sided printing, Print multiple page per the softward print anguage HP Mobile Apps: Google Cloud Prinx V2, Apple APInin ¹⁰ : Montral Print, Plain; HP APInit; HP Easy Color; Print preview, Automatic two sided printing, Print multiple page per the softward print anguage HP Mobile Apps: Google Cloud Prinx V2, Apple APInin ¹⁰ : Montral Print, Plain; HP APINI; HP Easy Color; Print preview, Automatic two sided printing, Print multiple page per the softward print anguage HP Mobile Apps: Google Cloud Prinx V2, Apple APInin ¹⁰ : Montral Print, Plain; HP APINI; HP Easy Color; Print preview, Automatic Two Apple APINI; HP Easy Color; Print preview, Automatic Two Apine, Plain; P	Print speed ¹	Black (A4, duplex): Up to 16 ipm; Colour (A4, duplex): Up to 16 ipm;
Initiation To 2400 x 1200 continues of pliforms 600 x 600 input topi lon P Advance Photo Papers); ¹¹ Monthly duty cycle ² Up to 40000 pages A4, Recommended monthly page valume⁴ : 500 to 3000 Philter smart software features Philoble Apps, Coogle Could Print 22, Apple APPinet TM , Padrida Philter TM	First page out ²	Black (A4, ready): As fast as 7 sec; Colour (A4, ready): As fast as 7.5 sec;
Intersent software feature Profetite specifications Printer smart software feature Printersent software feature Printersent software feature Printersent software feature Print anguages Print Prangins forge 42 nm, Bottom 42 nm, Left 42 nm, Right: 42 nm, Maximum print area: 201.6 x 347.1 nm Print anguages Print margins forge 42 nm, Bottom 42 nm, Left 42 nm, Right: 42 nm, Maximum print area: 201.6 x 347.1 nm Print cartidges number 4 (1 each block, cyan, magenta, yellow) Multitasking supported Yes Memory card compatibility None Deleve printing Adormatic Istandard) Copy Eack (M4, SO): Up to 30 cpm, Colour (M4, SO): Up to 30 cpm,	Print resolution	
Printer smart software feature Sheet (2, 4, 6, 9, 10; Collation; Booket printing; Cover pages; Tray selection; Sailing; PortretVL/andexes printing; PP Collar, Kcess Control, Optional; PP Collar, Kcess Control, Colar, Kcess Control, Kless Control, Collar, Kcess Control, Conteces	Monthly duty cycle ³	Up to 40,000 pages A4; Recommended monthly page volume ⁴ : 500 to 3,000
Print margins Tops: 4.2 mm, Battom: 4.2 mm, Left: 4.2 mm, Maximum print area: 201.6 x 347.1 mm Bardetess printing No Print cartiges number 4(1 each black, cyan, magenta, yellow) Multitasking supported Ves Multitasking supported Ves Memory card compatibility None Duplex printing Automatic (standard) Copy Each (Adt, SO). Up to 30 cpm; Colour (Ad, ISO): Up to 30 cpm; Copy speed ⁵ Black (Ad, SO). Up to 30 cpm; Colour (Ad, ISO): Up to 30 cpm Copy speedfications Dops, Resize; Quality, Upfter/Darker, Two-Sided copying; Tray selection; Collate: Binding marging; Copy preview with crop and rezise. Enhancements: Enable/Disable copy: Enable/Disable copy: Enable/Disable copy: Golaur Access Control: Native authorization & authentication; Set as new defaults; Maximum number of copies; Up to 99 copies; Copyresolution; Up to 00 cph, Reduce/Finange: ES to 400%; Collate: Two-Sided copying; Image adjustments (darkness, sharpness) Scan Scan File Type supported by Software: Bitmap (Lmp), IPEG (Jpg), PDF (Ad), PDF (A (pd), PMG (png), Rich Text (rtf), Text (Ltd), TIFF (Ltf) Scanner type Flatted, ADF: Scan technology: Contact image Sensor (US); Scan input modes Trons and seplications: Copy, Scan to emali with LDAP email address isolwary. Scan see maximum flatted, ADP: 216 x 336 mm; Optical scan resolution Up to 1200 dpi Scanner type Flatted, ADF: Scan technology: Contact image Sensor (US); Scan input modes Trons panel app	Printer smart software features	sheet (2, 4, 6, 9, 16); Collation; Booklet printing; Cover pages; Tray selection; Scaling; Portrait/Landscape orientation; High Quality Greyscale and Black Ink Only; General Office/Professional/Presentation/Maximum dpi print modes; Front USB port; Copy/Scan/Fax; Control Panel Shortcuts; HP UPD PIN printing; HP Color Access Control; Optional: HP
Barderless printing No Print cartridges number 4 (1 each black, cyan, magenta, yellow) Multitasking supported Yes Memory card compatibility None Duplex printing Automatic (standard) Copy Editation Copy Speed ⁶ Black (AJ, ISO: Up to 30 cpm; Colour (AJ, ISO: Up to 30 cpm; Colour (AJ, ISO: Up to 30 cpm; Colour (Colour, Colour Access Control; Halve autorization 8 authentication; Set as new defaults; Mealmum number of copies; Up to 90 copies; Copy resolution; Up to 500 dpi; Reduce/Enlarge 2:s to 400%; Copier specifications HD Copy, Resize; Quality; Ughter/Darker; Two-sided copying; Tray selection; Collate; Binding marging; Copy preview with crop and rezize; Enhancements; Enable/Disable copy; Up to 500 dpi; Reduce/Enlarge 2:s to 400%; Copier specifications HD Copy, Resize; Quality; Ughter/Darker; Two-sided copying; Tray selection; Collate; Binding marging; Copy preview with crop and rezise; Enhancements; Enable/Disable copy; Up to 500 dpi; Reduce/Enlarge 2:s to 400%; Copier specifications HD Copy, Fix, Reduce/Enlarge 2:s to 400%; Collate; Two-sided copying; Image adjustments (darkness, sharpness) Scan Scan File Type supported by Software: Bitmap Comp), JPEG (Jpg), PDF (Jpf), PDFA (Dpf), PMG (Long), Res (Long), TEF (Lf) Scanner specifications Scan File Type supported AD; Scan te thonology Contact Image Serion tput Thode; Scan to Econal with LDAP email address tookup, Scan to emaly the 1:20	Standard print languages	HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation
Print cartridge sumber 4 (1 each black, cyan, magenta, yellow) Multitasking supported Yes Memory card compatibility None Duplex printing Automatic (standard) Copy Editad (A4, ISO): Up to 30 cpm; Colour (A4, ISO): Up to 30 cpm Copy speed ⁶ Black (A4, ISO): Up to 30 cpm; Colour (A4, ISO): Up to 30 cpm Copier specifications Enable/Disable copy: copy colour; (Cour Access Control; Native autorization & authentication; Set as new defaults; Maximum number of copies; Up to 99 copies; Copy resolution: Up to 600 dp; Reduce/Enlarge from scanner glass (25 to 400%); Collate; Binding marging; Copy preview with crop and rezise; Enhancements; Enable/Disable copy, to 600 dp; Reduce/Enlarge from scanner glass (25 to 400%); Collate; Two-sided copying; Image adjustments (darkness, sharpness) Scan speed Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4); Up to 26 ipm (monochrome & colour) Scan file Type supported by Software: Bitmap (Dmp), IPEC (Jgp), PDE/ Cpd), PDE/ Cpd), PDE/ Cpd), PDE/ Cpd), PDE/ Cpd), PDE/ Cpd), PDE (Cpd), PDE (Print area	Print margins Top: 4.2 mm, Bottom: 4.2 mm, Left: 4.2 mm, Right: 4.2 mm; Maximum print area : 201.6 x 347.1 mm
Multitasking supported Yes Memory card compatibility None Duplex printing Automatic (standard) Copy Ended (AI, ISO): Up to 30 cpm: Colour (AA, ISO): Up to 30 cpm. Lopic speelf-actions ID copy, Resize; Quality: Lighter/Darker; Two-Sided copying; Tray selection; Collate: Binding marging; Copy preview with crop and rezise; Enhancements; Enable/Disable copy; Enable/Disable copy; colour; Colour Access Control, Native authorization & authentication; Set as new defaults; Maximum number of copies; Up to 99 copies; Copy resolution; Up to 60 dp; Reduce/Enlarge; 2s to 400%; Copier smart software features HP Copy Fix; Reduce/Enlarge; 2s to 400%; Scan speed Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4): Up to 26 ipm (monochrome & colour); Scan file Type supported by Software: Bitmap (Lomp), JPEG (Lpg), PDF (A (Df), PNG (Lpg), Rich Text (Lrt), Tiert (Lrt), Ti	Borderless printing	No
Memory card compatibility None Duplex printing Automatic (standard) Copy E Copy speed ⁵ Black (A4, ISO): Up to 30 cpm; Colour (A4, ISO): Up to 30 cpm; Copy speed ⁵ Black (A4, ISO): Up to 30 cpm; Colour Access Control, Native authorization & authentication; Set as new defaults; Maximum number of copies: Up to 95 copies; Copy resolution: Up to 500 dpi; Reduce/Enlarge 25 to 400%; Copier specifications Ho Copy, Fix: Reduce/Enlarge from scanner glass (25 to 400%); Collate; Two-sided copying; Image adjustments (darkness, sharpness) Scan Fedure/Enlarge from scanner glass (25 to 400%); Collate; Two-sided copying; Image adjustments (darkness, sharpness) Scan Scan File Type supported by Software: Bitmap (Lmp), JPEG (Jpg), PDF (Lpd), PDF/A (Lpd), PNG (Lpn), Rich Text (Ltr), TEF (Ltr) Scan respecifications Scan File Type supported by Software: Bitmap (Lmp), JPEG (Jpg), PDF (Apd), PDF/A (Lpd), PNG (Lpn), Rich Text (Ltr), TEF (Ltr) Scanner specifications Scan File Type State tchnology: Contact Image Sensor (US); Scan Input modes: From type (Lang), Contact Image Sensor (US); Scan Input modes, From type, Contact Image Sensor (US); Scan Input modes, From type, Contact Image Sensor (US); Scan Input modes, From type, Contact Image Sensor (US); Scan Input modes, From type, Contact Image Sensor (US); Scan Input modes, From type, Contact Image Sensor (US); Scan Input modes, From type, Contact Image Sensor (US); Scan Input modes, From type, Contact Image Apolications, Usen ton type Tabled, ADF; Scan technology: Contact Image	Print cartridges number	4 (1 each black, cyan, magenta, yellow)
Duplex printing Automatic (standard) Copy Copy speed ⁵ Black (A4, ISO: Up to 30 cpm, Colour (A4, ISO): Up to 30 cpm, Colour Access Control, Value authorization & authentication; Set as new defaults; Maximum number of copies: Up to 99 copies; Copy resolution: Up to 600 dpi; Reduce/Enlarge Z in 400%. Copier specifications ID copy, Resize; Quality, Lighter/Darker; Two-sided copying; Tray selection; Collate; Binding marging; Copy preview with crop and rezise; Enhancements; Enable/Disable copy; Enable/Disable copy; Copier start software features HP Copy Fix; Reduce/Enlarge from scanner glass (25 to 400%); Collate; Two-sided copying; Image adjustments (darkness, sharpness) Scan Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4): Up to 26 ipm (monochrome & colour) Scan speed Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4): Up to 26 ipm (monochrome & colour) Scanner specifications Scan File Type Stated, A0F; Scan technology; Contact Image Sensor (CS); Scan Ipm Immodes; Front panel applications; Copy, Scan to email with LDAP email address lookup, Scan to rentwork Folder; Scan to Sharepoint; Scan to computer with SW; Client applications; EWS, HP Scan educed with HP Capture and Route; Twain version: Version 1-9; Duplex ADF scanting; Ves; Scan size maximum (Intated, ADF); 216 x 356 mm; Optical scan resolution: Up to 1200 dpl Scanner advanced features Maximum media size (flashed); 216 x 356 mm; Optical scan esclution; Scan to Sharepoint; S	Multitasking supported	Yes
Copy Copy Copy speed ⁵ Black (A4, ISO): Up to 30 cpm; Colour (A4, ISO): Up to 30 cpm Copier specifications Dio copy, Resize; Quality: Lighter/Darker, Two-sided copying; Tray selection; Collate; Binding marging; Copy preview with crop and rezise; Enhancements; Enable/Disable copy: Emable/Disable copy: Copy resolution: Up to 600 dpi; Reduce/Enlarge; 25 to 400%; Copier specifications HP Copy, Fix; Reduce/Enlarge from scanner glass (25 to 400%); Collate; Two-sided copying; Image adjustments (darkness, sharpness) Scan Scan speed Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4): Up to 26 ipm (monochrome & colour) Scan file format Scan File Type supported by Software: Bitmap (Lopp), JPEG (jpg), PDE (A (pdf), PDE/A (pdf), PDE/A (pdf), PDE/A (pdf), PSC (an pauli address lookup, Scan to email with LDAP email address lookup, Scan to formation vision, Yession 1.5, Duplex ADP: Scan technology. Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, Scan to email with LDAP email address lookup, Scan to restrict with with yession. Yession 1.5, Duplex ADP: Scan technology. Yession 1.5, Duplex ADP: Scan technology, Yession 1.5, Duplex ADP: Scan technology, Yession 1.5, Duplex ADP: Scan technology. Twain wersion: Yession 1.5, Duplex ADP: Scan technology, Yession 2.5, Duplex ADP: Scan technology, Yession 2.5, Duplex ADP: Scan technology, Yession 1.5,	Memory card compatibility	None
Black (A4, ISO): Up to 30 cpm; Colour (A4, ISO): Up to 30 cpm Copy speed ⁵ Black (A4, ISO): Up to 30 cpm; Colour (A4, ISO): Up to 30 cpm Copier specifications ID copy, Resize; Quality: Lighter/Darker; Two-sided copying; Tray selection; Collate; Binding marging; Copy preview with crop and resise; Enhancements; Enable/Disable copy; Enable/Disable copy; Colur (Calour, Case Control, Native authorization & authentication; Set as new defaults; Maximum number of copies; Up to 99 copies; Copy resolution: Up to 600 dp; Reduce/Enlarge 25 to 400%; Copier smart software features HP Copy Fix; Reduce/Enlarge 25 to 400%; Scan HP Copy Fix; Reduce/Enlarge 25 to 400%; Scan File Scan File Type supported by Software: Bitmap (Jump), JPEG (Jipp), PDF(A (Jth), PDF(A (Jth), PDF(A (Jth), PDF (Lth)), TFF (Lth) Scanner specifications Scanner type Flabted, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, Scan to email with LDAP email address lookup, Scan to entrownk folder, Scan to USB, Scan to sharepoint, Scan to computer with SW; Client applications: EWS, HP Scan App, compatible with HP Capture and Route; Twain version: Version 1.9, Duplex ADF scanning, Versi Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution: Up to 200 dpi Scanner specifications Image adjustments; Output quality setting; Selectable scan resolution 75 to 1200 dpi Job notification; Scan address lookup; Scan to Sharepoint, Scan to Emal ADF): 216 x 356 mm; Optical Scan to Emal ADF): 216 x 356 mm; Optical Scan to Emal With IDAP email address lookup; Scan to Network Folder; Scan to Sharepoint; Scan t	Duplex printing	Automatic (standard)
ID copy: Resize; Quality: Lighter/Darker; Two-sided copying; Tray selection; Collate; Binding marging; Copy preview with crop and rezise; Enhancements; Enable/Disable copy: colour; Colour Access Control; Native authorization & authentication; Set as new defaults; Maximum number of copies: Up to 99 copies; Copy resolution: Up to 500 dpi; Reduce/Enlarge from scanner glass (25 to 400%; Copier smart software features HP Copy: Fic; Reduce/Enlarge from scanner glass (25 to 400%; Scan Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4): Up to 26 ipm (monochrome & colour) Scan speed Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4): Up to 26 ipm (monochrome & colour) Scan rile format Scan File Type supported by Software: Bitmap (bmp), JPEG (jpg), PDF (pdf), PDF/A (pdf), PNG (png), Rich Text (rtf), Text (txt), TIFF (tif) Scanner specifications Scanner type Flatbed, ADF; Scan technology: contact image Sensor (CIS); Scan input modes: Front panel applications: Copy, Scan to newali with LDAP email address lookup, Scan to newali with PC apture and Route; Twain version: Version 1.9; Duplex ADF scanning: Ves; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution. Up to 1200 dpi Scanner advanced features Image adjustments; Output quality setting; Selectable scan resolution 75 to 1200 dpi; Job notification; Scan to Computer with SW; Fax Archive to Rewark Folder, computer, USB flash drive, email; CR Scannable area Maximum media size (flatbed): 216 x 356 mm; Maximum media size (ADF): 216 x 356 mm; Bit depth/ Grey scale levels 24-bit (color); 8-bit (gray) / 256	Сору	
Capier specifications Enable/Disable copy. colour; Colour Access Control; Native authorization & authentication; Set as new defaults; Maximum number of copies: Up to 99 copies; Copy resolution; Up to 600 dp; Reduce/Enlarge from scanner glass (25 to 400%); Collate; Two-sided copying; Image adjustments (darkness, sharpness) Scan Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4): Up to 26 ipm (monochrome & colour) Scan speed Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4): Up to 26 ipm (monochrome & colour) Scan File Type supported by Software: Bitmap (bmp), JPEG (jpg), PDF (pd), PDF(A (pd), PNG (png), Rich Text (rtf), Text (txt), TIFF (tif) Scanner type Flatbed, ADF; Scan technology: Contract Image Sensor (CIS); Scan input modes: Front panel applications: Copy, Scan to email with LDAP email address lookup, Scan to nemator with SW; Cient applications: USW, JP Scan to enable with PIC apptive and Route; Twain version: Version 1.9; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution: Up to 1200 dpi Scanner advanced features Image adjustments; Output quality setting; Selectable scan resolution 75 to 1200 dpi; Job notification; Scan and save to destinations: network folder, computer, Wish SW; Class and Save Nicola	Copy speed ⁵	Black (A4, ISO): Up to 30 cpm; Colour (A4, ISO): Up to 30 cpm
Scan Scan speed Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4): Up to 26 ipm (monochrome & colour) Scan file format Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PDFA (.pdf), PNG (.png), Rich Text (.rtf), Text (.txt), TIFF (.tif) Scanner specifications Scanner type Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, Scan to email with LDAP email address lookup, Scan to the twork folder; Scan to USB, scan to computer with SW; Client applications: EWS, HP Scan App, compatible with HP Capture and Route; Twain version: Version 1.9; Duplex ADF scanning: Vers; Scan size maximum (flatbed, ADF): 216 x 336 mm; Dybtaid scan resolution: Up to 1200 dpi Scanner advanced features Image adjustments; Output quality setting; Selectable scan resolution 75 to 1200 dpi; Job notification; Scan and save to destinations: network folder, computer, USB flash drive, email; OCR Scanable area Maximum media size (flatbed): 216 x 356 mm; Maximum media size (ADF): 216 x 356 mm Bit depth/ Grey scale levels 24-bit (color); 8-bit (gray) / 256 Digital sending Standard: Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Scan to Computer with SW; Fax Archive to Network Folder; Fax archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication Fax Yes, colour; 33.6 kbps Fax memory ⁶ : Up to 100 pages (black an	Copier specifications	Enable/Disable copy colour; Colour Access Control; Native authorization & authentication; Set as new defaults; Maximum number of copies: Up to 99 copies; Copy resolution: Up
Scan speed Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4): Up to 26 ipm (monochrome & colour) Scan file format Scan File Type supported by Software: Bitmap (bmp), JPEG (jpg), PDF (pdf), PDF/A (pdf), PNFA (pdf), PNFA (pdf), PNFA (txf), TEX (txf), TIFF (ttf) Scanner type Flatbed, ADF; Scan technology: Contact Image Sensor (IC); Scan input modes: Front panel applications: Copy, Scan to email with LDAP email address lookup, Scan to entwork folder, Scan to USB, Scan to sharepoint, Scan to computer with SW; Client applications: EWS, HP Scan App, compatible with HP Capture and Route; Twain version: Version 1.9; Duplex ADF scanning; Yes; Scan size maximum (flatbed, ADF): 216 x 356 mm: Optical scan resolution Up to 1200 dpi Scanner advanced features Image adjustments; Output quality setting; Selectable scan resolution 75 to 1200 dpi; Job notification; Scan and save to destinations: network folder, computer, USB flash drive, email; OCR Scannable area Maximum media size (flatbed): 216 x 356 mm; Maximum media size (ADF): 216 x 356 mm Bit depth/ Grey scale levels 24-bit (color); 8-bit (gray) / 256 Digital sending Standard: Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Stant o Computer with SW; Fax Archive to Network Folder; Fax to Computer; Enable/Disable Fax; Enable/Disable Fax; Colour Fax, Colour Fax, Colour Access Control; Native Authorization & Authentication Fax Yes, colour, 33.6 kbps Fax specifications Fax memory ⁶ : Up to 100 pages (black and white); Up to 8 pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi	Copier smart software features	HP Copy Fix; Reduce/Enlarge from scanner glass (25 to 400%); Collate; Two-sided copying; Image adjustments (darkness, sharpness)
Scan File Type supported by Software: Bitmap (bmp), IPEG (jpg), DPF (pdf), PDFA (pdf), PNG (png), Rich Text (rtf), Text (txt), TIFF (tif) Scan file format Scanner type Flatbed, ADF; Scan technology. Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, Scan to email with LDAP email address lookup, Scan to entwork folder, Scan to USB, Scan to sharepoint, Scan to computer with SW; Client applications: EWS, HP Scan App, compatible with HP Capture and Route; Twain version: Version 1.9; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution: Up to 1200 dpi Scanner advanced features Image adjustments; Output quality setting; Selectable scan resolution 75 to 1200 dpi; Job notification; Scan and save to destinations: network folder, computer, USB flash drive, email; OCR Scannable area Maximum media size (flatbed): 216 x 356 mm; Maximum media size (ADF): 216 x 356 mm Digital sending Standard: Scan to Email address lookup; Scan to Network Folder; Scan to USB; Scan to Computer with SW; Fax Archive to Network Folder; Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization 8 Authentication Fax Yes, colour, 33.6 kbps Fax smart software features Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software Processor speed 1.2 GHz	Scan	
Scanner type Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to sharepoint, Scan to computer with SW; Client applications: EWS, HP Scan App, compatible with HP Capture and Route; Twain version: Version 1.9; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution: Up to 1200 dpi Scanner advanced features Image adjustments; Output quality setting; Selectable scan resolution 75 to 1200 dpi; Job notification; Scan and save to destinations: network folder, computer, USB flash drive, email; OCR Scannable area Maximum media size (flatbed): 216 x 356 mm; Maximum media size (ADF): 216 x 356 mm Bit depth/ Grey scale levels 24-bit (color); 8-bit (gray) / 256 Standard: Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Scan to Computer with SW; Fax Archive to Network Folder; Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication Fax Yes, colour, 33.6 kbps Fax sepcifications Fax memory ⁶ : Up to 100 pages (black and white); Up to 8 pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 99 numbers Fax sepcifications Fax memory ⁶ : Up to 100 pages (black and Macintosh, visit http://www.hp.com/support to download the latest software Processor speed 1.2 GHz	Scan speed	Normal (A4): Up to 25 ipm (monochrome & colour); Duplex (A4): Up to 26 ipm (monochrome & colour)
Scanner specifications to network folder, Scan to USB, Scan to sharepoint, Scan to computer with SW; Client applications: EWS, HP Scan App, compatible with HP Capture and Route; Twain version: Version 1.9; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution: Up to 1200 dpi Scanner advanced features Image adjustments; Output quality setting; Selectable scan resolution 75 to 1200 dpi; Job notification; Scan ad save to destinations: network folder, computer, USB flash drive, email; OCR Scannable area Maximum media size (flatbed): 216 x 356 mm; Maximum media size (ADF): 216 x 356 mm Bit depth/ Grey scale levels 24-bit (color); 8-bit (gray) / 256 Standard: Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Scan to Computer with SW; Flat Archive to Network Folder; Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication Fax Yes, colour, 33.6 kbps Fax sender features Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software Processor speed 1.2 GHz	Scan file format	Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PDF/A (.pdf), PNG (.png), Rich Text (.rtf), Text (.txt), TIFF (.tif)
Scanneble area Maximum media size (flatbed): 216 x 356 mm; Maximum media size (ADF): 216 x 356 mm Bit depth/ Grey scale levels 24-bit (color); 8-bit (gray) / 256 Digital sending Standard: Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Scan to Computer with SW; Fax Archive to Network Folder; Fax Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication Fax specifications Fax memory ⁶ : Up to 100 pages (black and white); Up to 8 pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 99 numbers Fax specifications Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software Processor speed 1.2 GHz	Scanner specifications	to network folder, Scan to USB, Scan to sharepoint, Scan to computer with SW; Client applications: EWS, HP Scan App, compatible with HP Capture and Route; Twain version:
Bit depth/ Grey scale levels 24-bit (color); 8-bit (gray) / 256 Digital sending Standard: Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Scan to Computer with SW; Fax Archive to Network Folder; Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication Fax Fax Fax specifications Fax memory ⁶ : Up to 100 pages (black and white); Up to 8 pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 99 numbers Fax smart software features Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software Processor speed 1.2 GHz	Scanner advanced features	Image adjustments; Output quality setting; Selectable scan resolution 75 to 1200 dpi; Job notification; Scan and save to destinations: network folder, computer, USB flash drive, email; OCR
Digital sending Standard: Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Scan to Computer with SW; Fax Archive to Network Folder; Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication Fax Yes, colour; 33.6 kbps Fax specifications Fax memory ⁶ : Up to 100 pages (black and white); Up to 8 pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 99 numbers Fax smart software features Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software Processor speed 1.2 GHz Connectivity Image: Standard: Standard	Scannable area	Maximum media size (flatbed): 216 x 356 mm; Maximum media size (ADF): 216 x 356 mm
Digital Serioring Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication Fax Fax Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication Fax Yes, colour, 33.6 kbps Fax memory ⁶ : Up to 100 pages (black and white); Up to 8 pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 99 numbers Fax smart software features Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software Processor speed 1.2 GHz	Bit depth/ Grey scale levels	24-bit (color); 8-bit (gray) / 256
Fax Yes, colour, 33.6 kbps Fax specifications Fax memory ⁶ : Up to 100 pages (black and white); Up to 8 pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 99 numbers Fax smart software features Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software Processor speed 1.2 GHz	Digital sending	
Fax specifications Fax memory ⁶ : Up to 100 pages (black and white); Up to 8 pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 99 numbers Fax smart software features Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software Processor speed 1.2 GHz Connectivity Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 99 numbers	Fax	
Fax smart software features Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software Processor speed 1.2 GHz Connectivity Image: Computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software	Fax	Yes, colour, 33.6 kbps
Processor speed 1.2 GHz Connectivity	Fax specifications	Fax memory ⁶ : Up to 100 pages (black and white); Up to 8 pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 99 numbers
Connectivity	Fax smart software features	Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software
	Processor speed	1.2 GHz
Standard 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 2 RJ-11 modem port/phone line	Connectivity	
	Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 2 RJ-11 modem port/phone line

Model	HP PageWide 377dw Multifunction Printer
Product number	J9V80B
Optional	Support the following external Jetdirect servers; Print only: HP Jetdirect en1700 External Print Server (J7988G), HP Jetdirect en3700 Fast-Ethernet External Print Server for Network Capable Hi-Speed USB 2.0 & 3.0 Peripherals (J7942G), HP Jetdirect ew2400 802.11b/g wireless and Fast Ethernet external print server (USB 2.0, 10/100Base-TX, 802.11b/g) (J7951G), HP Jetdirect ew2500 802.11b/g Wireless Print Server (J8021A); Other supported accessories: Apple AirPort Express, Apple AirPort Extreme, Apple Airport TimeCapsule; Wi-Fi Direct
Wireless	Yes, built-in Wi-Fi 802.11b/g/n
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; NFC Touch-to-print; Wireless Direct Printing; Google Cloud Print 2.0; Mobile Apps; HP Print Service Plug-in
Supported network protocols	Supported Network Protocols configurations (IPv4, IPv6); BOOTP; SMTP client; LLMNR; Bonjour; LP/ APIPA (Auto IP); NetBIOS/WINS; LPD; Custom Raw Port/Port9100; DNS Resolver; Multicast DNS; SNMPv1/v2; SNMPv3; Web Services Discovery; Web Services Print; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; Syslog; Firewall; SSL/TLS (HTTPs); Password-protected network Embedded Web server; Enable/Disable network ports & device features; 802.1x wired authentication
Network capabilities	Yes, via built-in Ethernet
Memory	Standard: 768 MB; Maximum : 768 MB
Paper handling	
Number of paper trays	Standard: 2; Maximum: Up to 3
Media types	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 210 to 216 x 356 mm Supported (metric): Tray 1: Oficio, A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 2: A4, A5, B5 (JIS), envelopes (B5, C5, DL); Tray 3: A4, A5, B5 (JIS)
Media handling	Standard input: 500-sheet input tray, 50-sheet multi-purpose tray Standard output: 300-sheet face-down output bin Optional input: Optional is00-sheet tray ADF: Standard, 50 sheets
Media weight ⁷	Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (brochure), 163 to 200 g
Input capacity	Maximum: Up to 1050 sheets ADF: Standard, 50 sheets
Output capacity	Standard: Up to 300 sheets Envelopes: Up to 35 envelopes Labels: Up to 100 sheets Cards: Up to 100 cards Maximum: Up to 300 sheets
Compatible operating systems	Windows 10, Windows 8, Windows 7; OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks Lion; Linux (http://www.hplip.net)
Compatible network operating systems	Windows 10, Windows 8, Windows 7; Mac OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; Windows Small Business Server 2011, Windows Small Business Server 2003 (32-bit/64-bit); Windows Server 2012, Windows Server 2008 (Standard Edition, Enterprise Edition, 32-bit/64-bit), Windows Server 2008 (Standard Edition, Enterprise Edition, 32-bit/64-bit), Windows Server 2003 (Standard Edition, Enterprise Edition, 32-bit/64-bit); Windows Server 2003 (Standard Edition, Enterprise Edition, 32-bit/64-bit), Windows Server 2003 (Standard Edition, Enterprise Edition, 32-bit/64-bit), Windows Server 2003 (Standard Edition, Enterprise Edition, 32-bit/64-bit); Windows Server 2008 R2), Window
Minimum system requirements	Windows: Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8 Mac: Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB available hard disk space; Internet required; USB
Software included	Windows Installer and discrete PCL 6 driver; Mac Installer and PS driver; HP Update; HP Participation Study; Bing Toolbar; HP Smart Print; IRIS OCR
Security management	SSL/TLS (HTTPS), LDAP authentication; IPP over TLS; WPA2-Enterprise wired; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); Firewall, certificates configuration; Control panel lock; Password protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; Native authentication and authorization access control, native colour access control; Configurable authentication time out; UPD PIN printing; Mopy mode via UPD PIN printing
Printer management	HP Web Jetadmin; Embedded Web Server; HP UPD Printer Administrator Resource Kit; HP Utility (Mac); HP JetAdvantage Security Manager optional
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum 530 x 407 x 467 mm; Maximum: 802 x 694 x 485 mm;
Package dimensions (W x D x H)	600 x 495 x 594 mm
Printer weight ⁸	22.15 kg
Package weight	26.39 Kg

Model	HP PageWide 377dw Multifunction Printer
Product number	J9V80B
Storage conditions	Temperature: -40 to 60°C Humidity: 5 to 90% RH
Acoustics	Acoustic power emissions: 6.9 B(A) Acoustic pressure emissions: 56 dB(A) (monochrome/colour printing), 54 dB(A) (ADF monochrome copying), 54 dB(A) (ADF colour copying), 45 dB(A) (ADF colour scanning), 45 dB(A) (ADF monochrome scanning), inaudible (idle)
Power ⁹	Requirements: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz). Not dual voltage, power supply varies by part number with # Option code identifier.; Consumption: 107 watts (maximum), 43.2 watts average (printing), 10.9 watts (ready), 2.9 watts (sleep), 0.2 watts (manual-off); Typical Electricity Consumption (TEC): 0.744 kWh/Week; Power supply type: Built-in power supply;
Certifications	CISPR 22:2008-09/EN 55022:2010 (Class B); CISPR 24:2010/EN 55024:2010; EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EMC Directive 2004/108/EC with CE Marking (Europe) ENERGY STAR® qualified; EPEAT® Silver; CECP Blue Angel compliant Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies
Sustainable impact specifications	RoHS, REACH
Country of origin	Made in China
What's in the box	HP PageWide 377dw Multifunction Printer; HP 913 Setup Black PageWide Cartridge (~2,500 pages); HP 913 Setup Cyan PageWide Cartridge (~1,000 pages); HP 913 Setup Magenta PageWide Cartridge (~1,000 pages); HP 913 Setup Yellow PageWide Cartridge (~1,000 pages); Power cord; Phone cord; Installation guide; CD-ROMs (for software, Windows and Mac printer drivers, and user's guide); For ink volume and page yield information, please visit http://www.hp.com/go/learnaboutsupplies
Warranty	One-year, on-site warranty, service and support; One-year technical phone support, chat and email

Footnotes

¹ Comparison based on manufacturers' published specifications of fastest available colour mode of all colour business printers €300–€600 and MFPs €400–€800 as of November 2015, excluding other HP PageWide products, and Products with 1% or lower market share using market share as reported by IDC as of Q3 2015. HP PageWide speeds based on General Office mode and exclude first page. Learn more at http://www.hp.com/go/pagewidebusiness.
² Total cost of ownership comparison based on 90,000 pages, manufacturers' published specifications for page vields and energy use, manufacturers' recommended street prices for HP hardware and supplies, average street prices for competitive devices, cost per page based on ISO yield with continuous printing in default mode with highest-available-capacity cartridges, long-life consumables of all colour business printers \in 300- \notin 600 and MFPs \notin 400- \notin 800 as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Actual prices may vary. Learn more at http://www.hp.com/go/pagewidebusiness and http://www.hp.com/go/learnaboutsupplies.

³ Energy claim based on TEC data reported on energystar.gov. Data normalised to determine energy efficiency of majority of in-class business printers €300-€600 and MFPs €400-€800 as of November 2015; market share as reported by IDC as of 03 2015. Subject to device settings. Learn more at http://www.hp.com/go/pagewidebusiness

The solution of 2015 subject to device secting intermined antipy/www.pccomgo/pageweeddamess. 4 Less scheduled maintenance based on 150,000 pages printed, and published comparisons of majority of in-class colour laser printers \leq 300– \leq 600 and MFPs \leq 400– \leq 800 as of November 2015; market share as reported by IDC as of Q3 2015. Learn more at http://www.hp.com/go/pagewidebusiness.

⁵ Comparison based on manufacturers' published specifications of first page out from ready and sleep mode of all colour business printers €300–€600 and MFPs €400–€800 as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Subject to device settings. Actual results may vary. Learn more at http://www.hp.com/go/pagewidebusiness ⁶ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.com/go/pagewidebusiness

⁸ Requires a compatible NFC-printing-enabled mobile device. For a list of compatible NFC-printing-enabled mobile devices, see http://www.hp.com/go/nfcprinting.

Technical specifications disclaimers

¹ ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see http://www.hp.com/go/printerclaims.

² No heating or fusing warm up time required.
³ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Colour LaserJet devices, and enables appropriate

deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁴ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁵ Speed specifications have been updated to reflect current industry testing methods.

⁶ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory ⁷ All HP media listed as compatible with the printer in the HP PageWide Printing Supplies Compatibility Guide, regardless of weight, may be used.

⁸ With ink installed, no media in trays.

⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption in Sleep modes depends on customer network switch capability, user configuration and network activity



http://www.hp.com/uk

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Published in EMEA October 2021

