# **HP LaserJet Pro MFP M130** series



Simple productivity. Simply done.

Keep things simple with a compact HP LaserJet Pro powered by JetIntelligence Toner cartridges. Print professional documents from a range of mobile devices, scan, copy, fax (M130 fn/fw), and save energy with a wireless MFP designed for efficiency.





HP LaserJet Pro MFP M130nw

HP LaserJet Pro MFP M130fw

#### Highlights

- Print, scan, copy, and fax (fn/fw)
- Fast print speed (22 ppm A4)
- 35-page ADF (fn/fw) and fast scan speed (11 ppm A4)
- Scan to email, and network folders (M130fw)
- Fast FPOT from sleep (Auto-Off) mode
- 6.9 cm touchscreen (M130fw)
- HP ePrint, Apple AirPrint, WiFi Direct (nw/fn/fw)
- HP Auto-On/Auto-Off
- JetIntelligence

## **Designed for efficiency**

- Print, scan, copy, and fax (M130 fn/fw) with a compact HP LaserJet MFP that fits into tight workspaces.
- Wait less. Print up to 22 pages per minute, with first pages ready in as fast as 7.3 seconds.3
- Help save energy with HP Auto-On/Auto-Off Technology.4
- Tackle tasks and scan to email and network folders from the 6.9 cm colour touchscreens (M130 fw).

### Mobile printing made simple

- Print from iPhone® and iPad® with AirPrint®, which automatically scales jobs to the correct paper size.6
- Print with the ease of sending an email, right from a smartphone, tablet, or notebook, using HP ePrint.7
- Print directly from your mobile device to your Wi-Fi Direct® printer without accessing the company network.8
- Send jobs from your smartphone, tablet, or PC to any company printer, using Google Cloud Print™ 2.0.9

## HP quality - print after print

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Don't be fooled by alternatives that mimic Original HP. Help ensure you're getting the quality you paid for.
- Track toner levels with print gauge technology<sup>10</sup> and produce the most prints possible.
- Quickly replace your cartridges, using auto seal removal and easy-open packaging.















## **Product walkaround**

#### HP LaserJet Pro MFP M130fw

- 1.35-sheet ADF
- 2. Flatbed scanner handles up to 216 by 297 mm paper
- 3. 6.9 cm (2.7-inch) colour touchscreen
- 4. Fax port, Hi-speed USB 2.0 port, Fast Ethernet network port, access port for optional lock
- 5. 100-sheet output bin
- 6. Top cover access to toner cartridges
- 7. Wi-Fi Direct printing
- 8. Built-in wireless networking (802.11b/g/n)
  9. 150-sheet input tray with dust cover (shown open)



# Series at a glance









Model	HP LaserJet Pro MFP M130a	HP LaserJet Pro MFP M130nw	HP LaserJet Pro MFP M130fn	HP LaserJet Pro MFP M130fw
Product number	G3Q57A	G3Q58A	G3Q59A	G3Q60A
Functions	Print, copy, scan	Print, copy, scan	Print, copy, scan and fax	Print, copy, scan and fax
Fax	No	No	Yes	Yes
Print speed (black)	Up to 22 ppm	Up to 22 ppm	Up to 22 ppm	Up to 22 ppm
Automatic document feeder (ADF)	No	No	35 sheets	35 sheets
Control panel	ICON LCD	2-line LCD	2-line LCD with numeric keypad	6.9 cm (2.7-in) touchscreen, LCD (colour graphics)
Networking	No	Built-in Ethernet, Wi-Fi 802.11b/g/n	Built-in Ethernet	Built-in Ethernet, Wi-Fi 802.11 b/g/n
Mobile printing capability	Apple AirPrint™	Apple AirPrint™; HP ePrint; Google Cloud Print 2.0; Mopria-certified; Wi-Fi Direct®	Apple AirPrint™; HP ePrint; Google Cloud Print 2.0; Mopria-certified	Apple AirPrint™; HP ePrint; Google Cloud Print 2.0; Mopria-certified; Wi-Fi Direct®

# **Accessories, Supplies and Support**

Supplies	CF217A HP 17A Black Original LaserJet Toner Cartridge 1,600 pages		
	CF219A HP 19A Original LaserJet Imaging Drum 12,000 pages		
	<b>CHP110</b> HP Office Paper-500 sht/A4/210 x 297 mm		
	CHP310 HP LaserJet Paper-500 sht/A4/210 x 297 mm		
Service and support	UH757E HP 3 year Care Pack with Next Day Exchange for LaserJet Printers UH764E HP 3 year Care Pack with Return to Depot Support for LaserJet Printers (UH757E: Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech, Greece, Hungary, Poland, Slovakia, UH764E: ME, Africa, South Africa, Israel, Turkey)		

# **Technical specifications**

Model	HP LaserJet Pro MFP M130a	HP LaserJet Pro MFP M130nw	HP LaserJet Pro MFP M130fn	HP LaserJet Pro MFP M130fw		
Product number	G3Q57A	G3Q58A	G3Q59A	G3Q60A		
Functions	Print, copy, scan Print, copy, scan, fax					
Control panel	ICON LCD: Dual digit numeric LCD display; Buttons (Up, Down, Cancel, Start Copy, Copy Setup); 3 LED indicator lights (Ready, Attention, Toner); Copy setting icons (Copies, Darker/Lighter, Reduce/Enlarge)	2-line LCD: 2-line LCD text display; Buttons (OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup, Wireless); 3 light-emitting diode (LED) indicator lights (Ready, Attention, Wireless).	2-line LCD with alphanumeric keypad: 2-line LCD text display; Buttons (OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup, Redial, Alphanumeric Keypad, Start Fax); 2 light-emitting diode (LED) indicator lights (Ready, Attention).	6.9 cm (2.7-in) touchscreen, LCD (colour graphics)		
Print						
Print technology	Laser					
Print speed	Black (A4, normal): Up to 22 ppm					
First page out	Black (A4, ready): As fast as 7.3sec; Black (A4, sleep): As fast as 8.1 sec	<b>Black (A4, ready):</b> As fast as 7.3 sec; <b>Black (A4, sleep):</b> As fast as 7.5 sec	<b>Black (A4, ready):</b> As fast as 7.3 sec; <b>Black (A4, sleep):</b> As fast as 8.1 sec	<b>Black (A4, ready):</b> As fast as 7.3 sec; <b>Black (A4, sleep):</b> As fast as 8.8 sec		
Print resolution	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	astRes 1200 (1200 dpi quality); <b>Technolo</b> g	gy: HP FastRes 600, HP FastRes 1200			
Monthly duty cycle <sup>1</sup>	Up to 10,000 pages (A4); <b>Recommended monthly page volume</b> <sup>2</sup> : 150 to 1500					
Printer smart software features	Apple AirPrint™, Instant-on Technology, HP Auto-On/Auto-Off, JetIntelligence cartridges					
Standard print languages	PCLmS, URF, PWG					
Print area	Print margins: Top: 4 mm, Bottom: 4 m	m, Left: 4 mm, Right: 4 mm; <b>Maximum pr</b>	<b>int area:</b> 214 x 356 mm			
Duplex printing	Manual duplex					
Сору						
Copy speed <sup>3</sup>	Black (A4): Up to 22 cpm					
Copier specifications	Number of copies; Lighter/Darker; Optimise; Paper; Multi-Page copy; Draft mode; <b>First copy out:</b> As fast as 10.1 sec; <b>Maximum number of copies:</b> Up to 99 copies; <b>Copy resolution:</b> 600 x 600 dpi; <b>Reduce/Enlarge:</b> 25 to 400%	Number of copies; Lighter/Darker; Optimise; Paper; Multi-Page copy; Draft mode; <b>First copy out:</b> As fast as 10 sec; <b>Maximum number of copies:</b> Up to 99 copies; <b>Copy resolution:</b> 600 x 600 dpi; <b>Reduce/Enlarge:</b> 25 to 400%	Number of copies; Lighter/Darker; Optimise; Paper; Multi-Page copy; Draft mode; <b>First copy out:</b> As fast as 7.3 sec; <b>Maximum number of copies:</b> Up to 99 copies; <b>Copy resolution:</b> 600 x 600 dpi; <b>Reduce/Enlarge:</b> 25 to 400%	Number of copies; Lighter/Darker; Optimise; Paper; Multi-Page copy; Drafi mode; <b>First copy out:</b> As fast as 7.8 sec; <b>Maximum number of copies:</b> Up to 99 copies; <b>Copy resolution:</b> 600 x 600 dpj; <b>Reduce/Enlarge:</b> 25 to 400%		
Scan						
Scan speed			Normal (A4): Up to 12 ppm			
Scan file format	JPEG, RAW (BMP), PNG, TIFF, PDF					
Scanner specifications	Scan technology: CIS; Twain version: \	/ersion 2.1; <b>Duplex ADF scanning:</b> No				
Scanner Advanced Features	No Scan to email; Network folder					
Recommended monthly scan volume <sup>4</sup>	150 to 1,500					
Scannable area	Maximum media size (flatbed): 215.9	x 297 mm	Maximum media size (flatbed): 215.9 148.5 x 210 mm; Maximum media size			
Bit depth/ Grey scale levels	24-bit / 256					
Digital sending	Standard: No			<b>Standard:</b> Scan to email; Scan to network folder		
Fax Fax⁵	No		Yes, 33.6 kbps			
Fax specifications			Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); Other Telecom approvals as required by individual countries	Fax resolution: Standard: 203 x 98 dp; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Wireless telecommunications: EN 301 489-1 V1.9.2/EN 301 489-17 V2.2.1; EN 303 28 V1.9.1/EN 301 893 V1.8.1; IEC 62311:2007/EN 62311:2008; Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); Other Telecom approvals as required by individual countries		
Fax smart software features	No		Fax address book; Speed-dial; Fax billing Block incoming faxes	codes; Fax archiving and forwarding;		
Processor speed	600 MHz					
Connectivity						
Standard	Hi-Speed USB 2.0 port (device)	Hi-Speed USB 2.0 port (device); Built-in Fast Ethernet 10/100Base-TX network port; Wireless	Hi-Speed USB 2.0 port (device); Built-in Fast Ethernet 10/100Base-TX network port; Phone line port (in/out)	Hi-Speed USB 2.0 port (device); Built-in Fast Ethernet 10/100Base-TX network port; Phone line port (in/out); Wireless		

Dona donat ii	HP LaserJet Pro MFP M130a	HP LaserJet Pro MFP M130nw	HP LaserJet Pro MFP M130fn	HP LaserJet Pro MFP M130fw	
Product number	G3Q57A	G3Q58A	G3Q59A	G3Q60A	
Optional	No				
Mobile printing capability	Apple AirPrint™	Apple AirPrint™; HP ePrint; Google Cloud Print 2.0; Mopria-certified; Wi-Fi Direct®	Apple AirPrint™; HP ePrint; Google Cloud Print 2.0; Mopria-certified	Apple AirPrint™; HP ePrint; Google Cloud Print 2.0; Mopria-certified; Wi-F Direct®	
Supported network protocols	No	TCP/IP; IPv4; IPv6; IP Direct Mode; LPD; S HTTP/HTTPS	SLP; Bonjour; WS-Discovery; BOOTP/DHCP/	AutoIP; WINS; SNMPv1/2/3;	
Network ready	No	Standard (built-in Ethernet, Wi-Fi 802.11b/g/n)	Standard (built-in Ethernet)	Standard (built-in Ethernet, Wi-Fi 802.11b/g/n)	
Hard disk	No				
Memory	Standard: 128 MB; Maximum : 128 MB	Standard: 256 MB; Maximum : 256 MB			
Paper handling					
Number of paper trays	Standard: 1; Maximum: 1				
Media types	Paper (laser, plain, photo, rough, vellum)	, envelopes, labels, cardstock, postcards			
Media size	Custom (metric): 76 x 127 to 216 x 356 mm Supported (metric): A4; A5; A6; B5 (JIS) ADF: No		Custom (metric): 76 x 127 to 216 x 356 mm Supported (metric): A4; A5; A6; B5 (JIS) ADF: A4		
Media handling	Standard input: 150-sheet input tray Standard output: 100-sheet output tray ADF: No		Standard input: 150-sheet input tray Standard output: 100-sheet output tray ADF: 35 sheets		
Media weight	60 to 163 g/m²; <b>ADF:</b> No		60 to 163 g/m²; <b>ADF:</b> 70 to 90 g/m²		
Input capacity	Tray 1: Sheet 150; Envelopes: 10 Maximum: Up to 150 sheets ADF: No		Tray 1: Sheet 150; Envelopes: 10  Maximum: Up to 150 sheets  ADF: 35 sheets		
Output capacity	Standard: Up to 100 sheets Envelopes: Up to 10 Maximum: Up to 100 sheets				
Compatible operating systems	Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple® OS X El Capitan (v10.11), OS X Yosemite (v10.10), OS X Mavericks (v10.9), 1 GB available hard disk space, Internet required, USB Linux (for more information, see http://hplipopensource.com/hplip-web/index.html)				
Compatible network operating systems	Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 32-b only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple® OS X EI Capitan (v10.11), OS X Yosemite (v10.10), OS X Mavericks (v10.9), 1 GB available hard disk space, Internet required, USB Linux (for more information, see http://hplipopensource.com/hplip-web/index.html)				
Minimum system requirements	Windows: Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8;  Mac: Apple® OS X EI Capitan (v10.11), OS X Yosemite (v10.10), OS X Mavericks (v10.9), 1 GB available hard disk space, Internet required, USB				
Software included	For Windows OS: HP Software Installer, HP Software Uninstaller (exclude Win8+), HP PCLmS Printer Driver, HP Device Experience (DXP), HP Web Services Assist (HF Connected), Device Setup & Software, Online user manuals, HP Printer Assistant, HP Scan Driver, HP Scan Application, HP Fax Driver (4:1 bundle only), HP Fax Application (4:1 bundle only), HP Product Improvement Study; For Mac OS: Welcome Screen (directs users to http://www.HP.com or OS App Source for LaserJet Software)				
Printer management	HP Printer Assistant (UDC); HP Device To	olbox; HP Utility (Mac)			
Dimensions and Weight					
Printer dimensions (W x	<b>Minimum:</b> 398 x 288 x 231.1 mm; <b>Maxi</b>	<b>mum:</b> 398 x 482 x 387.9 mm	<b>Minimum:</b> 415.1 x 288 x 279.5 mm; <b>Maximum:</b> 415.1 x 511.4 x 423.7 mm		
$D \times H$ )	490 x 294 x 350 mm		490 x 327 x 350 mm		
Package dimensions (W	490 x 294 x 350 mm		490 x 327 x 350 mm		
Package dimensions (W x D x H)	490 x 294 x 350 mm 6.8 kg		490 x 327 x 350 mm  7.6 kg		
Package dimensions (W x D x H) Printer weight					
Package dimensions (W x D x H) Printer weight Package weight  Operating	6.8 kg	30 to 70% RH	7.6 kg		
Package dimensions (W x D x H) Printer weight Package weight <b>Operating</b> environment	6.8 kg 9.1 kg		7.6 kg		
Package dimensions (W x D x H) Printer weight Package weight <b>Operating</b> <b>environment</b> <b>Storage</b>	6.8 kg 9.1 kg  Temperature: 15 to 32.5°C; Humidity:	0 to 90% RH	7.6 kg		
Package dimensions (W x D x H) Printer weight Package weight  Operating environment  Storage  Acoustics	6.8 kg 9.1 kg  Temperature: 15 to 32.5°C; Humidity: 1  Acoustic power emissions: 2.6 B(A); Ac  Requirements: Input voltage: 220 to 24 (Auto Off/Wake on USB, enabled at shipr	0 to 90% RH <b>oustic pressure emissions:</b> 51 dB(A)  0 VAC (+/- 10%), 50/60 Hz, 2.8 A; <b>Consur</b> nent), 0.05 watts (Auto-off/Manual-on), 0	7.6 kg  10.2 kg  nption <sup>6</sup> : 255 watts (active printing), 4.2 w .05 (Manual Off); Typical Electricity Cons		
Package dimensions (W x D x H) Printer weight Package weight  Operating environment  Storage  Acoustics Power	6.8 kg 9.1 kg  Temperature: 15 to 32.5°C; Humidity: 1  Acoustic power emissions: 2.6 B(A); Ac  Requirements: Input voltage: 220 to 24 (Auto Off/Wake on USB, enabled at shipr	0 to 90% RH  oustic pressure emissions: 51 dB(A)  0 VAC (+/- 10%), 50/60 Hz, 2.8 A; Consurent), 0.05 watts (Auto-off/Manual-on), 0.05 watts (Power supply type: Built-in power supply type: Built-in p	7.6 kg  10.2 kg  nption <sup>6</sup> : 255 watts (active printing), 4.2 w .05 (Manual Off); Typical Electricity Cons		
Package dimensions (W x D x H) Printer weight Package weight  Operating environment  Storage  Acoustics  Power  Energy savings feature	6.8 kg 9.1 kg Temperature: 15 to 32.5°C; Humidity: 1 Acoustic power emissions: 2.6 B(A); Ac Requirements: Input voltage: 220 to 24 (Auto Off/Wake on USB, enabled at shipr kWh/Week; Energy Star: 0.573 kWh/Wee	0 to 90% RH  oustic pressure emissions: 51 dB(A)  0 VAC (+/- 10%), 50/60 Hz, 2.8 A; Consurent), 0.05 watts (Auto-off/Manual-on), 0.05 watts (Power supply type: Built-in power supply type: Built-in p	7.6 kg  10.2 kg  nption <sup>6</sup> : 255 watts (active printing), 4.2 w .05 (Manual Off); Typical Electricity Cons		
Package dimensions (W x D x H) Printer weight Package weight  Operating environment  Storage  Acoustics Power  Energy savings feature technology	6.8 kg 9.1 kg Temperature: 15 to 32.5°C; Humidity: 1 Acoustic power emissions: 2.6 B(A); Ac Requirements: Input voltage: 220 to 24 (Auto Off/Wake on USB, enabled at shipr kWh/Week; Energy Star: 0.573 kWh/Wee	0 to 90% RH  oustic pressure emissions: 51 dB(A)  0 VAC (+/- 10%), 50/60 Hz, 2.8 A; Consurent), 0.05 watts (Auto-off/Manual-on), 0.05 watts (Power supply type: Built-in power supply type: Built-in p	7.6 kg  10.2 kg  nption <sup>6</sup> : 255 watts (active printing), 4.2 w .05 (Manual Off); Typical Electricity Cons	CISPR 22:2008/EN 55022:2010 (Clas B); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010 ENERGY STAR® qualified; Blue Angel	
D x H) Package dimensions (W x D x H) Printer weight Package weight Operating environment Storage Acoustics Power  Energy savings feature technology Certifications  What's in the box®	6.8 kg  9.1 kg  Temperature: 15 to 32.5°C; Humidity: 1  Acoustic power emissions: 2.6 B(A); Ac  Requirements: Input voltage: 220 to 24 (Auto Off/Wake on USB, enabled at shipn kWh/Week; Energy Star: 0.573 kWh/Wee HP Auto-On/Auto-Off Technology; Instar  CISPR 22:2008/EN 55022:2010 (Class B); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010	0 to 90% RH  oustic pressure emissions: 51 dB(A)  0 VAC (+/- 10%), 50/60 Hz, 2.8 A; Consur nent), 0.05 watts (Auto-off/Manual-on), 0  ek; Power supply type: Built-in power sup tt-on Technology  CISPR 22:2008/EN 55022:2010 (Class B); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010	7.6 kg  10.2 kg  nption <sup>6</sup> : 255 watts (active printing), 4.2 w .05 (Manual Off); Typical Electricity Conseptly  CISPR 22:2008/EN 55022:2010 (Class B); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010	CISPR 22:2008/EN 55022:2010 (Class); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010	

#### **Footnotes**

- App or software and HP ePrint account registration also may be required. Some features require purchase of an optional accessory, Learn more at http://www.hp.com/go/mobileprinting.
- Printing speed measured using ISO/IEC 24734 and excludes first set of test documents. Exact speed versus predecessor varies depending on the system configuration, software application, driver, and document complexity. Learn more at http://www.hp.com/go/printerclaims.

  <sup>3</sup> Measured using ISO/IEC 17629. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Learn more at http://www.hp.com/go/printerclaims.

- 4 HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.

  5 Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com.
- <sup>6</sup> Mobile device must have iOS v7.0 or higher. Learn more at http://www.hp.com/go/mobileprinting.
- 7 Printer requires ePrint account registration. App or software may be required. Learn more at http://www.hp.com/go/mobileprinting.

  8 Feature is supported on selected printers. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct® supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see http://www.hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance®.

  <sup>9</sup> Requires Google Cloud Print™ registration and Google account. Learn more at http://hp.com/go/mobileprinting.
- <sup>10</sup> As compared with cartridge gauges for HP predecessor products.

#### **Technical specifications disclaimers**

- Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser Jet or HP Color Laser Jet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

  <sup>2</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended
- warranty period.
- <sup>3</sup> First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 4 HP recommends that the number of scanned pages per month be within the stated range for optimum device performance

  Based on standard ITU-T test image at standard resolution. More complicated pages or higher resolution will increase the transmission time.
- 6 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.
- 7 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of device.
- a Introductory HP Black Laser Jet Toner Cartridge (700 pages), HP Original Laser Jet Imaging Drum (12,000 pages). Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

















The product could differ from the images shown. @ Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

