



## HiFi Stereo Headphones

- 50mm drivers/open-back
- Over-ear

SHP9500S/27

# High precision sound

Enjoy an authentic listening experience in style. Created to offer outstanding performance through open back architecture and high-precision 50mm speaker drivers.

## Benefits

### Supreme listening experience

- 50mm neodymium drivers deliver the full spectrum of sound
- Exquisite open-back, over the ear design for authentic sound
- Angled drivers align perfectly with your ear

### Comfortable for long wearing

- Breathable ear cushion for longer wearing comfort.

- Comfortable double layered headband cushion
- Steel headband for strength and durability

### Convenience

- 1.5m cable gives you freedom of movement for indoor use

# PHILIPS

## Features

### 50mm neodymium speaker drivers



50mm neodymium speaker drivers deliver superior Hi-Fi sound.

### Breathable ear cushions



Deluxe breathable ear-pads improve breathability and dissipate pressure and heat for longer wearing comfort.

### Comfortable headband cushion



### Durable steel headband



### Open-back, over-ear headphones

An acoustic open-back architecture eliminates air pressure build-up behind the driver, giving the diaphragm greater freedom of movement. This greatly enhances sound transparency and smoothens extended high frequencies.

### Precisely angled drivers

Engineered to fit the ear's natural geometry, the ear-shells offer precise and accurate sound. Audio signals are directly channeled into the ears, creating a dynamic and authentic listening experience.

### 1.5m cable for freedom

## Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

### Sound

Acoustic system	Open
Magnet type	Neodymium
Impedance	32 ohm
Maximum power input	200 mW
Speaker diameter	50 mm
Frequency response	6 - 35 000 Hz
Sensitivity	102

Length	37.5 cm
Length	14.8 inch
Number of consumer packagings	3
Tare weight	2.822 lb
Tare weight	1.28 kg
Width	8.3 inch
Width	21 cm
Nett weight	0.99 kg
Nett weight	2.183 lb

### Connectivity

Cable Connection	one-sided
Cable length	Detachable 1.5 m cable included
Finishing of connector	Rubber finishing

### Product dimensions

Depth	3.9 inch
Depth	10 cm
Height	20 cm
Height	7.9 inch
Weight	0.33 kg
Weight	0.728 lb
Width	6.7 inch
Width	17 cm

### Packaging dimensions

Depth	4.7 inch
Depth	12 cm
Gross weight	1.455 lb
Gross weight	0.66 kg
Height	22.5 cm
Height	8.9 inch
Nett weight	0.728 lb
Nett weight	0.33 kg
Number of products included	1
Packaging type	Carton
Tare weight	0.728 lb
Tare weight	0.33 kg
Type of shelf placement	Both
Width	19.5 cm
Width	7.7 inch
UPC	8 89446 00650 6

### Outer Carton

Gross weight	5.004 lb
Gross weight	2.27 kg
GTIN	1 08 89446 00650 3
Height	23.5 cm
Height	9.3 inch



data subject to change  
2019, February 6

Version: 2.0.5  
UPC: 889446006506

© 2019 Koninklijke Philips N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

[www.philips.com](http://www.philips.com)