# Data Sheet
## Fujitsu  Keyboard KB SCR2 black Accessories

Unrivalled combination of security and professional keyboard

The FUJITSU Accessories Keyboard KB SCR2 includes a user-friendly class-2 SmartCard Reader making it a reliable solution for reading and writing SmartCards. It offers an open platform for all standard software applications. Use your SmartCards for authentication, Single Sign On, PKI, – this keyboard provides an easily accessible card-slot and ensures full-speed data transmission via USB 2.0 connection.

**Security**
- Single Sign On

**Usability**
- Seamless Plug & Play installation for every PC with USB
- Ultra soft and silent key stroke
- Status LED for: NUM/CAPS - SmartCard communication - Secure PIN entry mode

**Ergonomics**
- Stress free and effective use through high contrast keys, ergonomic key design and a soft pressure point.

**Reliability**
- High quality and function stability made in Germany
- Abrasion-proof keys thanks to laser technology to write  the keycaps

**Tailor-made**
- Customize your keyboard with a specific logo design
- Specific keycap inscriptions for your specific designs

# Keyboard KB SCR2 black

## Technical details

| | |
|---|---|
| Special features | SmartCard terminal according<br>Class 2 reader, Secure Pin Entry<br>to CCID specification V 1.10<br>Drivers: PC/SC 2.0, CT-API<br>Sound power level LWA acc. to DIN EN ISO7779: 42.0 dB |

## Keyboard

| | |
|---|---|
| Height Adjustment | 5.5° and 10° |
| Keyboard Type | Keyboard with contact SmartCard Reader |
| Keys additional | 4 multi function keys: Vol up, Vol down, play/pause, calculator |
| Power consumption keyboard | over USB, max. 100mA |

| | |
|---|---|
| **Ethernet (RJ-45)** | |
| USB 2.0 total | USB 2.0 full speed |

## Smartcard

| | |
|---|---|
| Smartcard Protocol | T=0, T=1, 2-wire, 3-wire, I²C (Memorycards) |
| Smartcard card support | ISO 7816 1-4, 10 |
| Smartcard transfer rate | up to 412 Kbps |

## Dimensions / Weight / Environmental

| | |
|---|---|
| Dimensions (W x D x H) | 460 x 203 x 51 mm |
| Height Adjustment | 5.5° and 10° |
| Cable length | 1.8 m |
| Weight | 780 g |
| Operating ambient temperature | 15 - 35 ℃ |
| Storage ambient temperature | -20 - 60 ℃ |

## Compliance

| | |
|---|---|
| Germany | TÜV GS |
| Europe | CE certification according to EC Directive 89/336/EEC |
| USA/Canada | FCC Class B<br>UL/CSA |
| Global | RoHS<br>WEEE |
| Compliance link | https://sp.ts.fujitsu.com/sites/certificates |

## System requirements

| | |
|---|---|
| Supported operating systems | Windows 10<br>Windows 8<br>Windows 7<br>Windows Vista® |

## Package content

| | |
|---|---|
| Package content | KB SCR2 black<br>CD-ROM (driver & utility)<br>Quickstart Guide |

## Order information

| | |
|---|---|
| | S26381-K538-L4** (**: country specific version) |

## Warranty

| | |
|---|---|
| Warranty period | 2 years (depending on country) |
| Warranty type | Bring-In / Send-In Service (depending on country) |

# More information

In addition to Fujitsu Keyboard KB SCR2 black, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Dynamic Infrastructures
With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

### Computing Products
www.fujitsu.com/global/products/computing/

### Software
www.fujitsu.com/software/

### More information
Learn more about Fujitsu Keyboard KB SCR2 black, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
http://ts.fujitsu.com

### Disclaimer

### Contact
Address: x-xx-x, street, city, state, ZIP code, country
Phone: xx-xxxx-xxxx
Fax : xx-xxxx-xxxx
Email: xxx.xxxxx@xx.fujitsu.com
Website: www.fujitsu.com/[country]
2019-02-21 CE-EN

http://ts.fujitsu.com