

Philips

DVD/SACD home theatre system with Neodymium Ribbon Tweeters and wOOx

LX8200SA/22S

Total immersion in movies and music

This stylish and compact full digital home entertainment system plays practically any disc in high quality Dolby, DTS or SACD surround sound. So, relax and fully immerse yourself in movies and music, at home.

Benefits

Pure multi-channel sound

• Multi-channel Super Audio CD for total music immersion

Unrivalled audio and video performance

- Active Subwoofer
- Dolby Digital for movies or concerts in full surround sound
- DTS Digital Surround for multi-channel surround sound
- Dolby Pro Logic for surround sound from stereo sources
- DCDi $^{\text{TM}}$ from Faroudja and Digital Crystal Clear

- Neodymium Ribbon Tweeters for crystal clear sound
- wOOx loudspeaker technology for deep and powerful bass

Plays practically any disc format

- Movies: DVD, DVD+R/RW, DVD-R/RW, (S)VCD
- Music: SACD, CD, MP3-CD, CD-R and CD-RW

Features

Multi-channel Super Audio CD

Multi-channel SACD is a new generation music format that offers ultra high quality music reproduction. With a 5.1 multi-channel surround sound and full CD compatibility both forwards and backwards, what results is unsurpassed audio performance for your listening pleasure.

Active Subwoofer

Dolby Digital Surround

Because Dolby Digital and DTS, the world's leading digital multi-channel audio standards, make use of the way the human ear naturally processes sound, you experience superb quality surround sound audio with realistic spatial cues.



DTS Digital Surround



DTS delivers superior surround sound with your DVD movies.

Dolby Pro Logic

Because Dolby Pro Logic, from the world renowned Dolby Laboratories, makes use of the way the human ear naturally processes sound. You experience superb quality 5.1 channel surround sound audio from stereo recordings.

Digital Crystal Clear DCDi $^{\mathsf{TM}}$

Digital Crystal Clear is a package of picture innovations that digitally adjusts and optimises picture quality to optimal contrast, colour and sharpness levels.

Neodymium Ribbon Tweeters



Enjoy unparalleled, natural and crystal clear sound quality with Omnidirectional Neodymium Ribbon Tweeters. Dipoles that radiate high-frequency sounds in a full 360-degree pattern result in a very 'open', wide sound spectrum that delivers crisp clarity and high-pitched detail in the higher tones. This further enhances the surround experience in a multi-channel system and is especially noticed when listening to Super Audio CD sound where the clarity in music is excellent.

wOOx



wOOx technology creates a superior bass sound by capturing and enhancing low frequency bass for a dramatically enhanced bass and sound experience.

Multi-format Movies

Multi-format playability allows you to play most disc formats for maximum disc compatibility and viewing pleasure.

Multi-format Music with SACD

Multi-format playability allows you to play most disc formats for maximum disc compatibility and listening pleasure

Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Picture/Display

Aspect ratio 4:3 16:9 D/A converter 12-bit, 108 MHz

Sound

24-bit, 192 kHz D/A converter Equalizer settings Action Classic Concert Digital Drama Jazz Rock Sci-Fi Frequency response 30-20,000 Hz Signal to noise ratio >95 dB

ClearVoice Sound Enhancement Dolby Digital (AC-3) Sound System Dolby Prologic

DTS Matrix surround MPFG2

Total Sound Power (RMS)

Loudspeakers

Satellite Speaker Magnetically shielded front

300 W

2 Floor standing pillars 120-50000 Hz Satellite speaker freq

range

Satellite speaker impedance

Satellite speaker drivers

3" ribbon tweeter 3" mid range woofer Centre Speaker 2-way Magnetically shielded

4 ohm

120-50000 Hz Centre freq range Centre speaker 4 ohm impedance

Centre speaker 3" ribbon tweeter drivers 2x 3" mid range woofer Subwoofer type Active Subwoofer freq range 30-120 Hz

Subwoofer impedance Subwoofer driver

6.5" high-efficiency woofer 6.5" wOOx passive radiator

Video Playback

Playback Media

Compression formats MPFG1

MPEG2 DVD+RW DVD+R

0 ohm

DVD-RW (Video mode)

DVD-R DVD-Video

> data subject to change 2016, November 11

SVCD

Video CD

Disc Playback Modes

A-B Repeat Repeat Tray

Loader Type

Number of Discs Video disc playback NTSC system PAL

Video Enhancement

DCDi Progressive Scan

Audio Playback

Compression format Dolby Digital

DTS MP3 **PCM**

Playback Media

CD CD-R CD-RW MP3-CD SACD Multichannel

SACD Stereo

Fast Forward/Reverse Disc Playback Modes

Next/Previous Album Search Next/Previous Track Search Repeat one/album/all

Shuffle Play

MP3 bit rates 32-256 kbps and VBR

Tuner/Reception/Transmission

Auto digital tuning Yes Auto store Yes Number of Pre-set 40

Channels

Station Name **RDS** Tuner Bands FM Stereo MW

Connectivity

Front/Side connec-Headphones Out

tions

Headphones

3.5 mm

Analogue audio Left/Right in Other connections ComponentVideo out Progressive Composite video (CVBS) out

Digital coaxial in Digital coaxial out FM Antenna Line out MW Antenna S-Video out

SCART1 (CVBS, S-video/RGB out)

Subwoofer pre-out

Convenience

Child Protection Parental Control

FTD Display Type

On Screen (OSD) Remote Control Multi-functional

Accessories

Included accessories 1 x centre speaker

1 x subwoofer 2 speaker stands

2 x front satellite speakers 2 x rear satellite speakers

AC Power Cord FM/MW Antenna Quick Use Guide Remote Control Scart Cable User Manual

Warranty certificate 2 x Longlife AA

64 mm

93 mm

286 mm

Included batteries

Dimensions

Centre Speaker

Depth

Centre Speaker

Height

Centre Speaker

Width

Packaging Depth 514 mm 436 mm

Packaging Height Packaging Width 594 mm Set Depth 360 mm Set Height 71 mm Set Width 390 mm Subwoofer Depth 340 mm Subwoofer Height 460 mm

Subwoofer Width 195 mm Surround Speaker 35 mm

Depth Surround Speaker

Height

Surround Speaker

Width

282 mm

93 mm

Power

Power supply

200-240 V 50/60 Hz

< 1 W

Standby power consumption

EAN: 8710895750042

data subject to change

2016, November 11 Version: 3.0.4

© 2016 Koninklijke Philips Electronics N.V.

All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com

