SAMSUNG BUSINESS

Premium At-Home, In-Room Entertainment for Every Guest



HOSPITALITY TV SALES: 1-888-727-2664 | 1-866-SAM4BIZ samsung.com/business

samsung.com/b2bhospitalitytvs

FOLLOW US:

youtube.com/samsungbizusa
 @SamsungBizUSA

32" Class LED 40" Class LED HG32ND477GF HG40ND477BF



477 Series Hospitality TVs

Affordable Direct-Lit LED LCD TVs

With the Samsung 477 Series Hospitality TVs, the leading LED panel manufacturer in the world allows you to deliver a premium experience to your guests, while still being budget-conscious. The 477 Series features direct-lit LED technology, to deliver all the benefits of LED, while doing it more affordably. You get big, bright, beautiful pictures, while cost of entry is similar to that of a traditional CCFL back-lit option. LED uses up to 50% less energy, too, helping you conserve and save money. Content management is made simple with the Samsung REACH 3.1 management solution. Samsung's LYNK[™] DRM technology protects content, while offering guests a seamless viewing experience. It's the platform that delivers an athome, in-room experience. And it's from Samsung.

Key Features

Direct-Lit LED Technology

Direct-lit LED technology provides the brilliance and energy savings advantages of LED technology, along with the uniform brightness typical of CCFL displays. And it does it all with an efficiency that makes it a more affordable technology. In fact, it's possible to upgrade your rooms to LED technology for a cost comparable to CCFL technology.

Samsung LYNK[™] HD Content Decryption DRM

Samsung's software-based DRM technology is integrated into the entire Samsung 2015 Hotel TV line. Samsung LYNK[™] offers a robust solution to unlock premium HDTV content from content providers such as cable, satellite and VOD providers, with maximum efficiency and security.

Pro:Idiom[™] HD Content Decryption DRM

The 477 Series is equipped with Pro:ldiom[™] MPEG4 technology, making the TVs compatible with most major VOD/PPV systems. You can offer your guests premium HDTV content from cable, satellite or video-on-demand services with no optional cards or external box needed.

Samsung LYNK[™] REACH 3.1 Content Management Solution

The Samsung REACH 3.1 (Remote Enhanced Active Control for Hotels) Management Solution is used in conjunction with an existing coaxial-based infrastructure. It provides centralized TV controls, basic static content management capabilities and an Interactive Program Guide (IPG). Property management will be able to easily update and change information using a Windows®-based system.

A Host of Features

Features include: Home Menu, RJ12 IR PASS, Volume Limiters, Rear Panel Lockout, Menu Display Lock-out, Hotel Custom Logo/Welcome Message, Channel List Guide, Channel Re-mapping, Remote Jack Pack (RJP) Priority, USB Cloning and Anti-Theft Battery Cover Remote Control. Display pedestal stand rotates 90° in both directions with optional 20, 60 and 90 degree stops integrated in lockdown mount base.

Samsung 477 Series Hospitality TVs

Samsung Hospitality TVs are loaded with features that provide premier guest satisfaction, while making your job easier.

HOSPITALITY FEATURES

Hotel Mode Plug & Play Interactive and Stand Alone.

USB Cloning

A quick and easy way to copy the ideal settings of television to others on the property. Saves time and helps provide a consistent viewing experience for all televisions.

Hotel Channel List

Guest master channel listing of program content. This will display content in analog or HD.

Hotel TV (RJ-12/IR Pass Through) Connecting Interactive STB/SBD (Set Top/Back Box)

Hotel Logo Display with Time Out Setting Display hotel logo bitmap files as a greeting startup display.

Lockout Controls The hotelier can enable front panel and menu display lock-outs.

Samsung LYNK[™] REACH 3.1 Content Management Solution

The Samsung LYNK[™] REACH 3.1 (Remote Enhanced Active Control for Hotels) Management Solution is used in conjunction with an existing coaxial-based infrastructure. It provides centralized TV controls, basic static content management capabilities and an Interactive Program Guide (IPG). Samsung REACH 3.1 delivers, in a free-to-guest solution, content and information on such topics as your hotel, local and in-room dining, spa and exercise facilities, meetings and events, local attractions, and other simple guest convenience features. Property managers will be able to easily update and change information using a Windows[®]-based system.

Power On Status Setting

Power always on, last option or standby.

Anti-Theft Battery Cover

Battery door is secured helping to always keep batteries in the remote controller.

Auto Channel Search

Auto detect channel while in hotel mode.

Multi-code Remote

Eliminates interference when two or more TVs are used in close proximity.

Samsung LYNK[™] HD Content Decryption DRM

Samsung's software-based DRM technology is integrated into the entire Samsung 2015 Hotel TV line. Samsung LYNK[™] offers highly reliable access to unlock premium HDTV content from content providers such as cable, satellite and VOD providers. Samsung's advanced LYNK[™] DRM helps eliminate tampering HD premium content without disruptive service to the hotel guest.

Pro:Idiom[™] HD Content Decryption DRM

Pro:Idiom is a registered trademark of the Zenith Corporation. May be used as an alternative DRM solution on some models.

Sleep Timer

Set TV turn-off time in 30-minute intervals up to 180 minutes.

Closed Captioning

A text display of all audio content including spoken dialog and non-speech information such as the identity of the speakers and symbols for sound effects and music.

On Screen Display Language English/French/Spanish

Picture-in-Picture

Display one program while another is being displayed on the full TV screen at the same time.

Clock On Timer and Alarm Key This allows the guest to program the TV to turn on as a wake-up alarm.

CONNECTIONS

Anynet + (HDMI - CEC)

Samsung protocol that allows the user to control other HDMI devices connected to the TV display. Examples of these devices are DVD and Soundbars.

ConnectShare[™] (USB 2.0)

Connect a thumb drive or digital camera quickly and easily. User-friendly interface allows access to videos, a music playlist and pictures via the remote.

Interactive Compatibility System

Remote Jack Panel (RJP) Compatibility

PICTURE QUALITY AND AUDIO

Auto Volume Limiter

During initial product setup, minimum and maximum volume levels can be locked to help minimize disturbance to other hotel guests.

Music Mode (Input: HDMI/PC/AV/Component) When picture is muted, allows audio feedback.

Music Mode Backlight On/Off Background Display

Swivel Stand with Optional Stops

Samsung Hospitality Displays pedestal stand rotates 90 degrees in both directions with optional 20-, 60- and 90-degree stops so wherever in the room your guests are they should have an excellent view of their TV. Swivel stand includes integrated mounting plate and bolt down kit (4 bolts, 2 nuts, 2 washers).

Samsung Soundbar Compatible

Samsung Hospitality Displays enable Soundbar compatibility by supporting HDMI-CEC. When you connect the Soundbar to the Samsung Hospitality Display with an HDMI cable, the TV audio settings and menu lock feature are automatically applied, so you don't have to set up the Soundbar separately. You can also prevent guests from changing the settings. With one single remote, guests can control both the TV and Soundbar simultaneously.

WARRANTY

2-year parts and 2-year labor warranty backed by Samsung Hospitality Hotline 1-866-894-0524. Optional professional installation, accessories and extended warranty are available.





DIGITAL RIGHTS MANAGEMENT (DRM)


Pro:Idiom[™] HD Content Decryption DRM (RF) Pro:Idiom

The 477 Series is equipped with Pro:Idiom[™] MPEG4 technology, making the TVs compatible with most major VOD/PPV systems. You can offer your guests premium HDTV content from cable, satellite or video-on-demand services with no optional cards or external box needed.

Samsung LYNK[™] HD Content Decryption DRM (RF)

Samsung's software-based DRM technology is integrated into the entire Samsung 2015 Hotel TV line. Samsung LYNK[™] offers a robust solution to unlock premium HDTV content from content providers such as cable, satellite and VOD providers, with maximum efficiency and security.

Dimensions



| 0 | 0 | 3 | 4 | 6 | 6 |
|------|---------|-------------------|-------------------|------------------|------------------|
| 9.1" | 17.5" | 32.0" | 19.6" | 3.7" | 7.5" |
| • | 0ND477B | | | | |
| | _ | A | • | A | 6 |
| 0 | 2 | 3 | 4 | 6 | 6 |
| | 0 | | | • | • |
| D | _ | 3 40.0" | 4 22.1" | 5 3.6" | 6 8.9" |

Connectivity

HG32ND477GF / HG40ND477BF

- 1. HDMI In 1
- 2. USB/Cloning
- ing 7. Data
- AV In Video
 Audio
- 8. Audio Out 9. Ex-Link
- 5. HDMI In 3 (ARC) 10. Ant In Air/Cable

6. HDMI In 2 (DVI)

<complex-block>





| | Model Number | HG32ND477GF | HG40ND477BF |
|---|--|--|--|
| Display | Backlight | LED | LED |
| | Screen Size (Diagonal) | 32 | 40 |
| | HD/FHD/UHD | HD | FHD |
| | Resolution | 1366 x 768 | 1920 x 1080 |
| Video | Picture Engine | HyperReal | HyperReal |
| Audio | Wide Color Enhancer Plus | Yes | Yes |
| | Film Mode | Yes | Yes |
| | | Yes | Yes |
| | Virtual Surround | DTS Studio Sound | DTS Studio Sound |
| | DTS Codec | DTS Premium Sound | DTS Premium Sound |
| | Sound Output (RMS) | 10W (L:5W, R:5W) | 20W (L:10W, R:10W) |
| | Speaker Type | 2CH (Down Firing + Bass Reflex) | 2CH (Down Firing + Bass Reflex) |
| Features | Digital Clean View | Yes | Yes |
| routuros | Auto Channel Search | Yes | Yes |
| | Auto Power Off | Yes | Yes |
| | Caption (Subtitle) | Yes | Yes |
| | | Yes | Yes |
| | ConnectShare™ (USB 2.0) | | |
| | Sports Mode | Yes | Yes |
| | Channel List | Yes | Yes |
| | Game Mode | Yes | Yes |
| | OSD Language | English, Spanish, French | English, Spanish, French |
| | Picture-In-Picture | Yes | Yes |
| y Features | Samsung LYNK™ REACH Server Compatibility | Yes | Yes |
| | Hospitality Home Menu | Yes | Yes |
| | Hospitality Plug&Play (Easy Set-up) | Yes | Yes |
| | Auto Source Mode | Yes | Yes |
| | Power On Mode | Yes | Yes |
| | Hotel Channel List | Yes | Yes |
| | Channel Setup On/Off | Yes | Yes |
| | Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog) | Yes | Yes |
| | Energy Saving Mode (BLU Control) | Yes | Yes |
| | Logo Display with Time Out Setting (BMP/Movie) | Yes | Yes |
| | Welcome Message | Yes | Yes |
| | RJ12 / IR Pass Through | Yes | Yes |
| | Clock Back Up Power Supply | Yes | Yes |
| | Software Clock | Yes | Yes |
| | Multi Code Remote Control | Yes | Yes |
| | Screwed Battery Cover | Yes | Yes |
| | Sound Bar Compatibility | Yes | Yes |
| | Music Mode (Input: PC/AV/Component/HDMI) | Yes | Yes |
| | Music Mode Backlight On/Off | Yes | Yes |
| | USB Cloning | Yes | Yes |
| | Smoovie Compatibility | Yes | Yes |
| | On/Off Timer (Schedule) | Yes | Yes |
| | Wake-up Timer (Alarm) | Yes | Yes |
| | Samsung LYNK [™] DRM | Yes | Yes |
| | Pro:Idiom | Yes | Yes |
| | Security Mode | Yes | Yes |
| | S/W IPG (Interactive Program Guide) | Yes | Yes |
| | Standby LED Color | Red | Red |
| t & Output | | 1/2 | 1/2 |
| -a-oatput | USB (Side/Rear) | 1/0 | 1/0 |
| | Composite In (AV) (Side/Rear) | 1/0 | 1/0 |
| | Audio Out (Mini Jack) (Side/Rear) | 0/1 | 0/1 |
| | | 0/1 | 0/1 |
| | RF In (Terrestrial/Cable Input) (Side/Rear) RS232C | Yes (Common Use for RJ12) | Yes (Common Use for RJ12) |
| | RJ12 (Side/Rear) | 0/1 | 0/1 |
| | | | 0/1 |
| Curt | RJP Jack (Remote Jack Pack) (Side/Rear) | 0/1 ACTC/Close DAM | |
| System | DTV Tuner | ASTC/Clear QAM | ASTC/Clear QAM |
| | Analog Tuner | Yes | Yes |
| Design | Front Color | Black | Black |
| | Stand Type | Square | Square |
| | Swivel (Left/Right) | 90/90 | 90/90 |
| Dimensions (W x H x D) | Set Dimension with Stand (WxHxD) (mm) / (inches) | 738.4 x 497.7 x 191.7 / 29.1" x 19.6" x 7.5" | 905.2 x 562.3 x 226.5 / 35.6" x 22.1" x 8.9" |
| <u>, , , , , , , , , , , , , , , , , , , </u> | | 738.4 x 444.0 x 93.2 / 29.1" x 17.5" x 3.7" | 905.2 x 525.4 x 91.1 / 35.6" x 20.7" x 3.6" |
| | Set Dimension without Stand - Speaker Side (WxHxD) (mm) / (inches) | 738.4 x 444.0 x 93.2 / 29.1" x 17.5" x 3.7" | 905.2 x 525.4 x 91.1 / 35.6" x 20.7" x 3.7" |
| Weight | | 6 / 13.2 | 7.1 / 15.6 |
| | Set Weight without Stand (kg) / (lbs) | 5.4 / 11.9 | 6.4 / 14.1 |
| | Package Weight (kg) / (lbs) | 7.7 / 16.9 | 9.4 / 20.7 |
| Power | Power Supply (V) / Multi Voltage | AC110-120V 60Hz / Yes | AC110-120V 60Hz / Yes |
| Accessory | Remote Controller Model | TM1240 | TM1240 |
| | Battery (for Remote Control) | Yes | Yes |
| | Vesa Wall Mount Support (mm) | 200 x 200 | 200 x 200 |
| | Power Cable | Yes | Yes |
| | Quick Install Guide | Yes | Yes |
| | Data Cable | Yes | Yes |
| | Stand Mount Kit | Yes | Yes |
| | | | |

For complete product information and accessories, visit samsung.com/business or samsung.com/b2bhospitalitytvs

Product Support: 1-866-SAM4BIZ | Follow Us: O youtube.com/samsungbizusa | O @SamsungBizUSA BUSINESS

SAMSUNG

SAMSUNG ELECTRONICS HAS BEEN NAMED 2015 ENERGY STAR PARTNER OF THE YEAR IN THE PRODUCT MANUFACTURING CATEGORY BY THE U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA).

ENERGY STAR 2015 Samsung Electronics America, Inc. Samsung is a registered mark of Samsung Electronics Corp., Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All other brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies. Simulated screen images. See samsung.com for detailed information. Printed in USA. HOSTV-477SERIESB2BDSHT-JUL15T 4