

THE NEW HOME APPLIANCES 2015/2016

FREE STANDING MODELS





FOR A GOOD REASON

GRUNDIG



GRUNDIG.COM



FOR A GOOD REASON GRUNDIG



DIRECTORY

FOREWORD	Page	06
70 years of Grundig	Page	80
Values	Page	10
Innovative Technologies	Page	12
Design	Page	14
Quality	Page	16
Responsibility	Page	18
WASHING MACHINES	Page	22
Highlights	Page	24
Features	Page	30
Models	Page	34
WASHER DRYER	Page	44
Highlights	Page	44
Features	Page	48
Models	Page	49
TUMBLE DRYERS	Page	50
Highlights	Page	50
Features	Page	56
Models	Page	60
REFRIGERATORS AND FREEZERS	Page	68
Highlights	Page	70
Features	Page	78
Models	Page	82
DISHWASHERS	Page	100
Highlights	Page	102
Features	Page	108
Models	Page	116
TECHNICAL DATA	Page	122



At Grundig, we believe in making things better. That goes not only for the appliances we manufacture but also the quality of life they provide. Each and every one of our products is engineered to make some part of your daily routine that much easier. As one of the biggest full-range suppliers of home electronics in Europe, we take pride in our ability to help make home life the good life.



A SUCCESS STORY OF INNOVATIONS. REWRITTEN EVERY SINGLE DAY.

It all began 70 years ago, with our first breakthrough – the Heinzelmann radio. We knew we were onto something when we saw how it improved people's quality of life. From then on, we have never stopped working to understand you better and take the hard work out of your daily round.

From kitchen to bathroom, from cooking and cleaning to relaxing, you can rely on our products' practical functions, timeless design and superior quality. That's why we go on developing state-of-the-art consumer electronics, small domestic and large household appliances. And never stop researching, thinking and reinventing ourselves. To become the most valuable supplier in your life.















As one of Europe's biggest full-range manufacturers for consumer electronics, we are always looking to make the future a brighter place. For instance, with our smart, connected appliances and other forward-looking innovations such as our Virtual User Experience products that project an interface onto the work surface and respond to gestures.

After all, each new chapter in our technology should translate into a new era of carefree living for you.


















With Grundig, what you need is what you get – products designed to solve problems. That's why we don't just do new for the sake of novelty. Instead, we start by trying to truly understand what matters to you. The result is convenient functionality and easy operation that help you care for your cherished items.

But a product that does the job is only half-way to earning its Grundig badge. It still has to meet our German quality standards for reliability and user-friendliness as well as our benchmarks for innovativeness. Once a product ticks all those boxes, we know it's got what it takes to make your life a little better.

It's what the Grundig FineArts Curved UHD TV with brilliant picture quality does by giving you a cinema experience from the comfort of your own couch, while Divide&Cook gives you more time with the family by letting you prepare two completely different dishes at the same time. It's the same with MultiSense Technology, which always selects the right wash settings so your favourite jeans stay as good as new.

So you see, Grundig products are specially tailored. To daily life.







Nowadays, everyone is short of time. So why waste it on housework? Let us help you make the most of precious moments. Grundig HomeWhiz appliances are always ready to clock in. Simply set the Internet-enabled washing machine, dryer, oven, fridge and dishwasher to work using a tablet, smartphone or smart TV. Thanks to our smart app, you get to enjoy that extra hour in bed or movie night with your loved ones. There's no reason to ever leave your comfort zone again – at least not while you're in your Wi-Fi zone.

And the hassle-free features don't end there. Now, your washing machine will automatically select the right programme for your laundry, while the oven will cook two meals at once – even at different temperatures and for different durations. And since our fridges redefine freshness, you can put off grocery shopping for a few more days.

At Grundig, these advances were always a matter of time. Which is why we have spent years developing them, so they can add comfort to your life when it's most needed: today.






At Grundig we believe in good design. In timeless design that looks great. In design that gives superior quality a suitable shape. But for us, there must be more to design than meets the eye.

As with everything we do, design also has to leave its mark on your everyday life – making things easier, quicker, more efficient or more enjoyable.

We are only satisfied if it lives up to these lofty ideals. Because that's the true power of design – the power to make your home a better place. And, of course, a more beautiful one, too.





















QUALITY — MADE BY— GRUNDIG

At Grundig, we manufacture a wide range of innovative appliances. Despite their many differences, our products all have one thing in common – outstanding quality.

Quality is no accident. It's the result of rigorous testing at every link in the value chain, from conception through production and beyond. Circuit boards or screws – every component and part must prove its mettle. In fact, we're so confident that once we're done with it a Grundig appliance will pass the ultimate test – everyday use in your home – that we give you more than just a promise. We give you a 10-year warranty, for instance, for selected Inverter EcoMotors.



Grundig quality is a feast for every one of your senses. Listen closely and you'll understand why we were the first supplier to receive certification for our products' exceptional sound quality in 2015. That's because our home appliances are not just quiet. Every click of a button or door and every hum of a wash or spin cycle is tuned to be music to your ears. So it comes as no surprise that SLG Prüf- und Zertifizierungs GmbH, a testing and accreditation organisation, has awarded us its top grade of A. We feel very honoured by that. And we're sure your ears will, too.



Example refrigerator











At Grundig, we care – for nature and for you. That means we see it as our responsibility to develop sustainable appliances that don't skimp on your creature comforts. We pull off this balancing act by designing products that look after the things in your life and adhere to the highest standards of hygiene, while reducing energy and water consumption to a minimum.

A prime example is our new sustainability hero – the EcoChamp 5.5 L dishwasher. Thanks to its innovative technology, it not only saves up to 2,600 litres of water every year compared to conventional 15-litre dishwashers but has also received an A++ energy rating.



GRUNDIG

RESPONSIBILITY | 19

What's more, we believe that our appliances should score just as highly when it comes to your health. Which is why we have invented IonFresh. This technology cleans the air with all-natural ions that eliminate bacteria and odours inside the fridge. Our dishwashers are also models of hygiene that heat up to extreme temperatures to kill bacteria. And we have applied the same thinking to laundry – with an HygieneCare programme approved by Allergy UK that removes 99.9% of irritants.

So you see there's a lot more in our nature than just efficiency. And there's a lot more to come.



THE NEW HOME APPLIANCES 2015/2016

Over the previous pages, we have given you an idea of what defines and sets the special Grundig spirit apart. Now, we would like to show you how our work ethic and philosophy come to life in our products, their features and our latest innovations. Welcome to the world of Grundig.









With their innovative technologies and functions, Grundig washing machines and dryers are putting a whole new spin on housework. That's because our appliances not only reduce your workload, they also preserve your favourite garments.


MultiSense Technology is just one outstanding example. Simply put your laundry in the machine and press the start button. Washing has never been so comfortable – for you and your laundry.







REWRITES THE RULES OF WASHING. BY READING THE FABRICS.










16 Spülen

















WASHING MACHINES | 25

GWN 59464 C

The Grundig GWN 59464 C washing machine with MultiSense Technology automatically selects the perfect programme for your laundry – without you lifting a finger.

















MultiSense Technology

MULTI SENSE TECHNOLOGY

HAS A DISTINCT FASHION SENSE. JUST LIKE YOU.

With its flair for fabric care, the Grundig MultiSense washing machine takes the guesswork out of laundry. Special sensors recognise types of textiles and the size of the load and automatically select the best programme for your clothes. In other words, MultiSense Technology initiates the optimum cycle length, motor speed, number of rinses and more. All of which is good for your clothes and your peace of mind. That leaves only one thing for you to worry about – what you're going to wear.

TURBIDITY SENSOR

Determines how soiled your clothes are.

WATER LEVEL SENSOR

Recognises the type of laundry by establishing textiles' water absorption characteristics.

WEIGHT SENSOR

Weighs the laundry and recommends the ideal amount of detergent.

WATER FLOW SENSOR

Determines how much water will be needed for the wash cycle.

STEAM GENERATOR

Reduces wrinkling and removes undesirable odours from fabrics.

RINSE SENSOR

Measures water purity to ensure that no detergent residue remains in the laundry.



PRO DOSE TECHNOLOGY

DOSE THE EXACT AMOUNT OF DETERGENT. EVEN WITHOUT DOSING.

Thanks to MultiSense Technology's special sensors, ProDose Technology automatically determines the amount of laundry, the type of fabrics and the degree of soiling. Based on this information, the automatic dosing system precisely calculates the exact amount of liquid detergent and fabric softener needed for each cycle. All you have to do is fill up the detergent once and perfect washing results for the next 20 washing cycles are guaranteed. In short, the GWN 59464 C is economical not only with detergent and water, but also with your time.

The special MultiSense sensors determine the amount of laundry, fabric types and the degree of soiling. ProDose Technology uses this information to calculate the ideal amount of liquid detergent and fabric softener needed.



INVERTER ECO MOTOR

ENERGY CONSUMPTION SO LOW, IT NEEDS A NEW ENERGY EFFICIENCY RATING.

The Inverter EcoMotor reduces power consumption to an absolute minimum – beating the best energy efficiency rating of A+++ by as much as a further 70%. This achievement is the result of a brushless design and variable-speed technology that works without friction. Not only does this innovative motor save energy, it also reduces noise levels to 45 dB for the main wash cycle. So it comes as no surprise that it's our engineers' pride and joy.



The Inverter EcoMotor beats the best energy efficiency rating of A+++ by as much as a further 70%.

Its brushless design allows variable speed and works without friction.





THE FEATURES AT A GLANCE.

CARE





GENTLE CARE

This ultra gentle wash programme and spin algorithm prolong the life of your most valuable and delicate clothes, preventing discolouration and fabric damage.





WOOL PROTECT

Thanks to its low-speed spin cycle and special algorithm, the programme prevents friction between the fibres of machine-washable woollens, protecting them from damage.





STAIN CARE

Easy handling of stains with a selection of stain removing programmes. The programme treats 24 different types of stain – coffee, tea, fruit juice, collar stain, salad dressing, mayonnaise, ketchup, make-up, blood, sweat, red wine, pudding, mud, meal, chocolate, grass, egg, baby food, machine oil, Coke, butter, jam, curry, coal.





INTENSE WET

Washing performance is increased while water consumption is decreased. A spray pump system that forces a detergent solution through dual nozzles onto the clothes effectively saves water. This sustainable technology ensures deep penetration of stains.





OPTIMUM GLASS DESIGN

A sleek glass design improves your washing performance by enhancing interaction between laundry and drum.





WATER PROTECT+

A double-walled hose protects your home from damage. Water-absorbing material between the inner and outer hose instantly detects if the inner hose is broken and cuts off the water intake from the tap. What's more, a water leakage sensor is attached at the bottom of the washing machine and stops the programme automatically if a leak occurs, preventing flooding and other problems.

COMFORT





AQUA PERFECT 40° / 40'

Spend more time with the people you love and still get perfectly clean clothes washed at 40° C in just 40 minutes.





ANTI-NOISE

With its soundproofed S-shaped side walls, cabinet insulation, brushless motor technology, electronic unbalanced load control algorithm and new-generation shock absorbers, this machine reduces vibration and noise throughout the spin cycle.





SILENT MODE

Omits spin cycles and cancels the main programme's final spin – which can be set manually the next morning. The result is a silent, sleep-friendly environment after bedtime.





TEXT LC DISPLAY WITH TOUCH CONTROL BUTTONS

The electronic Text LC Display with Touch Control Buttons brings ergonomic benefits and ease of use to your home. It automatically recommends settings that ensure maximum water and energy efficiency, displays the temperature, soil level and load size, and even features a memory function that saves "favourite" wash programmes.



STEAM REFRESH

Removes undesired odours with steam. The steam also reduces wrinkles, making ironing easier.

HYGIENE







MACHINE CARE

A special programme for self-cleaning of the tub and drum ensures maximum hygiene. This prolongs the life of the washing machine.





HYGIENE CARE

Ensures 99.9% hygiene thanks to an Allergy Shield approved by Allergy UK. Its three-in-one action works by maintaining a constant temperature, applying additional drum movements and running a super rinse cycle.

GWN 59492 C

ELECTRONIC WASHING MACHINE



9 kg load capacity Variable spin speed up to 1400 rpm Text LC display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40′, WoolProtect, MachineCare, Spin+Pump, MultiSense, SteamRefresh, StainCare, Mini 14', DarkCare, Bedding, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Silent mode / Prewash / PerfectRinse / Memory / Soil level

MAIN FEATURES

- EcoChamp
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- MultiSense automatic programme
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- StainCare programme • HygieneCare programme
- Inverter EcoMotor
- Anti-Noise
- 34 cm door opening
- · New drum pattern

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++ (-70 %)
- Spin drying efficiency class: B
- Noise level for washing / spinning: 58 / 73 dBA

PRODUCT DIMENSIONS

H x W x D: 84 x 60 x 61 cm

COLOUR

· White-inox with chrome door

GWN 59464 C

PRO DOSE ELECTRONIC WASHING MACHINE



9 kg load capacity Variable spin speed up to 1400 rpm Text LC display Touch control buttons

16 WASH PROGRAMMES

MultiSense Technology, Hand Wash, DarkCare, Bedding, WoolProtect, Mini 14', AquaPerfect 40° / 40', Cotton, Cotton Eco, Steam Refresh, Stain Care, Hygiene Care, Machine Care, Synthetic,Spin+Pump / Rinsing

SPECIAL FUNCTIONS

Silent mode / Powder detergent / PerfectRinse / Memory / Soil level

MAIN FEATURES

- ProDose Technology
- MultiSense Technology
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- MultiSense automatic programme
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- StainCare programme
- HygieneCare programme
- Inverter EcoMotor • Anti-Noise
- 34 cm door opening
- New drum pattern

SAFETY

- WaterProtect+
- · Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++ (-30 %)
- Spin drying efficiency class: B

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 61 cm

COLOUR

· White-inox with chrome door



























WoolProtect StainCare























HygieneCare Steam Refresh

Silent Mode Anti-Noise

MachineCare

AquaPerfect HygieneCare Steam 40°/40' Refresh

Silent Mode Anti-Noise

MachineCare

GWN 57643 C

ELECTRONIC WASHING MACHINE



7 kg load capacity Variable spin speed up to 1600 rpm Text LC display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40′, WoolProtect, Machine Care, Spin+Pump, Multi Sense, Steam Refresh,StainCare, Mini 14', DarkCare, Bedding, Hand wash, Rinsing

SPECIAL FUNCTIONS

Silent mode / Prewash / Rinse plus / Memory / Soil level

MAIN FEATURES

- MultiSense Technology
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- MultiSense automatic programme • AquaPerfect 40° / 40 min programme
- WoolProtect programme
- StainCare programme
- HygieneCare programme
- Inverter EcoMotor
- 34 cm door opening
- New drum pattern

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++ (-10 %)
- Spin drying efficiency class: A
- Noise level for washing / spinning: 57 / 75 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 55 cm

COLOUR

· White-inox with chrome door

GWN 57443 C

ELECTRONIC WASHING MACHINE



7 kg load capacity Variable spin speed up to 1400 rpm Text LC display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40′, WoolProtect, MachineCare, Spin+Pump, MultiSense, SteamRefresh, StainCare, Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Silent mode / Prewash / PerfectRinse / Memory / Soil level

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- MultiSense automatic programme
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- StainCare programme
- HygieneCare programme
- Inverter EcoMotor
- Anti-Noise
- 34 cm door opening
- New drum pattern

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++ (-10 %)
- Spin drying efficiency class: B
- Noise level for washing / spinning: 50 / 73 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 55 cm

COLOUR

White-inox with chrome door







WoolProtect StainCare



















WoolProtect StainCare

































MachineCare

MachineCare

SteamRefresh GentleCare Silent Mode Anti-Noise

GWN 510451 H

ELECTRONIC WASHING MACHINE



10 kg load capacity Variable spin speed up to 1400 rpm Text LC display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40′, WoolProtect, MachineCare, Spin+Pump, MultiSense, SteamRefresh, StainCare, Mini 14', DarkCare, Bedding, Hand Wash, Rinsing

SPECIAL FUNCTIONS

HomeWhiz / Prewash / Silent mode / PerfectRinse / Soil level

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- MultiSense automatic programme
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- StainCare programme
- HygieneCare programme
- Inverter EcoMotor
- Anti-Noise
- 34 cm door opening
- New drum pattern

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++ (-20 %)
- Spin drying efficiency class: B

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 61 cm

COLOUR

· White-inox with chrome door

GWN 48631

ELECTRONIC WASHING MACHINE



8 kg load capacity Variable spin speed up to 1600 rpm Big digital display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40′, WoolProtect, MachineCare, Spin+Pump, MultiSense, Bedding, Shirts, Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Silent mode / Prewash / PerfectRinse / QuickWash

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- MultiSense automatic programme
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- HygieneCare programme
- Inverter EcoMotor
- Anti-Noise
- 34 cm door opening
- New drum pattern

- WaterProtect+
- Child lock
- · Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: A
- Noise level for washing / spinning: 52 / 76 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 61 cm

COLOUR

White









WoolProtect StainCare















WoolProtect AquaPerfect HygieneCare GentleCare 40°/40'































Silent Mode Anti-Noise

MachineCare

Silent Mode Anti-Noise

MachineCare

GWA 48431

ELECTRONIC WASHING MACHINE



8 kg load capacity Variable spin speed up to 1400 rpm Big digital display Touch control buttons

16 WASH PROGRAMMES

Cotton Eco, Cotton, Cotton with Prewash, Synthetics, Synthetics $with\ Prewash,\ WoolProtect,\ Rinsing,\ Spin+Pump,\ Gentle Care,$ MachineCare, Mini, Mini 14', Dark Care, Shirts, HygieneCare, Hand Wash

SPECIAL FUNCTIONS

QuickWash / Soaking / PerfectRinse / Easy ironing

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- WoolProtect programme
- HygieneCare programme
- Inverter EcoMotor
- Anti-Noise
- 34 cm door opening
- New drum pattern

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: B
- ullet Noise level for washing / spinning: 49 / 70 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 61 cm

COLOUR

White

GWN 47630

ELECTRONIC WASHING MACHINE



7 kg load capacity Variable spin speed up to 1600 rpm Big digital display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40′, WoolProtect, MachineCare, Spin+Pump, MultiSense, Mini, SteamRefresh, Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Silent mode / Prewash / PerfectRinse / QuickWash

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- MultiSense automatic programme
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- HygieneCare programme
- Anti-Noise
- 34 cm door opening
- New drum pattern

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: A
- Noise level for washing / spinning: 56 / 75 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 55 cm

COLOUR

White

































AquaPerfect HygieneCare Steam 40°/40' Refresh

Silent Mode Anti-Noise

ELECTRONIC WASHING MACHINE



7 kg load capacity Variable spin speed up to 1400 rpm Big digital display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40′, WoolProtect, MachineCare, Spin+Pump, MultiSense, Mini, SteamRefresh, Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

 $Silent\ mode\ /\ Prewash\ /\ PerfectRinse\ /\ QuickWash$

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- MultiSense automatic programme
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- HygieneCare programme
- Anti-Noise
- 34 cm door opening
- New drum pattern

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: B
- Noise level for washing / spinning: 56 / 76 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 55 cm

COLOUR

White

GWA 47430

ELECTRONIC WASHING MACHINE



7 kg load capacity Variable spin speed up to 1400 rpm Big digital display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton with Prewash, Cotton Quick, Easy Care, Easy Care with Prewash, WoolProtect, Rinsing, Spin+Pump, MultiSense, MachineCare, Mini, Mini 14', Dark Care, Shirts, HygieneCare, Hand Wash

SPECIAL FUNCTIONS

QuickWash / Soaking / PerfectRinse / Easy ironing

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- MultiSense automatic programme WoolProtect programme
- HygieneCare programme
- Anti-Noise
- 34 cm door opening
- New drum pattern

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: B
- Noise level for washing / spinning: 50 / 72 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 55 cm

COLOUR

White



Energy Class WoolProtect

























GentleCare Silent Mode Anti-Noise















MachineCare

ELECTRONIC WASHING MACHINE



7 kg load capacity Variable spin speed up to 1600 rpm Digital display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40°, WoolProtect, Machine Care, Spin+Pump, Delicate, Mini, Shirts,Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Prewash / PerfectRinse / Silent mode

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- HygieneCare programme
- Inverter EcoMotor
- Anti-Noise
- 34 cm door opening

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: A

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 50 cm

COLOUR

White

GWN 37431

ELECTRONIC WASHING MACHINE



7 kg load capacity Variable spin speed up to 1400 rpm Digital display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40′, WoolProtect, MachineCare, Spin+Pump, Delicate, Mini, Shirts, Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Prewash / PerfectRinse / Silent mode

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- HygieneCare programme
- Inverter EcoMotor
- Anti-Noise
- 34 cm door opening

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: B

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 50 cm

COLOUR

White







































GentleCare Silent Mode Anti-Noise















GentleCare Silent Mode Anti-Noise









ELECTRONIC WASHING MACHINE



7 kg load capacity Variable spin speed up to 1200 rpm Digital display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40°, WoolProtect, MachineCare, Spin+Pump, Delicate, Mini, Shirts, Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Prewash / PerfectRinse / Silent mode

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- HygieneCare programme
- Inverter EcoMotor
- Anti-Noise
- 34 cm door opening
- New drum pattern

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: B
- Noise level for washing / spinning: 52 / 73 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 55 cm

COLOUR

White

GWN 36630

ELECTRONIC WASHING MACHINE



6 kg load capacity Variable spin speed up to 1600 rpm Digital display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40′, WoolProtect, MachineCare, Spin+Pump, Delicate, Mini, Shirts, Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Prewash / PerfectRinse / Silent mode

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- HygieneCare programme
- Inverter EcoMotor
- Anti-Noise
- 34 cm door opening

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: A
- Noise level for washing / spinning: 49 / 75 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 50 cm

COLOUR

White







WoolProtect










































GentleCare Silent Mode Anti-Noise

MachineCare

GentleCare Silent Mode Anti-Noise

MachineCare

ELECTRONIC WASHING MACHINE



6 kg load capacity Variable spin speed up to 1400 rpm Digital display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40°, WoolProtect, Machine Care, Spin+Pump, Delicate, Mini, Shirts,Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Prewash / PerfectRinse / Silent mode

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- HygieneCare programme
- Inverter EcoMotor
- Anti-Noise
- 34 cm door opening

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: B

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 50 cm

COLOUR

White

GWP 36430

ELECTRONIC WASHING MACHINE



6 kg load capacity Variable spin speed up to 1400 rpm Digital display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40′, WoolProtect, MachineCare, Spin+Pump, Delicate, Mini, Shirts, Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Prewash / PerfectRinse / Silent mode

MAIN FEATURES

- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- AquaPerfect 40° / 40 min programme
- WoolProtect programme
- HygieneCare programme
- Inverter EcoMotor
- Anti-Noise
- 34 cm door opening

SAFETY

- WaterProtect
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: B

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 50 cm

COLOUR

White





























Energy Class Inverter EcoMotor















GentleCare Silent Mode Anti-Noise

MachineCare

GentleCare Silent Mode Anti-Noise

MachineCare

ELECTRONIC WASHING MACHINE



6 kg load capacity Variable spin speed up to 1600 rpm LED display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40°, WoolProtect, MachineCare, Spin+Pump, Delicate, Mini, Shirts, Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Prewash / PerfectRinse / Silent mode

MAIN FEATURES

- 3-6-9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- AquaPerfect 40° / 40 min programme
- WoolProtect programme HygieneCare programme
- Anti-Noise
- 34 cm door opening

SAFETY

- WaterProtect
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: A
- Noise level for washing / spinning: 59 / 76 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 50 cm

COLOUR

White

GWN 26430

ELECTRONIC WASHING MACHINE



6 kg load capacity Variable spin speed up to 1400 rpm LED display Touch control buttons

16 WASH PROGRAMMES

Cotton, Cotton Eco, HygieneCare, Synthetics, AquaPerfect 40° / 40′, WoolProtect, MachineCare, Spin+Pump, Delicate, Mini, Shirts, Mini 14', DarkCare, GentleCare, Hand Wash, Rinsing

SPECIAL FUNCTIONS

Prewash / PerfectRinse / Silent mode

MAIN FEATURES

- 3-6-9 h time delay
- No spin, rinse hold selection
- Automatic water adjustment system
- Liquid detergent compartment
- AquaPerfect 40° / 40 min programme
- WoolProtect programme HygieneCare programme
- Anti-Noise
- 34 cm door opening

SAFETY

- WaterProtect
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Spin drying efficiency class: B
- Noise level for washing / spinning: 57 / 75 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 50 cm

COLOUR

White













Silent Mode Anti-Noise











MachineCare













Energy Class WoolProtect











MachineCare

UMBRELLA TECHNOLOGY

AN INVISIBLE SHIELD. FOR VISIBLY GREAT STYLE.





GWD 59405

The Grundig GWD 59405 washer dryer with Umbrella Technology washes, dries and even impregnates your favourite clothes. So you are well-protected from rain and stains.

The Grundig washer dryer does more than its name implies. It also repairs rain gear and impregnates clothes to make them water-repellent - in just one hour. The fantastic benefits of this special programme are just three easy steps away: First, put a special impregnation liquid in the washer dryer's detergent compartment, then select the programme and press start. The machine is able to impregnate up to 15 T-shirts or ten pairs of trousers at once equal to about 2.5 kg of laundry.

Since this functional treatment is gentle on your clothes, it won't affect the fabric's colour or breathability. So not only your style will be visibly great but also your mood when being outside.
















Various fabrics can be impregnated - for instance, cotton, synthetics and mixed fabrics.

The special impregnating programme ensures your clothes shrug off all water and stains.



AIR DRY TECHNOLOGY

SAVES NOT ONLY A HUGE AMOUNT OF WORK, BUT ALSO ENERGY.

You might think the fuss over drying clothes in a machine is a lot of hot air – until you see your water bills. Most conventional machines actually condense water to perform this process. But the Grundig washer dryer uses only air. That means while your laundry is dried gently and effectively, the water and energy requirement is significantly reduced. As a result, the VDE laboratory in Germany has awarded us an energy efficiency rating of A.



6 KG WASH & DRY

WASHES AND DRIES. ALL YOU HAVE TO DO IS TURN IT ON.

There's something about most washer dryers that does not add up – they can't dry as many clothes as they wash. At Grundig, we think it figures that you should be able to wash and dry up to 6 kg of laundry in one go. The programme automatically adjusts the settings to achieve perfect washing and drying results. For you, that means turn it on – and the job's done.

Gently washes a maximum load of 6 kg.



Then, it perfectly dries the same quantity of laundry in one go.

THE FEATURES AT A GLANCE.

CARE





9 KG WASH & 6 KG DRY

Washes and dries more laundry thanks to a larger capacity.





MINI WASH & DRY

The programme provides a quick washing and drying cycle for a small amount of laundry. Five shirts, for example, can be washed and dried in just 58 minutes.

GWD 59405

ELECTRONIC WASHER DRYER



9 kg washing, 6 kg drying Variable spin speed up to 1400 rpm Text LC display Touch control buttons

16 WASH AND DRYING PROGRAMMES

Mini Wash&Dry, 6 kg Wash&Dry, Cotton dry, Synthetic dry, Daily, Mini 14', HygieneCare Wash&Dry, Spin+Drain, Cotton, Cotton Eco, Synthetics, Delicates, WoolProtect, Hand Wash, Impregnation, Rinsing

SPECIAL FUNCTIONS

Prewash / Rinse plus / Silent mode / Memory

MAIN FEATURES

- Air drying
- Impregnation programme
- 24 h time delay and remaining time
- Automatic water adjustment system
- Liquid detergent compartment
- Mini Wash&Dry
- 6 kg Wash&Dry programme
- HygieneCare Wash&Dry programme
- AquaPerfect 40° / 40' programme • 34 cm door opening
- New drum pattern

SAFETY

- WaterProtect+
- Child lock
- Warning indicators: child lock, tap closed

PERFORMANCE

- Energy efficiency class: A
- Spin drying efficiency class: A
- Noise level for washing / spinning / drying: 55 / 77 / 70 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 60 x 63 cm

COLOUR

• White-inox with chrome door



























EXPERT CLEAN™ TECHNOLOGY

CARES FOR COMFORT. OF YOU AND YOUR CLOTHES.













Inverter EcoMotor

Advanced Heat Pump Fechnology







Silent Mod



GTN 38269 GC

The Grundig GTN 38269 GC dryer with ExpertClean $^{\text{TM}}$ Technology filters out your effort: The filter cleans itself so you don't need to.



EXPERT CLEAN™ TECHNOLOGY

SAY GOODBYE TO EMPTYING YOUR DRYER'S DOOR FILTER.

With our new effortless filter system for tumble dryers we found a way so you no longer have to – the new Grundig GTN 38269 GC dryer. It features an innovative three-layered condenser filter that cleans itself. The special system uses an innovative circuit that carries condensed water to rinse lint from the filter. The water is pumped up from the filter at the lowest point and back to the tank. There, it's purified so it can flow down again and be pressurised in the three nozzles, which spray it on the filter layers to clean them. To ensure the filter stays spotless, this cycle is constantly repeated during the drying process. Obviously, there's nothing left for you to think about: The filter takes cares of itself. Giving you more time to take care of your loved ones.

Lint from the drum collects in the condenser filter and is then pumped up to the tank with the condensed water.

The special valve and pump system creates a circuit in which purified condensed water flows down to clean the filter layers at the lowest point.

A three-nozzle cleaning system pressurises the purified condensed water before spraying it onto the filter's layers to free them of lint.



PRO SCENT

WELL-SCENTED LAUNDRY: PERFECTLY HOME AND DRY.

Everyone loves the fragrance of freshly washed laundry but putting clothes in a tumble dryer usually means you lose out. That's why we invented a dryer with ProScent: It pleasantly freshens up your laundry with natural odours. The secret is a small capsule. Positioned directly inside the tumble dryer's air flow, it continuously permeates the garments with a natural fragrance of your choice – Fresh, Floral or Ocean. The capsule is easy to insert, so you can change it as often as you like. Just follow your nose to the scent that best fits your mood – and breathe in happiness.

From its position in the air flow, the capsule continuously permeates garments with fragrance.

The capsule in the dryer's air flow can easily be exchanged.




ECO CHAMP

THE ONLY THING MORE ECONOMICAL IS A CLOTHESLINE.

Exceptionally thrifty tumble dryers have an energy rating of A+++. The GTN 48271 GC goes one better, using a further 10% less energy than such appliances. Quite the energy coup. How did we do it? Unlike conventional motors that rotate with the help of brushes to generate power, the Inverter EcoMotor features magnet drive technology. This reduces friction and lowers energy consumption. What's more, the controls on the variable-speed motor ensure that clothes are dried as gently as if they were on a clothesline. Only this is a whole lot more convenient and efficient.





ADVANCED HEAT PUMP TECHNOLOGY

TURNS THE DRUM INTO AN OASIS OF WELL-BEING.

At last you can dry laundry quickly and gently. Our innovative Touch Dry Technology combined with relatively low temperatures of 60°C make it possible. And the good news doesn't end there. Since garments lie flat on the drum during drying, they don't become crumpled. With the benefit of such good care, your clothes retain their beautiful appearance for longer. Laundry has never felt this good.



Thanks to low temperatures of 60°C and improved drum movement, laundry is dried quickly and gently.

THE FEATURES AT A GLANCE.

CARE





WOOL PROTECT

The special programme algorithm provides safe drying for machine-washable woollens by preventing friction between the fibres.

CARE






TOUCH DRY

Senses your laundry's fabric and automatically sets the correct dryer programme timing. Can be applied to different types of fabric – for instance, cotton, synthetics or mixed fabrics.

COMFORT





STEAM REFRESH

Get fresh, wrinkle-free fabrics without having to wash or iron them. An intense spray of steam inside the dryer eliminates persistent odours and reduces creases in clothes.





EXPRESS DRY

ExpressDry mode completes its standard programme faster than other 8 kg heat pump dryers. While an 8 kg load can be dried in 115 minutes – 24% quicker than a standard programme with A+ energy efficiency – the machine can optionally be switched over to standard mode with A+++ energy efficiency and 152 minutes drying time.

COMFORT





ADVANCED HEAT PUMP 54 CM

With a depth of 54 cm, the space-saving dryer line is 10% more compact than a conventional dryer. The world's slimmest, most efficient dryer* has a 7 kg capacity and is available with A++, A+ or B efficiency class rating.

*(08/2015)





SILENT MODE

The inverter compressor, brushless motor technology and cabinet insulation bring peace to your home with the specially developed Silent Mode.





TIMESAVER PROGRAMME

Combine the 30 minute quick-drying programme with the 14 minute MiniWash and clothes are ready to wear in under an hour.





HIGH CONDENSATION EFFICIENCY

Due to a condensation rate of more than 91%, this effective drying system releases less moisture into the room. That means perfect results with minimum energy consumption.

ACCESSORIES



STACKING KIT

To optimise space, simply use the stacking kit to easily stack dryers on top of washing machines.

GTN 48271 GC

ELECTRONIC HEAT PUMP DRYER



8 kg load capacity Text LC display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Refresh, Time programme, Delicate, Shirts 30', Sportswear, Mix, WoolProtect, Bedding, Shirts, Jeans, Daily

SPECIAL FUNCTIONS

Express / Silent mode

MAIN FEATURES

- Advanced heat pump technology
- Stainless steel drum
- Touch Dry, Automatic sensor drying
- WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- Adjustable anti-creasing
- Direct drain option
- 3-level drying • Inverter EcoMotor
- · Chrome door with glass

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, clean filter drawer, door open, delay timer

PERFORMANCE

- Energy efficiency class: A+++ (-10 %)
- Condensation efficiency class: A
- Energy consumption: 159 kWh / year
- Noise level: 66 dBA

PRODUCT DIMENSIONS

H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

• White-inox with glass door

GTN 48261 GC

ELECTRONIC HEAT PUMP DRYER



8 kg load capacity Text LC display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Refresh, Time programme, Delicate, Shirts 30', Sportswear, Mix, WoolProtect, Bedding, Shirts, Jeans, Daily

MAIN FEATURES

- Advanced heat pump technology
- Stainless steel drum
- Touch Dry, Automatic sensor drying
- · WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- Adjustable anti-creasing
- Direct drain option
- 3-level drying
- Inverter EcoMotor • Chrome door with glass

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, clean filter drawer, door open, delay timer

PERFORMANCE

- Energy efficiency class: A+++
- Condensation efficiency class: A
- Energy consumption: 176 kWh / year
- Noise level: 65 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

• White-inox with glass door

















































ongn Water Tank Condensation Volume Efficiency



GTN 482610 GCH

ELECTRONIC HEAT PUMP DRYER



8 kg load capacity Text LC display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Refresh, Time programme, Delicate, Silent programme, Sportswear, Mix, WoolProtect, Bedding, Shirts, Jeans, Daily

SPECIAL FUNCTIONS

HomeWhiz

MAIN FEATURES

- · Advanced heat pump technology
- Stainless steel drum
- Touch Dry, Automatic sensor drying
- WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action • Adjustable anti-creasing
- Direct drain option
- 3-level drying
- Inverter EcoMotor
- Chrome door with glass

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, clean filter drawer, door open, delay timer

PERFORMANCE

- Energy efficiency class: A+++
- · Condensation efficiency class: A
- Energy consumption: 176 kWh / year
- Noise level: 65 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

• White-inox with glass door

GTN 38269 GC

SELF-CLEANING DRYER



8 kg load capacity Big digital display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry - silent, Cotton extra dry, Cotton cupboard dry plus, Synthetics iron dry, Synthetics cupboard dry, Shirts, Jeans, Sportswear, Daily, Bedding, WoolProtect, Delicate, Time programme, Refresh

SPECIAL FUNCTIONS

Self-cleaning condenser

MAIN FEATURES

- ExpertClean auto filter-cleaning technology
- Advanced heat pump technology
- Stainless steel drum
- Touch Dry, Automatic sensor drying
- WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- · Auto anti-creasing
- Direct drain option
- Inverter EcoMotor

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, clean filter drawer, door open, delay timer

PERFORMANCE

- Energy efficiency class: A+++
- · Condensation efficiency class: A
- Energy consumption: 177 kWh / year
- · Noise level: 66 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

• White-inox with glass door



























WoolProtect

















orgn Water Tank Condensation Volume Efficiency WoolProtect

GTN 38267

ELECTRONIC HYBRID DRYER



8 kg load capacity Big digital display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry - silent, Cotton extra dry, Cotton cupboard dry plus, Synthetics iron dry, Synthetics cupboard dry, Shirts, Jeans, Sportswear, Daily, Bedding, WoolProtect, Delicate, Time programme, Refresh

SPECIAL FUNCTIONS

Express

MAIN FEATURES

- ExpressDry hybrid drying technology
- Stainless steel drum
- Touch Dry, Automatic sensor drying
- WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- Auto anti-creasing Direct drain option
- Inverter EcoMotor

SAFETY

- Child lock
- End of cycle buzzer
- · Warning indicators: child lock, clean filter, watertank full, clean filter drawer, door open, delay timer

PERFORMANCE

- Energy efficiency class: A+++
- Condensation efficiency class: A
- Energy consumption: 177 kWh / year
- Noise level: 66 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

White

GTA 38261 G

ELECTRONIC HEAT PUMP DRYER



8 kg load capacity Big digital display Touch control buttons

14 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry plus, Cotton extra dry, Synthetics cupboard dry, Sportswear, Daily, Time programme, Delicate, WoolProtect, Jeans, Refresh, Bedding, Shirts

MAIN FEATURES

- Advanced heat pump technology
- Stainless steel drum
- Touch Dry, Automatic sensor drying
- · WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- Auto anti-creasing
- Direct drain option
- Inverter EcoMotor

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, clean filter drawer, door open, delay timer

PERFORMANCE

- Energy efficiency class: A+++
- Condensation efficiency class: A
- Energy consumption: 177 kWh / year
- Noise level: 63 dBA

PRODUCT DIMENSIONS

H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

· White with glass door





Energy Class











WoolProtect















Inverter EcoMotor







High Condensation Efficiency WoolProtect















Water Tank Touch Dry Volume

GTN 38250 G

ELECTRONIC HEAT PUMP DRYER



8 kg load capacity Big digital display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry plus, Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Time programme, Delicate, WoolProtect, Sportswear, Shirts 30', Refresh, Bedding, Shirts, Jeans, Daily

MAIN FEATURES

- Advanced heat pump technology
- Stainless steel drum
- Touch Dry, Automatic sensor drying
- WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- Auto anti-creasing
- Direct drain option

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, clean filter drawer, door open, delay timer

PERFORMANCE

- Energy efficiency class: A++
- Condensation efficiency class: A
- Energy consumption: 230 kWh / year
- Noise level: 66 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

• White with glass door

GTN 38111 G

ELECTRONIC CONDENSER DRYER



8 kg load capacity Big digital display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry plus, Cotton extra dry, Cotton cupboard dry silent, Cotton cupboard dry quick, Synthetics iron dry, Synthetics cupboard dry, Time programme, Delicate, Shirts 15°, Sportswear, WoolProtect, Refresh, Jeans, Shirts

MAIN FEATURES

- Stainless steel drum
- Touch Dry, Automatic sensor drying
- WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- Auto anti-creasing
- Direct drain option
- Inverter EcoMotor

SAFETY

- Child lock
- End of cycle buzzer
- · Warning indicators: child lock, clean filter, watertank full, clean filter drawer, door open, delay timer

PERFORMANCE

- Energy efficiency class: B
- Condensation efficiency class: B
- Energy consumption: 561 kWh / year
- Noise level: 60 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

• White with glass door



Energy Class

























Energy Class Inverter EcoMotor





Water Tank Touch Dry



Water Tank Touch Dry

GTN 37250 G

ELECTRONIC HEAT PUMP DRYER



7 kg load capacity Big digital display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry plus, Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Time programme, Delicate, WoolProtect, Sportswear, Shirts 30', Refresh, Bedding, Shirts, Jeans, Daily

MAIN FEATURES

- Advanced heat pump technology
- Touch Dry, Automatic sensor drying
- WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- · Auto anti-creasing
- Direct drain option

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, clean filter drawer, door open, delay timer

PERFORMANCE

- Energy efficiency class: A++
- Condensation efficiency class: A
- Energy consumption: 206 kWh / year
- Noise level: 66 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

White with glass door

GTN 37250

ELECTRONIC HEAT PUMP DRYER



7 kg load capacity Big digital display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry plus, Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Time programme, Delicate, WoolProtect, Sportswear, Shirts 30', Refresh, Bedding, Shirts, Jeans, Daily

MAIN FEATURES

- Advanced heat pump technology
- Stainless steel drum
- Touch Dry, Automatic sensor drying
- · WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- · Auto anti-creasing
- Direct drain option

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, clean filter drawer, door open, delay timer

PERFORMANCE

- Energy efficiency class: A++
- Condensation efficiency class: A
- Energy consumption: 206 kWh / year
- Noise level: 66 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

• White



















High Water Tank Touch Dry Condensation Volume Efficiency

















High Water Tank Touch Dry Condensation Volume Efficiency

GTN 37240 G

ELECTRONIC HEAT PUMP DRYER



7 kg load capacity Big digital display Touch control buttons

16 DRYING PROGRAMMES

 ${\tt Cotton}\ {\tt iron}\ {\tt dry}, {\tt Cotton}\ {\tt cupboard}\ {\tt dry}, {\tt Cotton}\ {\tt cupboard}\ {\tt dry}\ {\tt plus},$ Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Time programme, Delicate, WoolProtect, Sportswear, Shirts 30', Refresh, Bedding, Shirts, Jeans, Daily

MAIN FEATURES

- Advanced heat pump technology
- Stainless steel drum
- Touch Dry, Automatic sensor drying
- WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- Auto anti-creasing
- Direct drain option

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, clean filter drawer, door open, delay timer

PERFORMANCE

- Energy efficiency class: A+
- Condensation efficiency class: B
- Energy consumption: 266 kWh / year
- Noise level: 66 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

• White with glass door

GTN 37110 G

ELECTRONIC CONDENSER DRYER



7 kg load capacity Big digital display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry plus, Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Time programme, Delicate, Shirts 15', Sportswear, Mix, Refresh, Mini 35', Shirts, Jeans, Daily

MAIN FEATURES

- Stainless steel drum
- Touch Dry, Automatic sensor drying
- WoolProtect drying programme
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- Auto anti-creasing
- Direct drain option

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, clean filter drawer, delay timer

PERFORMANCE

- Energy efficiency class: B
- Condensation efficiency class: B
- Energy consumption: 504 kWh / year
- Noise level: 65 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 53 cm

COLOUR

White with glass door















Water Tank Touch Dry







Energy Class Timesaver Programme

GTN 28250 H

ELECTRONIC HEAT PUMP DRYER



8 kg load capacity Digital display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry plus, Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Refresh, Delicate, Shirts, Fashion, Shirts 30', Mix, 30', 45', Jeans, Dailv

MAIN FEATURES

- Advanced heat pump technology
- Touch Dry, Automatic sensor drying
- 24 h time delay and remaining time
- · Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- · Auto anti-creasing
- Direct drain option

SAFETY

- Child lock
- End of cycle buzzer
- · Warning indicators: child lock, clean filter, watertank full, delay timer

PERFORMANCE

- Energy efficiency class: A++
- Condensation efficiency class: A
- Energy consumption: 230 kWh / year
- Noise level: 65 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 59.8 cm

COLOUR

White

GTN 27250 MG

ELECTRONIC HEAT PUMP DRYER



7 kg load capacity Digital display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry plus, Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Refresh, Delicate, Shirts, Fashion, Shirts 30', Mix, 30', 45', Jeans, Dailv

MAIN FEATURES

- Advanced heat pump technology
- Stainless steel drum
- Touch Dry, Automatic sensor drying
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- Auto anti-creasing
- Direct drain option

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, delay timer

PERFORMANCE

- Energy efficiency class: A++
- Condensation efficiency class: B
- Energy consumption: 209 kWh / year
- Noise level: 65 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 53 cm

COLOUR

White with glass door































GTN 27250 M

ELECTRONIC HEAT PUMP DRYER



7 kg load capacity Digital display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry plus, Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Refresh, Delicate, Shirts, Fashion, Shirts 30', Mix, 30', 45', Jeans, Dailv

MAIN FEATURES

- Advanced heat pump technology
- Stainless steel drum
- Touch Dry, Automatic sensor drying
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- Auto anti-creasing
- Direct drain option

SAFETY

- Child lock
- End of cycle buzzer
- Warning indicators: child lock, clean filter, watertank full, delay timer

PERFORMANCE

- Energy efficiency class: A++
- Condensation efficiency class: B
- Energy consumption: 209 kWh / year
- Noise level: 65 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 53 cm

COLOUR

White

GTN 27240 M

ELECTRONIC HEAT PUMP DRYER



7 kg load capacity Digital display Touch control buttons

16 DRYING PROGRAMMES

Cotton iron dry, Cotton cupboard dry, Cotton cupboard dry plus, Cotton extra dry, Synthetics iron dry, Synthetics cupboard dry, Refresh, Delicate, Shirts, Fashion, Shirts 30', Mix, 30', 45', Jeans, Dailv

MAIN FEATURES

- Advanced heat pump technology
- Touch Dry, Automatic sensor drying
- 24 h time delay and remaining time
- Large door for easy loading / unloading
- Interior drum light
- Bi-directional drum action
- · Auto anti-creasing
- Direct drain option

SAFETY

- Child lock
- End of cycle buzzer
- · Warning indicators: child lock, clean filter, watertank full, delay timer

PERFORMANCE

- Energy efficiency class: A+
- Condensation efficiency class: B
- Energy consumption: 237 kWh / year
- Noise level: 65 dBA

PRODUCT DIMENSIONS

• H x W x D: 84.6 x 59.5 x 53 cm

COLOUR

White


























Grundig refrigerators and freezers not only store fruit, vegetables and other food under perfect conditions, they also preserve the great taste, nutrients and vitamins they contain. Thanks to an array of innovative functions, the appliances ensure the best possible protection for food's cell structures and ingredients. The result? Longer-lasting freshness to help you live a healthy life, while enjoying your favourite foods.





FULL FRESH+

YOU WANT FRESHNESS TO STAY? GIVE IT A COMFORTABLE HOME.







GSBS 13320 FX

The Grundig FullFresh+ GSBS 13320 FX refrigerator creates the perfect conditions to keep food, above all fruit and vegetables, fresh for up to three times longer.











Duo-Cooling St No Frost

rFresh E

gy EcoChai





FULL FRESH+

OUR FAVOURITE FRUIT? THOSE THAT STAY FRESH.

A Grundig FullFresh+ Side by Side refrigerator is the new place to be for your healthy favourites: A constant temperature and high humidity level in the crisper drawer are preserved by cool air coming out of small ventilation holes. To simultaneously minimise condensation and improve airflow, the specially designed drawer top features small apertures. These ensure ideal conditions inside the compartment for fruit and vegetables. As your produce won't dry out, it stays naturally delicious and farm-fresh for up to three times longer. In short, you'll have less waste, less shopping and always a good feeling. Because you can be sure your favourite fruit and vegetables are in a safe place – patiently waiting for you to enjoy them.



Small ventilation holes in the back of the fridge ensure the air in the crisper drawer stays cool, fresh and high in humidity.

Small apertures in the top of the drawer optimise air circulation and minimise condensation to prevent fruit and vegetables from rotting.

Fruit and vegetables will stay fresh for up to 30 days. Lettuce remains crisp even three times longer than in other refrigerators.

VITAMIN CARE ZONE

PROTECTS WHAT PROTECTS YOU: VITAMINS.

Storing fresh produce in the special VitaminCare Zone inside the Grundig Side by Side refrigerators is a bit like returning it to the field. That's because built-in blue light technology simulates natural lighting conditions so that the amount of vitamin C in red vegetables and fruit is especially preserved. Furthermore, the overall vitamin level in your healthy food is boosted, helping to keep it fresh and the goodness locked in. Think of the VitaminCare Zone as a time machine that simply retains your food's natural off-the-stalk freshness and appearance. You'll see the benefits in the reduction in waste and shopping trips – not to mention the savings.



Blue light technology boosts vitamin levels in your fruit and veg.

ECO CHAMP

WE PUT ALL OF OUR ENERGY INTO THIS FRIDGE, SO YOU CAN SAVE YOURS – THANKS TO OUR DUO-COOLING NO FROST TECHNOLOGY.

The new variable-speed Inverter EcoCompressor inside the Grundig Side by Side models helps to lower energy consumption by up to 25%* while also keeping noise levels down. Even so, it's quite the cold storage powerhouse. High compressor speeds make for quick freezing and improved temperature stability ensures that food keeps fresh for longer. When paired with our Duo-Cooling No Frost Technology, increased humidity levels in the fridge prevent food from drying out and prolong its life. What's more, the frost-free function reliably stops that icy crust from forming, so you don't have to defrost any more. Apart from saving you a lot of work, this fridge also saves on energy costs. Rated A+++, it's so efficient, it virtually puts your electricity consumption on ice.

A dual fan system
ensures the fridge and
freezer compartments
are optimally cooled.
This keeps food fresh for
longer while reducing
energy consumption.



EUROPEAN SIDE BY SIDE ECO CHAMP

MAXIMUM SPACE, MAXIMUM EFFICIENCY: A COMBINED FRIDGE-FREEZER DESIGNED AS A EUROPEAN SIDE BY SIDE WITH AN A+++ EFFICIENCY RATING.

The most convenient options on the market sadly do not fit through every front door – at least where fridges are concerned. With this in mind, we have developed a practical alternative: a European Side by Side that consists of two separate appliances. Each module is 60 cm wide, so they can be transported individually before being connected in your kitchen using a screw system. Measuring 120 cm across, our European Side by Side is even 30 cm wider than a standard model, yet it remains easy to handle. For you this means extra space for fresh produce – and extra-low power consumption thanks to the A+++ efficiency rating of both the fridge and the freezer. This makes our European Side by Side a real Grundig EcoChamp.

The two appliances are connected using a simple screw system.

The EcoChamp is 120 cm across, making it a good 30 cm wider than a standard Side by Side.

A capacity of 647 litres guarantees extra room for fresh produce.




ION FRESH TECHNOLOGY

FRESHLY HARVESTED FROM OUR DEVELOPMENT DEPARTMENT.

To prevent unpleasant odours and bacteria, Grundig relies on tiny helpers called ions. IonFresh Technology produces these naturally occurring particles, which can be found in high concentrations near waterfalls or in forests. Often referred to as the "vitamins of the air", they destroy bacteria and odour molecules before being expelled when the refrigerator defrosts. As a result, you can breathe easy whenever you open the fridge, knowing the air is clean and your food will stay fresh for longer.





Negative ions are capturing positive ones. This method manages to reliably clean the air in the fridge from odours and bacteria – without the use of harmful gases or chemicals.

THE FEATURES AT A GLANCE.

CARE





SUPER FRESH

By maintaining the temperature just above freezing point, humidity is kept at an optimum level. Meat, fish and dairy products will retain their full flavour, fresh appearance and nutritional benefits for a longer period of time.





DUO-COOLING NO FROST TECHNOLOGY

The multi-directional air flow system prevents icing and ensures automatic defrosting.

COMFORT





ANTI-NOISE

Specially designed sound-insulating components together with flow-noise regulators help keep the fridge whisper quiet even as it cools down.





HOLIDAY MODE

When you go on holiday, you can put the fresh food compartment on standby to reduce energy consumption. The temperature will be kept at 15°C or lower while the freezer keeps running.





LED ILLUMINATION

White LED lights provide more attractive fridge lighting that is also cleaner and more efficient.

HYGIENE







ANTIBACTERIAL SEAL

In order to guarantee maximum hygiene inside the refrigerator, the door gaskets are coated with an antibacterial seal that eliminates bacteria.



HYGIENE GLASS TANK

Placed under the door rack, this special tank made entirely of glass keeps water and ice as pure and naturally fresh as possible. With its capacity of 2.8 litres, there's enough refreshment for the whole family.





ANTI-ODOUR FILTER

A special photocatalytic carbon filter eliminates bacteria and maintains consistently high hygiene by preventing bacteria build-up and fridge odours.

GSBS 11130 X

SIDE BY SIDE FRIDGE-FREEZER



SIDE BY SIDE FRIDGE-FREEZER





635 L total gross volume **Duo-Cooling No Frost Technology** Display with touch control button

FRIDGE

- 368 L net fridge volume
- 0-3°C super fresh zone (15 L net volume)
- 4 glass shelves
- 5 full width door racks
- Chrome coated wine rack
- VitaminCare
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FREEZER

- 190 L net freezer volume
- No Frost
- 2 drawers
- LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A+++
- Energy consumption: 254 kWh / year
- Noise level: 43 dBA
- Eco compressor

PRODUCT DIMENSIONS

• H x W x D: 182 x 91 x 72 cm

• GSBS 11130 X: Fingerprint free inox





635 L total gross volume Duo-Cooling No Frost Technology Display with touch control button

FRIDGE

- 368 L net fridge volume
- 0-3°C super fresh zone (15 L net volume)
- 4 glass shelves
- 5 full width door racks
- Chrome coated wine rack
- VitaminCare
- · Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FREEZER

- 190 L net freezer volume
- No Frost
- 2 drawers
- LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 381 kWh / year
- Noise level: 43 dBA
- Eco compressor

PRODUCT DIMENSIONS

• H x W x D: 182 x 91 x 72 cm

• GSBS 11120 X: Fingerprint free inox

























Energy Class VitaminCare



































GSBS 11122 FX

SIDE BY SIDE FRIDGE-FREEZER





635 L total gross volume **Duo-Cooling No Frost Technology** Touch control display on handle FullFresh Crisper

FRIDGE

- 368 L net fridge volume
- 0-3°C super fresh zone (15 L net volume)
- 4 glass shelves
- 5 full width door racks
- Chrome coated wine rack
- VitaminCare
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FREEZER

- 190 L net freezer volume
- No Frost
- 2 drawers
- LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 381 kWh / year
- Noise level: 43 dBA
- Eco compressor

PRODUCT DIMENSIONS

• H x W x D: 182 x 91 x 72 cm

- GSBS 11122 FX: Fingerprint free inox
- GSBS 11122 X: Fingerprint free inox











GSBS 13320 FX

SIDE BY SIDE FRIDGE-FREEZER





620 L total gross volume **Duo-Cooling No Frost Technology** Display with touch control button FullFresh Crisper

FRIDGE

- 368 L net fridge volume
- 0-3°C super fresh zone (15 L net volume)
- 4 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- VitaminCare
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FREEZER

- 176 L net freezer volume No Frost
- · Water and ice dispenser
- 2 drawers
- LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 370 kWh / year
- Noise level: 43 dBA
- Fixed water supply
- · Eco compressor

PRODUCT DIMENSIONS

• H x W x D: 182 x 91 x 72 cm

• GSBS 13320 X: without FullFresh



















Energy Class VitaminCare





Duo-Cooling SuperFresh No Frost Technology





GSBS 13320 FGB

SIDE BY SIDE FRIDGE-FREEZER





620 L total gross volume **Duo-Cooling No Frost Technology** Display with touch control button FullFresh Crisper

FRIDGE

- 368 L net fridge volume
- 0-3°C super fresh zone (15 L net volume)
- 4 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- VitaminCare
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FREEZER

- 176 L net freezer volume No Frost
- Water and ice dispenser
- 2 drawers • LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 370 kWh / year
- Noise level: 43 dBA
- Fixed water supply
- Eco compressor

PRODUCT DIMENSIONS

• H x W x D: 182 x 91 x 72 cm

• GSBS 13320 FGB: Black Glass





Energy Class VitaminCare Zone























Duo-Cooling SuperFresh No Frost Technology



GSBS 14620 X

SIDE BY SIDE FRIDGE-FREEZER





620 L total gross volume **Duo-Cooling No Frost Technology** Display with touch control button

FRIDGE

- 353 L net fridge volume
- 0-3°C super fresh zone (15 L net volume)
- 4 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- VitaminCare
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination
- Minibar

FREEZER

- 176 L net freezer volume
- No Frost
- Water and ice dispenser
- 2 drawers
- LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 370 kWh / year
- Noise level: 43 dBA
- Fixed water supply
- · Eco compressor

PRODUCT DIMENSIONS

• H x W x D: 182 x 91 x 72 cm

• GSBS 14620 X: Fingerprint free inox















Anti-Odour Filter















GSBS 14620 XWF

SIDE BY SIDE FRIDGE-FREEZER





620 L total gross volume Wi-Fi Connection Control **Duo-Cooling No Frost Technology** Display with touch control button

- 353 L net fridge volume
- 0-3°C super fresh zone (15 L net volume)
- 4 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- VitaminCare
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination
- Minibar

FREEZER

- 176 L net freezer volume
- No Frost
- Water and ice dispenser
- 2 drawers
- LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 370 kWh / year
- Noise level: 43 dBA
- · Fixed water supply
- Eco compressor

PRODUCT DIMENSIONS

• H x W x D: 182 x 91 x 72 cm

COLOUR

• GSBS 14620 XWF: Fingerprint free inox



















GSBS 16820 X

SIDE BY SIDE FRIDGE-FREEZER





620 L total gross volume **Duo-Cooling No Frost Technology** Display with touch control button

FRIDGE

- 353 L net fridge volume
- 0-3°C super fresh zone (15 L net volume)
- 4 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- VitaminCare
- · Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FREEZER

- 176 L net freezer volume
- No Frost
- Water and ice dispenser
- 2 drawers
- LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 370 kWh / year
- Noise level: 43 dBA
- No mains water connection required

PRODUCT DIMENSIONS

• H x W x D: 182 x 91 x 72 cm

- GSBS 16820 X: Fingerprint free inox
- GSBS 15720 X: with Mini Bar

























Holiday Mode LED Antibacterial Fingerprint Illumination Seal free

Water and Ice SuperFresh Dispensers



Energy Class HomeWhiz











GQN 1232 X

FRENCH DOOR WITH 2 DRAWERS





605 L total gross volume Duo-Cooling No Frost Technology Display with touch control button

FRIDGE

- 378 L net fridge volume
- 0-3°C super fresh zone (31 L net volume)
- 3 glass shelves
- 6 full width door racks
- Chrome coated wine rack
- VitaminCare
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FREEZER

- 152 L net freezer volume
- No Frost
- Water dispenser
- Auto ice machine with tap connection
- 2 drawers
- LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 358 kWh / year
- Noise level: 42 dBA
- Fixed water supply
- Eco compressor

PRODUCT DIMENSIONS

• H x W x D: 182 x 91 x 72 cm

GQN 1232 X: Fingerprint free inox































GQN 1112 X

FRENCH DOOR WITH 2 DRAWERS





605 L total gross volume Duo-Cooling No Frost Technology Display with touch control button

- 387 L net fridge volume
- 0-3°C super fresh zone (31 L net volume)
- 3 glass shelves
- 6 full width door racks
- Chrome coated wine rack
- VitaminCare
- · Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FREEZER

- 152 L net freezer volume
- No Frost
- 2 drawers
- LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 358 kWh / year
- Noise level: 42 dBA
- Fixed water supply
- Eco compressor

PRODUCT DIMENSIONS

• H x W x D: 182 x 91 x 72 cm

• GQN1112 X: Fingerprint free inox





Energy Class VitaminCare





















Antibacterial Eco Seal Compressor

Duo-Cooling SuperFresh No Frost Technology

FREE STANDING COMBI FRIDGE-FREEZER



520 L total gross volume No frost Display with touch control button

- 330 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 3 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED panel illumination

FRFF7FR

- 124 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray
- 2 accumulators
- 3 drawers
- LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 317 kWh / year
- Noise level: 44 dBA

PRODUCT DIMENSIONS

• H x W x D: 191 x 70 x 68 cm

GKN17920 X: Fingerprint free inox

GKN 16220 X

FREE STANDING COMBI FRIDGE-FREEZER



400 L total gross volume No frost Display with touch control button

- 232 L net fridge volume
- SuperFresh (25 L net volume)
- 4 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FRFF7FR

- 99 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray
- 2 accumulators
- 3 drawers

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 275 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

H x W x D: 202 x 59.5 x 65 cm

- GKN 16220 X: Fingerprint free inox
- GKN 16220: White





Energy Class SuperFresh









Holiday Mode





















Duo-Cooling Anti-Odour No Frost Filter Technology

Fingerprint Holiday Mode LED Antibacterial free Illumination Seal

GKN 16225 X

FREE STANDING COMBI FRIDGE-FREEZER





400 L total gross volume No frost Display with touch control button

- 232 L net fridge volume
- SuperFresh (25 L net volume)
- 4 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FRFF7FR

- 99 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray
- 2 accumulators
- 3 drawers

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 275 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 202 x 59.5 x 65 cm

• GKN 16225 X: Fingerprint free inox









Duo-Cooling Anti-Odour No Frost Filter Technology









Fingerprint Holiday Mode LED Antibacterial free Illumination Seal

GKN 16225 GB

FREE STANDING COMBI FRIDGE-FREEZER





400 L total gross volume No frost Display with touch control button

- 232 L net fridge volume
- SuperFresh (25 L net volume)
- 4 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- · Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FRFF7FR

- 99 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray
- 2 accumulators
- 3 drawers

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 275 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 202 x 59.5 x 65 cm

• GKN 16225 GB: Glass Black



















LED Antibacterial Fingerprint Illumination Seal free

GKN 16820 X

FREE STANDING COMBI FRIDGE-FREEZER





365 L total gross volume No frost Display with touch control button

- 194 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 3 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FRFF7FR

- 99 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray
- 3 drawers

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 264 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

- GKN 16820 X: Fingerprint free inox
- GKN 16820: White

Energy Class IonFresh Technology











Duo-Cooling Anti-Odour No Frost Filter Technology









Fingerprint Holiday Mode LED Antibacterial free Illumination Seal

GKN 16830 X

FREE STANDING COMBI FRIDGE-FREEZER





365 L total gross volume No frost Display with touch control button

- 194 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 3 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED panel illumination

FRFF7FR

- 99 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray
- 2 accumulators
- 3 drawers

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A+++
- Energy consumption: 176 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

- GKN 16830 X: Fingerprint free inox
- GKN 16830: White





















SuperFresh



Fingerprint Holiday Mode LED Antibacterial free Illumination Seal



GKN 16825 GB

FREE STANDING COMBI FRIDGE-FREEZER





365 L total gross volume No frost Display with touch control button

- 194 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 3 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FRFF7FR

- 99 L net freezer volume
- · Auto defrost
- 2 accumulators
- 3 drawers

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 262 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

GKN 16825 GB: Glass Black



















GKN 16825 X

FREE STANDING COMBI FRIDGE-FREEZER





365 L total gross volume No Frost Display with touch control button

- 194 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 3 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FRFF7FR

- 99 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray
- 2 accumulators
- 3 drawers

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 262 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

• GKN 16825 X: Fingerprint free inox











Duo-Cooling Anti-Odour No Frost Filter Technology SuperFresh







Fingerprint Holiday Mode LED Antibacterial free Illumination Seal

GKN 16835 X

FREE STANDING COMBI FRIDGE-FREEZER



365 L total gross volume No frost Display with touch control button

- 194 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 3 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FRFF7FR

- 99 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray
- 2 accumulators
- 3 drawers

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A+++
- Energy consumption: 176 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

- GKN 16835 X: Fingerprint free inox
- GKN 16835: White

GKM 16225 X

FREE STANDING COMBI FRIDGE-FREEZER



365 L total gross volume No frost

FRIDGE

- 194 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 3 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED illumination

FREEZER

- 99 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray
- 3 drawers

HYGIENE

- · IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 264 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

• GKM 16225 X: Fingerprint free inox











































LED Antibacterial Illumination Seal

GKM 16820 X

FREE STANDING COMBI FRIDGE-FREEZER





365 L total gross volume Static

FRIDGE

- 201 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 3 full width door racks
- Chrome coated wine rack
- Door open buzzer
- LED illumination

FREEZER

- 113 L net freezer volume
- Twist and serve ice cube tray
- 3 drawers

HYGIENE

• Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 262 kWh / year
- Noise level: 40 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

COLOUR

• GKM 16820 X: Fingerprint free inox

GKM 16830 X

FREE STANDING COMBI FRIDGE-FREEZER





365 L total gross volume Static

FRIDGE

- 201 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 3 full width door racks
- Chrome coated wine rack
- Door open buzzer
- LED illumination

FREEZER

- 113 L net freezer volume
- Twist and serve ice cube tray
- 2 accumulators
- 3 drawers

HYGIENE

Antibacterial seal

PERFORMANCE

- Energy efficiency class: A+++
- Energy consumption: 175 kWh / year
- Noise level: 37 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

- GKM 16830 X: Fingerprint free inox
- GKM 16830: White













LED Antibacterial Fingerprint Illumination Seal free

















GKM 16825 X

FREE STANDING COMBI FRIDGE-FREEZER



365 L total gross volume Static

FRIDGE

- 201 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 3 full width door racks
- Chrome coated wine rack
- Door open buzzer
- LED illumination

FREEZER

- 113 L net freezer volume
- Twist and serve ice cube tray
- 3 drawers

HYGIENE

• Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 262 kWh / year
- Noise level: 40 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

COLOUR

• GKM 16825 X: Fingerprint free inox

GKM 16835 X

FREE STANDING COMBI FRIDGE-FREEZER



365 L total gross volume Static

FRIDGE

- 201 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 3 full width door racks
- Chrome coated wine rack
- Door open buzzer
- LED illumination

FREEZER

- 113 L net freezer volume
- Twist and serve ice cube tray
- · 2 accumulators
- 3 drawers

HYGIENE

Antibacterial seal

PERFORMANCE

- Energy efficiency class: A+++
- Energy consumption: 175 kWh / year
- Noise level: 37 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

- GKM 16835 X: Fingerprint free inox
- GKM 16835: White













Energy Class SuperFresh Fingerprint LED Antibacterial free Illumination Seal











Energy Class SuperFresh Fingerprint free





Antibacterial Eco Seal Compressor

GDN 17920 X

FREE STANDING DOUBLE DOOR FRIDGE-FREEZER





535 L total gross volume No frost Display with touch control button

- 372 L net fridge volume
- SuperFresh (25 L net volume)
- 3 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED panel illumination

FRFF7FR

- 103 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray
- 2 accumulators
- LED illumination

HYGIENE

- IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 314 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 191 x 70 x 68 cm

• GDN 17920 X: Fingerprint free inox

GDN 17835 FX

FREE STANDING DOUBLE DOOR FRIDGE-FREEZER





505 L total gross volume No frost Display with touch control button FullFresh Crisper

- 347 L net fridge volume
- SuperFresh (27 L net volume)
- 4 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- · Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED panel illumination

FREEZER

- 103 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray

HYGIENE

- · IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A+++
- Energy consumption: 203 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 70 x 69 cm

• GDN 17835 X: Fingerprint free inox































Energy Class SuperFresh Holiday Mode IonFresh Technology

Anti-Odour Antibacterial Fingerprint Filter Seal free

GDN 17825 X

FREE STANDING DOUBLE DOOR FRIDGE-FREEZER



465 L total gross volume No frost

Display with touch control button

FRIDGE

- 313 L net fridge volume
- SuperFresh (17 L net volume)
- 3 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- LED panel illumination

FREEZER

- 93 L net freezer volume
- · Auto defrost
- Twist and serve ice cube tray

HYGIENE

- · IonFresh Technology
- Anti-odour filter
- Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 287 kWh / year
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 70 x 64 cm

• GDN 17825 X: Fingerprint free inox

GSN 10720 X

FREE STANDING LARDER FRIDGE



445 L total gross volume No frost Display with touch control button

FRIDGE

- 344 L net fridge volume
- SuperFresh (31 L net volume)
- 6 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- Illumination with white LED

HYGIENE

- IonFresh Technology
- · Anti-odour filter
- · Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 132 kWh / year
- Noise level: 41 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

COLOUR

• GSN 10720 X: Fingerprint free inox











Energy Class SuperFresh Holiday Mode IonFresh Technology









Anti-Odour Filter

Antibacterial Fingerprint Seal free





















GSN 10730 X

FREE STANDING LARDER FRIDGE





445 L total gross volume No frost Display with touch control button

- 344 L net fridge volume
- SuperFresh (31 L net volume)
- 6 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- Illumination with white LED

HYGIENE

- IonFresh Technology
- Anti-odour filter
- · Antibacterial seal

PERFORMANCE

- Energy efficiency class: A+++
- Energy consumption: 88 kWh / year
- Noise level: 41 dBA

PRODUCT DIMENSIONS

• H x W x D: 185 x 59.5 x 65 cm

COLOUR

• GSN 10730 X: Fingerprint free inox

GSN 10620 X

FREE STANDING LARDER FRIDGE





415 L total gross volume No frost Display with touch control button

- 312 L net fridge volume
- SuperFresh (31 L net volume)
- 5 glass shelves
- 4 full width door racks
- Chrome coated wine rack
- Cooling fan
- Door open buzzer
- Holiday mode and eco function
- Illumination with white LED

HYGIENE

- IonFresh Technology
- Anti-odour filter
- · Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 129 kWh / year
- Noise level: 44 dBA

PRODUCT DIMENSIONS

• H x W x D: 171.4 x 59.5 x 65 cm

- GSN 10620 X: Fingerprint free inox
- GSN 10620 : White













Anti-Odour Filter







SuperFresh















Holiday Mode LED Antibacterial Illumination Seal



GFN 13820 X

FREE STANDING UPRIGHT FREEZER



312 L total gross volume No frost Display with touch control button

FREEZER

- 275 L net freezer volume
- No Frost
- Ice cube tray
- 2 accumulators
- 6 drawers, 2 flaps
- · Fast freeze
- LED illumination

HYGIENE

• Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 255 kWh / year
- Noise level: 42 dBA
- Eco compressor

PRODUCT DIMENSIONS

 \bullet H x W x D: 185 x 59.5 x 65 cm

COLOUR

- GFN 13820 X: Fingerprint free inox
- GFN 13820: White
- GFN 13830: White

GFN 13720 X

FREE STANDING UPRIGHT FREEZER



290 L total gross volume No frost Display with touch control button

FREEZER

- 250 L net freezer volume
- No Frost
- Ice cube tray
- 2 accumulators
- 5 drawers, 2 flaps
- · Fast freeze
- LED illumination

HYGIENE

• Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 241 kWh / year
- Noise level: 44 dBA

PRODUCT DIMENSIONS

• H x W x D: 171 x 59.5 x 65 cm

COLOUR

- GFN 13720 X: Fingerprint free inox
- GFN 13720: White











Fingerprint LED free Illumination





Antibacterial Eco Seal Compressor







Energy Class No Frost







Antibacterial Eco Seal Compressor

GTM 10120

FREE STANDING TABLE TOP FRIDGE

GTM 14120

FREE STANDING TABLE TOP FRIDGE





135 L total gross volume

- 130 L net fridge volume
- 4 glass shelves
- 3 full width door racks

HYGIENE

Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
 Energy consumption: 92 kWh / year
 Noise level: 37 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 54.5 x 60 cm

COLOUR

• GTM 10120: White





120 L total gross volume

- 101 L net fridge volume
- 3 glass shelves
- 3 full width door racks

FREEZER

- 13 L net freezer volume
- Ice cube tray

HYGIENE

Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 139 kWh / year
 Noise level: 40 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 54.5 x 60 cm

COLOUR

• GTM 14120: White











Energy Class Antibacterial Seal

GTM 14130

FREE STANDING TABLE TOP FRIDGE

GFT 12320

FREE STANDING UPRIGHT FREEZER





120 L total gross volume

- 101 L net fridge volume
- 3 glass shelves
- 3 full width door racks

FREEZER

- 13 L net freezer volume
- Ice cube tray

HYGIENE

• Antibacterial seal

PERFORMANCE

- Energy efficiency class: A+++
- Energy consumption: 93 kWh / yearNoise level: 38 dBA

PRODUCT DIMENSIONS

• H x W x D: 85 x 54.5 x 60 cm

COLOUR

• GTM 14130: White





102 L total gross volume

- 90 L net freezer volume
- Ice cube tray2 drawers, 1 flap
- Fast freeze

HYGIENE

• Antibacterial seal

PERFORMANCE

- Energy efficiency class: A++
- Energy consumption: 145 kWh / year
 Noise level: 39 dBA

PRODUCT DIMENSIONS

• H x W x D: 84 x 54.5 x 54 cm

COLOUR

• GFT 12320: White











Energy Class Antibacterial Seal





At Grundig, we expect more from dishwashers than just clean dishes – such as thrifty water and energy consumption. Plus, of course, they need to make sure that kitchenware is perfectly protected, ensuring your glasses, cutlery and plates remain in their original, pristine condition. Our dishwashers do all this and more – so you can make every dinner a perfect occasion.





ECO CHAMP 5.5 L

TREATS DISHES AND NATURE EQUALLY: WITH CARE.





GNF 41822 X

The Grundig GNF 41822 X EcoChamp 5.5 L dishwasher keeps your dishes and the environment clean by saving up to 2,600* litres of water every year.



















ECO CHAMP 5.5 L

THE RESULT IS CRYSTAL-CLEAR: A CLEAN ENVIRONMENT.

When it comes to saving resources, our EcoChamp 5.5 litre dishwasher truly is a champion. The brushless motor creates variable water pressure and flow rate, so it's able to produce perfect results paired with incredibly economical water usage. Thanks to this innovation, a single wash cycle requires no more than 5.5 litres of water, reducing consumption by 2,600* litres every year. And that's not all you save. The A++ rating means the appliance is also highly energy-efficient. So your conscience stays as clean as your dishes.

By generating different water pressures, the variable-speed Inverter EcoMotor is able to not only save water and energy but also operate more quietly.



ECO CHAMP ENERGY

A LITTLE ENERGY, A LOT OF PERFORMANCE.

Grundig dishwashers guarantee clean results with unparalleled low consumption – as reflected in your electricity bill. Its unrivalled low energy consumption is the result of four innovative features: The variable-speed Inverter EcoMotor produces a range of different water pressures, reducing not only wash-cycle noise but also water usage and energy consumption by a further 10% over and above an A+++ rating. On top of that, a unique aluminium coating provides insulation so that thermal loss is reduced and less energy is needed to heat the water. After the washing process, Eco Fan Drying effectively removes moisture from the circulating air. As a result, dishes are dried more quickly and thoroughly. Last but not least, the Doormatic function automatically opens the door at the end of the cycle to save electricity. Once you've tried the EcoChamp, other machines simply won't wash.

By reducing the humidity of the circulating air, Eco Fan Drying dries dishes faster and more thoroughly.

By generating different water pressures, the variable-speed Inverter EcoMotor is not only able to save water and energy but also operate more quietly.

The Alu-Shield insulation material reduces heat loss.

Doormatic automatically opens the door at the end of the cycle to facilitate the drying process.




ION FRESH TECHNOLOGY

CLEANS THE AIR BEFORE IT CLEANS THE DISHES.

Say goodbye to unpleasant odours in your dishwasher. IonFresh Technology releases negative ions that circulate inside the machine, neutralising bad odours even while you wait to accumulate a full load. The upshot is that you save the time and energy wasted on incomplete loads and your dishwasher always comes up smelling sweet. No harmful gases or chemicals are involved so there's no reason to turn up your nose at the smell – or the impact on the environment.

Negative ions neutralise bad odours and clean the air inside the dishwasher.

A hidden ionizer produces the negative ions independently of washing operations.



ACTIVE SELF-CLEANING FILTER

SO HYGIENIC, IT EVEN KEEPS ITSELF CLEAN.

While standard filters have to be cleaned at least once a week, Grundig's unique self-cleaning system extends the active life of the filter by up to 12 months. Regular rinsing removes food debris from inside the filter. This not only prevents the build-up of odours but also ensures dishes consistently come up brilliantly clean. After all, dirty filters can impact a machine's clearing power more than you might think. But that doesn't need to be a worry any more. Now, the Active Self-Cleaning Filter from Grundig puts perfect results and hygiene within easy reach.

The active life of the filter is prolonged by up to 12 months with perfect results and maximum hygiene.

The rotating water sprinkler rinses food residues from inside the filter.



THE FEATURES AT A GLANCE.

CARE





AUTO GLASS PERFECT™

Designed to keep your glasses looking new for longer. The dishwasher measures the water hardness coming from the tap and adjusts automatically in order to not soften the water any further. With Auto GlassPerfect™, you are able to protect your glasses against corrosion and prolong their lifetime more than 20 times – as tested by the German laboratory TRLP (TUEV Rheinland LGA Products GmbH). Report No: 211 76 246-002.








GLASS PERFECT

Simply adjust your water's hardness manually and keep your glasses looking brand new for longer by preventing damage and loss of shine.



STEAM SHINE

Extends heating process for brilliantly sparkling dishes with no water spotting. Tested by German Laboratory, TRLP (TUEV Rheinland LGA Products GmbH). Report No: 211 66 917-004.





GLASS CARE PROGRAMME

This special innovative programme reduces water pressure to protect even the most delicate glassware.

COMFORT





"

AUTO TABLET

No matter which type of detergent you use, the innovative turbidity sensors automatically recognise it and adjust settings to achieve the best cleaning performance.

TEXT LCD WITH TOUCH CONTROL BUTTONS

The control unit offers ergonomic benefits and ease of use for every kitchen. The text LCD shows you the remaining time and stage of the wash cycle. It also displays useful information such as a closed tap, open door, water leakage or blocked filter.







SOFT SLIDE BASKETS

The rail system has damping elements and wheels to ensure smoother basket movement. It makes handling easy and convenient without bumping dishes.



INNER ILLUMINATION

For a better view at night, the interior LED light is automatically activated when the door is opened.







ALL-IN-WASH

A dual water pressure programme that applies low pressure in the top basket for delicate glass- and chinaware, and 60% higher pressure in the bottom for heavily soiled pots and pans – during the same wash cycle. Additionally, the drying efficiency of the programme is A class for all kinds of dishes – even for plastics.



AUTO PROGRAMME

The sensor management system detects the amount of dishes and degree of dirt of the dishes and automatically applies the most suitable wash programme. This guarantees a minimum of water and energy consumption. The use of a low water pressure for only slightly dirty dishes also reduces the noise level.







QUICK WASH 58'

Perfect washing performance for 13 settings in only 58 minutes.



SILENT WASH

Uses a special programme algorithm that reduces the noise level by $2\,\mathrm{dBA}$ – compared to the declared one on the energy label.

COMFORT





TURBO WASH

Large pots and pans can be easily cleaned in the dishwasher with this strong, high-pressure cleaning function.







EXPRESS

Pumps up the water pressure to rinse off dirt faster, shortening wash cycles by up to 70%.



WATER PROTECT+

A double-walled hose protects your home from damage. If the inner hose is broken, the outer hose carries the water to the dishwasher tub. A float switch detects the unusual water level and instantly cuts off the intake from the tap.

HYGIENE





PERFECT RINSE

For those who want to go the extra hygienic mile, the perfect rinse function uses more water for an additional rinsing after the selected washing programme. The result: highly hygienic and super clean dishes.







ANTIBACTERIAL SEAL

A special coating eliminates bacteria from the dishwasher door. This results in improved hygiene and reduced health hazards.



HYGIENE CARE

Increases the water temperature to over 65°C for 36 minutes. This special programme kills 99.9999% of all bacteria. Approved by German Laboratory, TRLP (TUEV Rheinland LGA Products GmbH).

ACCESSORIES





TRAYMASTER

Simply put your oven trays into the dishwasher: Our new Traymaster function programme provides high-pressure washing for up to three oven trays or shelves. So they are cleaned much better – and obviously more comfortable, too.







VARIO SLIDE CUTLERY BASKET

The special cutlery basket is designed to slide easily at two levels along the tines of the lower basket, allowing for more flexible positioning and creating more space for large-sized pots, pans and bowls.



LOWER BASKET WINE GLASS HOLDER

Thanks to the special wine glass holder, glasses with tall stems can now be placed in the lower basket – without any risk of damage.





REMOVABLE CUTLERY DRAWER

While this creates more room for your cutlery and espresso cups, it can just as easily be removed to provide additional space for tall objects in the centre of the upper basket.

GNF 51030 XH

FREE STANDING DISHWASHER, 60 CM



13 place settings Text LC display Touch control buttons

10 WASH PROGRAMMES

Eco 50°, Auto 40-65°, Prewash, Mini 30', GlassCare, QuickWash 58', Intensive 70°, HygieneCare, All-in-Wash, SilentWash

SPECIAL FUNCTIONS

HomeWhiz / TurboWash / Express / SteamShine

MAIN FEATURES

- Inverter EcoMotor
- Remote control via HomeWhiz
- Auto GlassPerfect
- Active Self-Cleaning Filter
- Auto half load
- Tablet
- Sensor management
- 24 h time delay and remaining time
- Eco fan drying
- Salt, rinse aid and water indicators
- Interior Design
- Removable cutlery drawer
- SoftSlide baskets
- Loaded adjustable upper basket
- Fully foldable glass supports in the upper basket
- Fully foldable plate supports in the lower basket
- Bottle holder
- VarioSlide cutlery basket

SAFETY

- WaterProtect+
- Antibacterial seal
- Child lock
- Warning indicators: tap closed, door open, water leakage, filter blocked

PERFORMANCE

- Energy efficiency class: A+++
- Drying performance: A
- Water consumption: 10 L
- Noise level: 44 dBA

PRODUCT DIMENSIONS

• H x W x D: 85 x 59.8 x 60 cm

COLOUR

• GNF 51030 XH: Fingerprint free inox

GNF 41832 X

FREE STANDING DISHWASHER, 60 CM



13 place settings LC display Touch control buttons

8 WASH PROGRAMMES

Eco 50°, Auto 40-65°, Prewash, Mini 30°, GlassCare, QuickWash 58°, Intensive 70°, All-in-Wash

SPECIAL FUNCTIONS

 ${\tt IonFresh\ Technology\ /\ Express\ /\ Half\ load}$

MAIN FEATURES

- Inverter EcoMotor
- GlassPerfect
- AutoTablet
- 24 h time delay and remaining time
- · Eco fan drying
- Salt, rinse aid and water indicators

INTERIOR DESIGN

- · Removable cutlery drawer
- Loaded adjustable upper basket
- Foldable glass supports in the upper and plate support in the lower basket
- VarioSlide cutlery basket

SAFETY

- WaterProtect+
- Antibacterial seal
- Child lock
- · Warning indicators: tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Drying performance: A
- Water consumption: 10 L
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 85 x 59.8 x 60 cm

• GNF 41832 X: Fingerprint free inox



Energy Class Inverter EcoMotor







Auto Active GlassPerfect Self-Cleaning Filter











































TurboWash





















GlassPerfect Express





All-in-Wash





All-in-Wash SilentWash HygieneCare Auto Programme

Removable

Antibacterial Components

QuickWash 58' Removable

VarioSlide

Fingerprint free

Antibacterial Water Seal Protect+

GNF 41830 X

FREE STANDING DISHWASHER, 60 CM



13 place settings LC display Touch control buttons

8 WASH PROGRAMMES

Eco 50°, Auto 40-65°, Prewash, Mini 30', GlassCare, QuickWash 58', Intensive 70°, All-in-Wash

SPECIAL FUNCTIONS

 ${\sf Express \, / \, SteamShine \, / \, Half \, load}$

MAIN FEATURES

- Inverter EcoMotor
- GlassPerfect
- AutoTablet
- 24 h time delay and remaining time
- · Eco fan drying
- Salt, rinse aid and water indicators

INTERIOR DESIGN

- Removable cutlery drawer
- Loaded adjustable upper basket
- Foldable glass supports in the upper and plate support in the lower basket
- VarioSlide cutlery basket

SAFETY

- WaterProtect+
- Antibacterial seal
- Child lock
- Warning indicators: tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Drying performance: A
- Water consumption: 10 L
- Noise level: 44 dBA

PRODUCT DIMENSIONS

• H x W x D: 85 x 59.8 x 60 cm

• GNF 41830 X: Fingerprint free inox

GNF 41822 X

FREE STANDING DISHWASHER, 60 CM



13 place settings LC display Touch control buttons

8 WASH PROGRAMMES

Eco 50°, Auto 40-65°, All-in-Wash, Intensive 70°, QuickWash 58′, GlassCare, Mini 30′, Prewash

SPECIAL FUNCTIONS

Express / Traymaster / SteamShine / Half load

MAIN FEATURES

- Inverter EcoMotor
- GlassPerfect
- AutoTablet
- 24 h time delay and remaining time
- Eco fan drying
- Salt, rinse aid and water indicators

INTERIOR DESIGN

- Removable cutlery drawer
- Loaded adjustable upper basket
- Foldable glass supports in the upper and plate support in the lower basket
- Alu-Shield coating

SAFETY

- WaterProtect+
- Antibacterial seal
- Child lock
- Warning indicator: tap closed

PERFORMANCE

- Energy efficiency class: A++
- Drying performance: A
- Water consumption: 5.5 L
- Noise level: 45 dBA

PRODUCT DIMENSIONS

• H x W x D: 85 x 44.8 x 60 cm

COLOUR

- GSF 41822 X: Fingerprint free inox
- GSF 41822: White













All-in-Wash

























GlassPerfect Express



























VarioSlide



Antibacterial Water Seal Protect+

Auto QuickWash Programme 58'

Fingerprint free

Antibacterial Water Seal Protect+

GNF 41821 X

FREE STANDING DISHWASHER, 60 CM



13 place settings LC display Touch control buttons

8 WASH PROGRAMMES

Eco 50°, Auto 40-65°, Prewash, Mini 30°, GlassCare, QuickWash 58°, Intensive 70°, All-in-Wash

SPECIAL FUNCTIONS

Express / Half load / Tablet

MAIN FEATURES

- Inverter EcoMotor
- 24 h time delay and remaining time
- · Active ventilation
- GlassPerfect
- Salt, rinse aid and water indicators

INTERIOR DESIGN

- Loaded adjustable upper basket
- Foldable glass supports in the upper and plate support in the lower basket
- Long tool basket
- VarioSlide cutlery basket
- · Alu-Shield coating

SAFETY

- WaterProtect+
- Antibacterial seal
- Child lock
- Warning indicators: tap closed

PERFORMANCE

- Energy efficiency class: A++
- Drying performance: A
- Water consumption: 6 L
- Noise level: 45 dBA

PRODUCT DIMENSIONS

• H x W x D: 85 x 59.8 x 60 cm

• GNF 41821 X: Fingerprint free inox

GNF 41820 X

FREE STANDING DISHWASHER, 60 CM



13 place settings LC display Touch control buttons

8 WASH PROGRAMMES

Eco 50°, Auto 40-65°, Prewash, Mini 30´, GlassCare, QuickWash 58´, Intensive 70°, All-in-Wash

SPECIAL FUNCTIONS

Express / Half load / Tablet

MAIN FEATURES

- Inverter EcoMotor
- 24 h time delay and remaining time
- · Active ventilation
- GlassPerfect
- Salt, rinse aid and water indicators

INTERIOR DESIGN

- Removable cutlery drawer
- Loaded adjustable upper basket
- Foldable glass supports in the upper and plate support in the lower basket
- Long tool basket
- VarioSlide cutlery basket

SAFETY

- WaterProtect+
- Antibacterial seal
- Child lock
- Warning indicator: tap closed

PERFORMANCE

- Energy efficiency class: A++
- Drying performance: A
- Water consumption: 10 L
- Noise level: 44 dBA

PRODUCT DIMENSIONS

• H x W x D: 85 x 59.8 x 60 cm

COLOUR

- GNF 41820 X: Fingerprint free inox
- GNF 41820: White



Energy Class 6L Care

















GlassPerfect All-in-Wash

















































Removable













GNF 41810 B

FREE STANDING DISHWASHER, 60 CM



13 place settings LC display Touch control buttons

8 WASH PROGRAMMES

Eco 50°, Auto 40-65°, Prewash, Mini 30', GlassCare, QuickWash 58', Intensive 70°, All-in-Wash

SPECIAL FUNCTIONS

Express / Half load / Tablet

MAIN FEATURES

- Inverter EcoMotor
- 24 h time delay and remaining time
- Active ventilation
- GlassPerfect
- Salt, rinse aid and water indicators

INTERIOR DESIGN

- Removable cutlery drawer
- Loaded adjustable upper basket
- Foldable glass supports in the upper and plate support in the lower basket
- Long tool basket
- VarioSlide cutlery basket

SAFETY

- WaterProtect+
- Antibacterial seal
- Child lock
- Warning indicator: tap closed

PERFORMANCE

- Energy efficiency class: A+
- Drying performance: A
- Water consumption: 6 L
- Noise level: 43 dBA

PRODUCT DIMENSIONS

• H x W x D: 85 x 59.8 x 60 cm

COLOUR

- GNF 41810 B: Black
- GNF 41810 X: Fingerprint free inox
- GNF 41810 W: White

GNF 11520 X

FREE STANDING DISHWASHER, 60 CM



12 place settings LC display **Button Control**

5 WASH PROGRAMMES

Eco 50°, Auto 40-65°, Prewash, QuickWash 58′, Intensive 70°

SPECIAL FUNCTIONS

Half load / Tablet

MAIN FEATURES

- 3-6-9 h time delay
- GlassPerfect
- Salt, rinse aid and water indicators

INTERIOR DESIGN

- Loaded adjustable upper basket
- Foldable glass supports in the upper and plate support in the lower basket
- VarioSlide cutlery basket

SAFETY

- WaterProtect+
- Antibacterial seal
- Child lock
- Warning indicator: tap closed

PERFORMANCE

- Energy efficiency class: A++
- Drying performance: A
- Water consumption: 12 L
- Noise level: 47 dBA

PRODUCT DIMENSIONS

• H x W x D: 85 x 59.8 x 60 cm

- GNF 11520 X Fingerprint free inox
- GNF 11520: White



Energy Class 6L Care













GlassPerfect Auto Programme



























Antibacterial Water Seal Protect+





GSF 41930 X

FREE STANDING DISHWASHER, 45 CM



10 place settings LC display Touch control buttons

9 WASH PROGRAMMES

Eco 50°, Auto 40-65°, Prewash, Mini 30', GlassCare, QuickWash 58', Intensive 70°, Hygiene+, All-in-Wash

SPECIAL FUNCTIONS

Express / SteamShine / Half load

MAIN FEATURES

- Inverter EcoMotor
- 24 h time delay and remaining time
- Auto GlassPerfect
- AutoTablet
- Salt, rinse aid and water indicators
- Doormatic

INTERIOR DESIGN

- Loaded adjustable upper basket
- Foldable glass supports in the upper and plate support in the lower basket

SAFETY

- WaterProtect+
- Antibacterial seal
- Child lock
- Warning indicator: tap closed

PERFORMANCE

- Energy efficiency class: A+++
- Drying performance: A
- Water consumption: 9 L
- Noise level: 47 dBA

PRODUCT DIMENSIONS

• H x W x D: 85 x 44.8 x 60 cm

COLOUR

• GSF 41930 X: Fingerprint free inox

GSF 41820 X

FREE STANDING DISHWASHER, 45 CM



10 place settings LC display Touch control buttons

8 WASH PROGRAMMES

Eco 50°, Auto 45-65°, Prewash, Mini 30°, GlassCare, QuickWash 58°, Intensive 70°, All-in-Wash

SPECIAL FUNCTIONS

Express / Half load / Tablet

MAIN FEATURES

- Inverter EcoMotor
- 24 h time delay and remaining time
- Salt, rinse aid and water indicators

INTERIOR DESIGN

- Loaded adjustable upper basket
- Foldable plate supports in the lower basket

SAFETY

- WaterProtect+
- Antibacterial seal
- Child lock
- Warning indicator: tap closed

PERFORMANCE

- Energy efficiency class: A++
- Drying performance: A
- Water consumption: 9 L
- Noise level: 47 dBA

PRODUCT DIMENSIONS

• H x W x D: 85 x 44.8 x 60 cm

- GSF 41820 X: Fingerprint free inox
- GSF 41820: White













































Fingerprint Antibacterial Water free Seal Protect+









Antibacterial Water Seal Protect+



TECHNICAL DATA

FREE STANDING MODELS 2015/2016

FOR A GOOD REASON

GRUNDIG





GWN 59492 C

GWN 59464 C

	01111 07472 0	01111 07 404 0
Туре	Electronic Washing Machine	Electronic Washing Machine
	MAIN FE	ATURES
Load capacity, kg	9	9
Control type	Text LC display with touch control buttons	LC display with text line
Maximum spin speed, rpm	1400	1400
Spin speed options	1400 / 1200 / 1000 / 800 / 600 / 400 / no spin / rinse hold	1400 / 1200 / 1000 / 800 / 600 / 400 / no spin / rinse hold
Time delay / remaining time	24 h / •	0-24h / •
MultiSense technology	•	•
Automatic water adjustment system		
Liquid detergent compartment		•
	<u>.</u>	
Anti-Noise side wall	·	
New drum pattern	•	•
Drum material / tank material	Inox / Polypropylen	Inox / Polypropylen
Porthole diameter / door opening, cm / °	34 / 170	34 / 170
ProDose	-	•
h	PROGR	
Number of programmes	16	16
MultiSense automatic programme	•	•
Hand wash	•	•
DarkCare	•	•
Bedding	•	•
<i>N</i> oolProtect	•	•
Mini 14'	•	•
Mini	-	-
AquaPerfect 40° / 40'	•	•
Cotton / with Prewash / Short	• / - / -	• / - / -
Cotton eco	•	•
SteamRefresh	•	•
StainCare	•	•
Anti-Allergy		
MachineCare		
Synthetics / with Prewash	• / -	• / -
•	• / -	• / -
Shirts	•	
GentleCare	-	-
Delicate	-	-
Spin + Pump / Rinsing	• / •	• / •
		UNCTIONS
Prewash / Silent mode / Soak	• / • / -	-/•/-
PerfectRinse / soil level	•/•	• / •
Anti-creasing / quick wash / memory / HomeWhiz	-/-/•/-	-/-/•/-
		ETY
WaterProtect+ / WaterProtect	• / -	• / -
Child lock / door lock	• / •	• / •
		ULATION 1061 / 2010)
Energy efficiency class	A+++ (-70 %)	A+++ (-30 %)
Spin drying efficiency class	В	В
Annual energy consumption, (220 cycles) kWh / Year	65	173
Annual water consumption, (220 cycles) L / Year	9000	10560
Energy efficiency index	13.8	32.1
Energy consumption, kWh	0.274	0.763
Energy consumption (60°C cotton prg., full load), kWh	0.31	0.880
Energy consumption (60°C cotton prg., partial load), kWh	0.247	0.690
Energy consumption (40°C cotton prg., partial load), kWh	0.247	0.660
Water consumption, L	41	48
Standard cycle duration, min	237	197
Programme time (60°C cotton prg., full load), min		250
	260	
Programme time (60°C cotton prg., partial load), min	220	207
Programme time (40°C cotton prg., partial load), min	220	198
Remaining moisture, %	53	53
Noise level for washing / spinning, dBA	58 / 73	50 / 73
Power consumption in off-mode, W	0.5	0.5
Power consumption in left-on mode, W	0.8	0.8
	TECHNICAL I	NFORMATION
EcoMotor	•	•
Supply voltage / Frequency / Connected value, V / Hz / W	230 / 50 / 2200	230 / 50 / 2200
Water connection	Cold	Cold
Cable length, cm	150	1400
		ISIONS
Product dimensions (H x W x D), cm	84 x 60 x 61	84 x 60 x 61
Jnpacked weight, kg	82	77
onpuenca weight, ng		OPTIONS
C. Chromo door	• COLOUR	options •
C: Chrome door	•	•
White	-	-





GWN 57643 C

GWN 57443 C

	GWIN 37643 C	GWN 37443 C
Туре	Electronic Washing Machine	Electronic Washing Machine
	<u> </u>	ATURES
Load capacity, kg	7	7
Control type	Text LC display with touch control buttons	LC display with text line
Maximum spin speed, rpm	1600	1400
Spin speed options	1600 / 1400 / 1200 / 1000 / 800 / 600 / no spin / rinse hold	1400 / 1200 / 1000 / 800 / 600 / 400 / no spin / rinse hole
Fime delay / remaining time	24 h / •	0-24h / •
	2411/	0-2411 / •
MultiSense technology	•	•
Automatic water adjustment system	•	•
_iquid detergent compartment	•	•
Anti-Noise side wall	•	•
New drum pattern	•	•
Orum material / tank material	Inox / Polypropylen	Inox / Polypropylen
Porthole diameter / door opening, cm / °	34 / 170	34 / 170
ProDose	-	-
	PROGR	AMMES
lumber of programmes	16	16
AultiSense automatic programme	•	•
Hand wash		•
	· ·	· · · · · · · · · · · · · · · · · · ·
OarkCare	•	•
Bedding	-	-
VoolProtect	•	•
/lini 14'	•	•
d ini	-	-
AquaPerfect 40° / 40'	•	•
Cotton / with Prewash / Short	• / - / -	• / - / -
Cotton eco	•	•
SteamRefresh	•	
StainCare		
	· ·	·
Anti-Allergy	•	•
MachineCare	•	•
Synthetics / with Prewash	• / -	• / -
Shirts	-	-
GentleCare	•	•
Delicate	-	
Spin + Pump / Rinsing	• / •	• / •
3	SPECIAL E	UNCTIONS
Prewash / Silent mode / Soak	• / • / -	• / • / -
PerfectRinse / soil level	• / •	• / •
Anti-creasing / quick wash / memory / HomeWhiz	- / - / • / -	-/-/•/-
Anti-creasing / quick wash / memory / nomewhiz		ETY
W. B /W. B		
WaterProtect + / WaterProtect	• / -	• / -
Child lock / door lock	• / •	•/•
		ULATION 1061 / 2010)
Energy efficiency class	A+++ (-10 %)	A+++ (-10 %)
Spin drying efficiency class	А	В
Annual energy consumption, (220 cycles) kWh / Year	157	152
Annual water consumption, (220 cycles) L / Year	9020	9020
Energy efficiency index	41.3	40
Energy consumption, kWh	0.691	0.672
Energy consumption, kWn Energy consumption (60°C cotton prg., full load), kWh	0.800	0.735
Energy consumption (60°C cotton prg., partial load), kWh	0.620	0.640
Energy consumption (40°C cotton prg., partial load), kWh	0.600	0.610
Vater consumption, L	41	41
Standard cycle duration, min	188	188
Programme time (60°C cotton prg., full load), min	205	205
Programme time (60°C cotton prg., partial load), min	177	177
Programme time (40°C cotton prg., partial load), min	177	177
Remaining moisture, %	44	53
Noise level for washing / spinning, dBA	50 / 73	50 / 73
Power consumption in off-mode, W	0.5	0.5
•		
Power consumption in left-on mode, W	0.8	0.8
- w.		NFORMATION
CoMotor	•	•
Supply voltage / Frequency / Connected value, V / Hz / W	230 / 50 / 2200	230 / 50 / 2200
Vater connection	Cold	Cold
Cable length, cm	150	1400
		ISIONS
Product dimensions (H x W x D), cm	84 x 60 x 55	84 x 60 x 55
Jnpacked weight, kg	73	73
ripacked weight, kg		
) (h		OPTIONS
C: Chrome door	•	-
Vhite	-	•





GWN 510451 H

GWN 48631

	GWIN 310431 H	GWIN 4003 I
Туре	Electronic Washing Machine	Electronic Washing Machine
	MAIN FE	EATURES
Load capacity, kg	10	8
Control type	Text LC display with touch control buttons	LC display with touch control buttons
Maximum spin speed, rpm	1400	1600
Spin speed options	1400 / 1200 / 1000 / 800 / 600 / 400 / no spin / rinse hold	1600 / 1400 / 1200 / 1000 / 800 / 600 / no spin / rinse ho
Fime delay / remaining time	24 h / •	24 h / •
MultiSense technology	2411/	2411) -
	·	-
Automatic water adjustment system	•	•
_iquid detergent compartment	•	•
Anti-Noise side wall	•	•
New drum pattern	•	•
Drum material / tank material	Inox / Polypropylen	Inox / Polypropylen
Porthole diameter / door opening, cm / °	34 / 170	34 / 170
ProDose	-	-
	PROGR	AMMES
Number of programmes	16	16
MultiSense automatic programme	•	•
Hand wash	•	•
DarkCare	•	•
Bedding	•	•
NoolProtect	•	•
Mini 14'	•	
Mini	_	
AguaPerfect 40° / 40'	•	•
Cotton / with Prewash / Short	• / - / -	• / - / -
Cotton eco	- / /	- / /
SteamRefresh		·
	·	-
StainCare	•	-
Anti-Allergy	•	•
MachineCare	•	•
Synthetics / with Prewash	• / -	• / -
Shirts	-	•
GentleCare	-	•
Delicate	-	-
Spin + Pump / Rinsing	• / •	• / •
	SPECIAL F	UNCTIONS
Prewash / Silent mode / Soak	• / • / -	• / • / -
PerfectRinse / soil level	• / •	• / -
Anti-creasing / quick wash / memory / HomeWhiz	-/-/•	-/•/-/-
	SAF	ETY
WaterProtect+ / WaterProtect	• / -	• / -
Child lock / door lock	• / •	•/•
		ULATION 1061 / 2010)
Energy efficiency class	A+++ (-20 %)	A+++
Spin drying efficiency class	В	A
Annual energy consumption, (220 cycles) kWh / Year	209	192
Annual water consumption, (220 cycles) L / Year	11440	9900
Energy efficiency index	40	45
Energy consumption, kWh	0.927	0.854
Energy consumption (60°C cotton prg., full load), kWh	1.150	0.920
Energy consumption (60°C cotton prg., partial load), kWh		0.805
Energy consumption (40°C cotton prg., partial load), kWh		0.805
Water consumption, L	52	45
Standard cycle duration, min	195	187
Programme time (60°C cotton prg., full load), min	218	205
Programme time (60°C cotton prg., partial load), min	488	177
Programme time (ou C cotton prq., partial toad), min	177	177
	177	177
Programme time (40°C cotton prg., partial load), min	177	177
Programme time (40°C cotton prg., partial load), min Remaining moisture, %	177 53	177 44
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA	177 53 54 / 75	177 44 52 / 76
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W	177 53 54 / 75 0.5	177 44 52 / 76 0.44
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W	177 53 54 / 75 0.5 0.8	177 44 52 / 76 0.44 0.64
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W	177 53 54 / 75 0.5 0.8 TECHNICAL I	177 44 52 / 76 0.44 0.64 NFORMATION
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor	177 53 54 / 75 0.5 0.8 TECHNICAL I	177 44 52 / 76 0.44 0.64 NFORMATION
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W	177 53 54 / 75 0.5 0.8 TECHNICAL I	177 44 52 / 76 0.44 0.64 NFORMATION • 230 / 50 / 2200
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W Water connection	177 53 54 / 75 0.5 0.8 TECHNICAL I • 230 / 50 / 2200 Cold	177 44 52 / 76 0.44 0.64 NFORMATION • 230 / 50 / 2200 Cold
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W Water connection	177 53 54 / 75 0.5 0.8 TECHNICAL I • 230 / 50 / 2200 Cold 150	177 44 52 / 76 0.44 0.64 NFORMATION 230 / 50 / 2200 Cold 150
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W Water connection Cable length, cm	177 53 54 / 75 0.5 0.8 TECHNICAL I • 230 / 50 / 2200 Cold 150	177 44 52 / 76 0.44 0.64 NFORMATION 230 / 50 / 2200 Cold 150 NSIONS
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W Water connection Cable length, cm	177 53 54 / 75 0.5 0.8 TECHNICAL I 230 / 50 / 2200 Cold 150 DIMEN 84 × 60 × 61	177 44 52 / 76 0.44 0.64 NFORMATION 230 / 50 / 2200 Cold 150 NSIONS 84 × 60 × 61
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W Water connection Cable length, cm Product dimensions (H x W x D), cm	177 53 54 / 75 0.5 0.8 TECHNICAL I • 230 / 50 / 2200 Cold 150	177 44 52/76 0.44 0.64 NFORMATION 230/50/2200 Cold 150 NSIONS
Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W Water connection Cable length, cm Product dimensions (H x W x D), cm	177 53 54/75 0.5 0.8 TECHNICAL I 230/50/2200 Cold 150 DIMEN 84×60×61 81	177 44 52 / 76 0.44 0.64 NFORMATION 230 / 50 / 2200 Cold 150 NSIONS 84 × 60 × 61
Programme time (80° C cotton prg., partial toad), min Programme time (40°C cotton prg., partial toad), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W Water connection Cable length, cm Product dimensions (H x W x D), cm Unpacked weight, kg C: Chrome door	177 53 54/75 0.5 0.8 TECHNICAL I 230/50/2200 Cold 150 DIMEN 84×60×61 81	177 44 52 / 76 0.44 0.64 NFORMATION 230 / 50 / 2200 Cold 150 NSIONS 84 × 60 × 61 75





GWA 48431

GWN 47630

	GWA 40431	GWIN 47030
Туре	Electronic Washing Machine	Electronic Washing Machine
	, and the second	ATURES
Load capacity, kg	8	7
Control type	LC display with touch control buttons	LC display with touch control buttons
Maximum spin speed, rpm	1400	1600
Spin speed options	1400 / 1200 / 1000 / 800 / 600 / 400 / no spin / rinse hold	1600 / 1400 / 1200 / 1000 / 800 / 600 / no spin / rinse hol
Fime delay / remaining time	24 h / •	24 h / •
MultiSense technology	-	-
Automatic water adjustment system	•	•
_iquid detergent compartment	•	•
Anti-Noise side wall	•	•
New drum pattern	•	•
Orum material / tank material	In av. / Dalumanulan	Inox / Polypropylen
	Inox / Polypropylen	*1 1*
Porthole diameter / door opening, cm / °	34 / 170	34 / 170
ProDose	-	-
	PROGR	AMMES
Number of programmes	16	16
MultiSense automatic programme	<u>-</u> .	•
Hand wash	•	•
DarkCare	•	
		-
Sedding Mark Dark at	•	
VoolProtect	•	•
Mini 14'	•	•
Mini	•	•
AquaPerfect 40° / 40'	-	•
Cotton / with Prewash / Short	• / • / -	• / - / -
Cotton eco	•	•
SteamRefresh	<u> </u>	•
	-	-
StainCare	-	-
Anti-Allergy	•	•
MachineCare	•	•
Synthetics / with Prewash	• / •	• / -
Shirts	•	•
GentleCare	•	
Delicate	<u> </u>	-
	-	-
Spin + Pump / Rinsing	• / •	• / •
		UNCTIONS
Prewash / Silent mode / Soak	- / - / •	• / • / -
PerfectRinse / soil level	• / -	• / -
Anti-creasing / quick wash / memory / HomeWhiz	• / • / - / -	• / - / - / -
	SAF	ETY
WaterProtect+ / WaterProtect	• / -	• / -
Child lock / door lock	• / •	•/•
Shilla lock / door lock		
		ULATION 1061 / 2010)
Energy efficiency class	A+++	A+++
Spin drying efficiency class	В	A
Annual energy consumption, (220 cycles) kWh / Year	190	171
Annual water consumption, (220 cycles) L / Year	10780	9020
Energy efficiency index	44.4	45
Energy consumption, kWh	0.844	0.759
0,		
Energy consumption (60°C cotton prg., full load), kWh	1.029	0.798
Energy consumption (60°C cotton prg., partial load), kWh	0.85	0.73
Energy consumption (40°C cotton prg., partial load), kWh	0.65	0.73
Nater consumption, L	49	51
Standard cycle duration, min	187	188
Programme time (60°C cotton prg., full load), min	210	205
Programme time (60°C cotton prg., partial load), min	175	177
Programme time (40°C cotton prg., partial load), min	165	177
Remaining moisture, %	53	44
Noise level for washing / spinning, dBA	49 / 70	56 / 75
Power consumption in off-mode, W	0.44	0.44
Power consumption in left-on mode, W	0.64	0.64
		NFORMATION
EcoMotor	•	•
Supply voltage / Frequency / Connected value, V / Hz / W	230 / 50 / 2200	230 / 50 / 2200
Nater connection	Cold	Cold
Cable length, cm	150	150
	DIMEN	ISIONS
Product dimensions (H x W x D), cm	84 x 60 x 61	84 x 60 x 55
Jnpacked weight, kg	78	73
Silpaenea Weight, ng		
2.01		OPTIONS
C: Chrome door	-	-
White	•	•





GWA 47430

	GWN 47430	GWA 47430
Туре	Electronic Washing Machine	Electronic Washing Machine
		EATURES
Load capacity, kg	7	7
Control type	LC display with touch control buttons	LC display with touch control buttons
Maximum spin speed, rpm	1400	1400
Spin speed options	1400 / 1200 / 1000 / 800 / 600 / 400 / no spin / rinse hold	1400 / 1200 / 1000 / 800 / 600 / 400 / no spin / rinse ho
Time delay / remaining time	24 h / •	24 h / •
MultiSense technology	-	-
Automatic water adjustment system	•	•
Liquid detergent compartment	•	•
Anti-Noise side wall		•
New drum pattern	Polymorphia	In / Delum manulan
Drum material / tank material	Inox / Polypropylen 34 / 170	Inox / Polypropylen
Porthole diameter / door opening, cm / ° ProDose	34 / 170	34 / 170
TODOSE	PROGR	AMMES
Number of programmes	16	16
MultiSense automatic programme	•	•
Hand wash	•	•
DarkCare	•	
Bedding	_	_
WoolProtect	•	•
Mini 14'	•	
Mini	•	•
AguaPerfect 40° / 40'	•	-
Cotton / with Prewash / Short	• / - / -	•/•/•
Cotton eco	•	· -
SteamRefresh	_	-
StainCare	-	-
Anti-Allergy	•	•
MachineCare	•	•
Synthetics / with Prewash	• / -	• / •
Shirts	•	•
GentleCare	•	-
Delicate	-	-
Spin + Pump / Rinsing	• / •	• / •
	SPECIAL F	FUNCTIONS
Prewash / Silent mode / Soak	• / • / -	-/-/•
PerfectRinse / soil level	• / -	• / -
Anti-creasing / quick wash / memory / HomeWhiz	• / - / - / -	• / • / - / -
	SAF	ETY
WaterProtect+ / WaterProtect	• / -	• / -
Child lock / door lock	• / •	• / •
	PERFORMANCE (REG	ULATION 1061 / 2010)
Energy efficiency class	A+++	A+++
Spin drying efficiency class	В	В
Annual energy consumption, (220 cycles) kWh / Year	171	175
Annual water consumption, (220 cycles) L / Year	9020	11220
Energy efficiency index	45	45.9
Energy consumption, kWh	0.759	0.775
Energy consumption (60°C cotton prg., full load), kWh	0.798	0.815
Energy consumption (60°C cotton prg., partial load), kWh	0.73	0.76
Energy consumption (40°C cotton prg., partial load), kWh	0.73	0.73
Water consumption, L	41	51
Standard cycle duration, min	188	186
Programme time (60°C cotton prg., full load), min	205	205
Programme time (60°C cotton prg., partial load), min	177	185
Programme time (40°C cotton prg., partial load), min	177	160
Remaining moisture, %	53	53
Noise level for washing / spinning, dBA	56 / 76	50 / 72
Power consumption in off-mode, W	0.44	0.44
Power consumption in left-on mode, W	0.64	0.64
FM-t		NFORMATION
EcoMotor	- 220 / 50 / 2200	- 220 / 50 / 2200
Supply voltage / Frequency / Connected value, V / Hz / W	230 / 50 / 2200	230 / 50 / 2200
Water connection	Cold	Cold
Cable length, cm	150	150
Dandord disconnices (U. W. D)		NSIONS OV. (O.) FF
Product dimensions (H x W x D), cm	84 x 60 x 55	84 x 60 x 55
Unpacked weight, kg	72	72
0.01	COLOUR	OPTIONS
C: Chrome door	<u>-</u>	-
White		





GWN 37431

	GWIN 37031	GWIN 3/431
Туре	Electronic Washing Machine	Electronic Washing Machine
	MAIN FE	EATURES
Load capacity, kg	7	7
Control type	LED display with touch control buttons	LED display with touch control buttons
Maximum spin speed, rpm	1600	1400
Spin speed options	1600 / 1200 / 800 / 600 / no spin / rinse hold	1400 / 1200 / 800 / 600 / no spin / rinse hold
Time delay / remaining time	24 h / •	24 h / •
MultiSense technology	-	-
Automatic water adjustment system	•	•
_iquid detergent compartment	•	•
Anti-Noise side wall	•	•
New drum pattern	-	-
Orum material / tank material	Inox / Polypropylen	Inox / Polypropylen
Porthole diameter / door opening, cm / °	34 / 170	34 / 170
ProDose	-	-
	PROGR	AMMES
Number of programmes	16	16
MultiSense automatic programme		-
Hand wash	•	•
DarkCare	•	•
Bedding	-	-
WoolProtect	•	•
Mini 14'	•	•
Mini	•	•
AquaPerfect 40° / 40'	•	•
Cotton / with Prewash / Short	• / - / -	• / - / -
Cotton eco	•	•
SteamRefresh	-	-
StainCare	-	_
Anti-Allergy	•	•
MachineCare	•	•
Synthetics / with Prewash	• / -	• / -
Shirts	•	•
GentleCare		•
Delicate		•
Spin + Pump / Rinsing	• / •	• / •
Jpin + 1 ump / Kinsing	•	FUNCTIONS
Prewash / Silent mode / Soak	• / • / -	• / • / -
PerfectRinse / soil level	• / -	• / -
	- / - - / - / -	•/- -/-/-
Anti-creasing / quick wash / memory / HomeWhiz		EETY
WaterProtect+ / WaterProtect	• / -	• / -
Child lock / door lock	• / •	•/•
Shilla lock / door lock		
Thomas officionas close		ULATION 1061 / 2010)
Energy efficiency class	A+++	A+++
Spin drying efficiency class	А	В
Spin drying efficiency class Annual energy consumption, (220 cycles) kWh / Year	A 173.34	B 168.01
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year	A 173.34 9020	B 168.01 11220
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index	A 173.34 9020 45.5	B 168.01 11220 44.13
Spin drying efficiency class Annual energy consumption, (220 cycles) kWh / Year Annual water consumption, (220 cycles) L / Year Energy efficiency index Energy consumption, kWh	A 173.34 9020 45.5 0.770	B 168.01 11220 44.13 0.745
Spin drying efficiency class Annual energy consumption, (220 cycles) kWh / Year Annual water consumption, (220 cycles) L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh	A 173.34 9020 45.5 0.770 0.950	B 168.01 11220 44.13 0.745 0.782
Spin drying efficiency class Annual energy consumption, (220 cycles) kWh / Year Annual water consumption, (220 cycles) L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh	A 173.34 9020 45.5 0.770 0.950 0.635	B 168.01 11220 44.13 0.745 0.782 0.748
Spin drying efficiency class Annual energy consumption, (220 cycles) kWh / Year Annual water consumption, (220 cycles) L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption (40°C cotton prg., partial load), kWh	A 173.34 9020 45.5 0.770 0.950 0.635 0.634	B 168.01 11220 44.13 0.745 0.782 0.748 0.688
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption [60°C cotton prg., full load], kWh Energy consumption [40°C cotton prg., partial load], kWh Energy consumption [40°C cotton prg., partial load], kWh Mater consumption, L	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption [60°C cotton prg., full load], kWh Energy consumption [60°C cotton prg., partial load], kWh Energy consumption (40°C cotton prg., partial load], kWh Mater consumption, L Standard cycle duration, min	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption [60°C cotton prg., full load], kWh Energy consumption [60°C cotton prg., partial load], kWh Energy consumption, L Standard cycle duration, min Programme time [60°C cotton prg., full load], min	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption [60°C cotton prg., full load], kWh Energy consumption [60°C cotton prg., partial load], kWh Energy consumption, L Standard cycle duration, min Programme time [60°C cotton prg., full load], min	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption, L Energy consumption, L Standard cycle duration, min Programme time (60°C cotton prg., full load), min	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51 200
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption [60°C cotton prg., full load], kWh Energy consumption [60°C cotton prg., partial load], kWh Energy consumption, L Standard cycle duration, min Programme time [60°C cotton prg., full load], min Programme time [60°C cotton prg., partial load], min	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220	B 168.01 11220 44.13 0.745 0.782 0.782 0.748 0.688 51 200 234
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption (40°C cotton prg., partial load), kWh Water consumption, L Standard cycle duration, min Programme time (60°C cotton prg., full load), min Programme time (60°C cotton prg., partial load), min Programme time (40°C cotton prg., partial load), min Remaining moisture, %	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220 193	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51 200 234 175
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption (40°C cotton prg., partial load), kWh Water consumption, L Standard cycle duration, min Programme time (60°C cotton prg., full load), min Programme time (60°C cotton prg., partial load), min Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220 193 193 193 44	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51 200 234 175 175 53
Spin drying efficiency class Annual energy consumption, (220 cycles) kWh / Year Annual water consumption, (220 cycles) L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption (40°C cotton prg., partial load), kWh Energy consumption, L Standard cycle duration, min Programme time (60°C cotton prg., full load), min Programme time (60°C cotton prg., partial load), min Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220 193 193 193 44 NA	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51 200 234 175 175 53 NA
Spin drying efficiency class Annual energy consumption, (220 cycles) kWh / Year Annual water consumption, (220 cycles) L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption (40°C cotton prg., partial load), kWh Energy consumption, L Standard cycle duration, min Programme time (60°C cotton prg., full load), min Programme time (60°C cotton prg., partial load), min Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220 193 193 193 44 NA 0.5	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51 200 234 175 175 53 NA 0.5
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption [60°C cotton prg., full load], kWh Energy consumption [60°C cotton prg., partial load], kWh Energy consumption, L Endand cycle duration, min Programme time [60°C cotton prg., full load], min Programme time [60°C cotton prg., partial load], min Programme time [40°C cotton prg., partial load], min Programme time [4	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220 193 193 193 44 NA 0.5	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51 200 234 175 175 53 NA 0.5 0.5
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption [60°C cotton prg., full load], kWh Energy consumption [60°C cotton prg., partial load], kWh Energy consumption (40°C cotton prg., partial load], kWh Mater consumption, L Standard cycle duration, min	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220 193 193 44 NA 0.5 0.5	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51 200 234 175 175 53 NA 0.5 0.5
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption, L Endergy consumption, L Standard cycle duration, min Programme time (60°C cotton prg., full load), min Programme time (60°C cotton prg., partial load), min Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220 193 193 44 NA 0.5 0.5 0.5	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51 200 234 175 175 53 NA 0.5 0.5 NFORMATION • 230 / 50 / 2200
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption, L Etandard cycle duration, min Programme time (60°C cotton prg., full load), min Programme time (60°C cotton prg., partial load), min Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W Water connection	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220 193 193 193 44 NA 0.5 0.5 0.5 TECHNICAL I	B 168.01 11220 44.13 0.745 0.782 0.748 0.688 51 200 234 175 175 53 NA 0.5 0.5 NFORMATION
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption, L Standard cycle duration, min Programme time (60°C cotton prg., full load), min Programme time (60°C cotton prg., partial load), min Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W	A 173.34 9020 45.5 0.770 0.750 0.635 0.634 41 205 220 193 193 193 44 NA 0.5 0.5 0.5 TECHNICAL I 230 / 50 / 2200 Cold 150	B 168.01 11220 44.13 0.745 0.782 0.782 0.748 0.688 51 200 234 175 175 53 NA 0.5 0.5 NFORMATION • 230 / 50 / 2200 Cold 150
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption, L Energy consumption, L Standard cycle duration, min Programme time (60°C cotton prg., full load), min Programme time (60°C cotton prg., partial load), min Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W Water connection Cable length, cm	A 173.34 9020 45.5 0.770 0.750 0.635 0.634 41 205 220 193 193 193 44 NA 0.5 0.5 0.5 TECHNICAL I 230 / 50 / 2200 Cold 150 DIMEN	B 168.01 11220 44.13 0.745 0.782 0.782 0.748 0.688 51 200 234 175 175 53 NA 0.5 0.5 NFORMATION • 230 / 50 / 2200 Cold 150
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption [60°C cotton prg., partial load], kWh Energy consumption (40°C cotton prg., partial load), kWh Mater consumption, L Standard cycle duration, min Programme time (60°C cotton prg., full load), min Programme time (60°C cotton prg., partial load), min Programme time (60°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W Water connection Cable length, cm	A 173.34 9020 45.5 0.770 0.750 0.950 0.635 0.634 41 205 220 193 193 193 44 NA 0.5 0.5 0.5 TECHNICAL I 230 / 50 / 2200 Cold 150 DIMEN 84 × 60 × 50	B 168.01 11220 44.13 0.745 0.782 0.782 0.748 0.688 51 200 234 175 175 53 NA 0.5 0.5 NFORMATION 230 / 50 / 2200 Cold 150 NSIONS 84 x 60 x 50
Spin drying efficiency class Annual energy consumption, [220 cycles] kWh / Year Annual water consumption, [220 cycles] L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption, L Standard cycle duration, min Programme time (60°C cotton prg., full load), min Programme time (60°C cotton prg., partial load), min Programme time (40°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor Supply voltage / Frequency / Connected value, V / Hz / W Water connection Cable length, cm	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220 193 193 193 44 NA 0.5 0.5 0.5 TECHNICAL I 230 / 50 / 2200 Cold 150 DIMEN 84 x 60 x 50 73	B 168.01 11220 44.13 0.745 0.782 0.782 0.748 0.688 51 200 234 175 175 53 NA 0.5 0.5 NFORMATION • 230 / 50 / 2200 Cold 150 VSIONS 84 x 60 x 50 73
Spin drying efficiency class Annual energy consumption, (220 cycles) kWh / Year Annual water consumption, (220 cycles) L / Year Energy efficiency index Energy consumption, kWh Energy consumption (60°C cotton prg., full load), kWh Energy consumption (60°C cotton prg., partial load), kWh Energy consumption (40°C cotton prg., partial load), kWh Energy consumption, L Standard cycle duration, min Programme time (60°C cotton prg., full load), min Programme time (60°C cotton prg., partial load), min Programme time (60°C cotton prg., partial load), min Remaining moisture, % Noise level for washing / spinning, dBA Power consumption in off-mode, W Power consumption in left-on mode, W EcoMotor EcoMotor Cable length, cm Product dimensions (H x W x D), cm	A 173.34 9020 45.5 0.770 0.950 0.635 0.634 41 205 220 193 193 193 44 NA 0.5 0.5 0.5 TECHNICAL I 230 / 50 / 2200 Cold 150 DIMEN 84 x 60 x 50 73	B 168.01 11220 44.13 0.745 0.782 0.782 0.748 0.688 51 200 234 175 175 53 NA 0.5 0.5 NFORMATION 230 / 50 / 2200 Cold 150 NSIONS 84 x 60 x 50





GWN 36630

	GWIN 37230	GWIN 20020
Туре	Electronic Washing Machine	Electronic Washing Machine
	MAIN FI	EATURES
Load capacity, kg	7	6
Control type	LED display with touch control buttons	LED display with touch control buttons
Maximum spin speed, rpm	1200	1600
Spin speed options	1200 / 1000 / 800 / 600 / no spin / rinse hold	1600 / 1200 / 800 / 600 / no spin / rinse hold
Γime delay / remaining time	24 h / •	24 h / •
MultiSense technology	-	-
Automatic water adjustment system	•	•
Liquid detergent compartment	•	•
Anti-Noise side wall	•	-
New drum pattern	•	-
Orum material / tank material	Inox / Polypropylen	Inox / Polypropylen
Porthole diameter / door opening, cm / °	34 / 170	34 / 170
ProDose	-	-
	PROGR	AMMES
Number of programmes	16	16
MultiSense automatic programme	-	-
Hand wash	•	•
DarkCare	•	•
Bedding	-	_
WoolProtect	•	
Mini 14'	•	
Mini	•	•
AguaPerfect 40° / 40'	•	•
Cotton / with Prewash / Short	• / - / -	• / - / -
Cotton eco	- / - / -	- / - / -
SteamRefresh	·	·
StainCare	-	-
	-	
Anti-Allergy	•	·
MachineCare	•	•
Synthetics / with Prewash	• / -	• / -
Shirts	•	•
GentleCare	•	•
Delicate	•	•
Spin + Pump / Rinsing	• / •	• / •
		FUNCTIONS
Prewash / Silent mode / Soak	• / • / -	• / • / -
PerfectRinse / soil level	• / -	• / -
Anti-creasing / quick wash / memory / HomeWhiz	-/-/-	- / - / - / -
		ETY
WaterProtect+ / WaterProtect	• / -	• / -
Child lock / door lock	• / •	• / •
	PERFORMANCE (REG	ULATION 1061 / 2010)
Energy efficiency class	A+++	A+++
Spin drying efficiency class	В	А
Annual energy consumption, (220 cycles) kWh / Year	168	152
Annual water consumption, (220 cycles) L / Year	11220	8800
Energy efficiency index	44.1	45.5
Energy consumption, kWh	0.745	0.671
Energy consumption (60°C cotton prg., full load), kWh		0.786
Energy consumption (60°C cotton prg., partial load), kWh		0.585
Energy consumption (40°C cotton prg., partial load), kWh		0.585
Water consumption, L	51	40
Standard cycle duration, min	200	193
Programme time (60°C cotton prg., full load), min	234	210
Programme time (60°C cotton prg., partial load), min	175	180
Programme time (60°C cotton prg., partial load), min	175	180
1 0 1	53	180 44
Remaining moisture, % Noise level for washing / spinning, dBA		44 49 / 75
5 i 5	52 / 73	
Power consumption in off-mode, W	0.5	0.5
Power consumption in left-on mode, W	0.5	0.5
Makan		NFORMATION
EcoMotor	•	•
Supply voltage / Frequency / Connected value, V / Hz / W		230 / 50 / 2200
Water connection	Cold	Cold
Cable length, cm	150	150
3 .	DIMEN	NSIONS
•		
Product dimensions (H x W x D), cm	84 x 60 x 55	84 x 60 x 50
Product dimensions (H x W x D), cm	84 x 60 x 55 73	84 x 60 x 50 73
Product dimensions (H x W x D), cm	73	
Product dimensions (H x W x D), cm Unpacked weight, kg C: Chrome door	73	73





GWP 36430

	GWIN 3043 I	GWF 30430
Туре	Electronic Washing Machine	Electronic Washing Machine
	, and the second	EATURES
Load capacity, kg	6	6
Control type	LED display with touch control buttons	LED display with touch control buttons
Maximum spin speed, rpm	1400	1400
Spin speed options	1400 / 1200 / 800 / 600 / no spin / rinse hold	1400 / 1200 / 800 / 600 / no spin / rinse hold
Γime delay / remaining time	24 h / •	24 h / •
MultiSense technology	-	-
Automatic water adjustment system	•	•
Liquid detergent compartment	•	•
Anti-Noise side wall	•	•
New drum pattern	-	-
Orum material / tank material	Inox / Polypropylen	Inox / Polypropylen
Porthole diameter / door opening, cm / °	34 / 170	34 / 170
ProDose	-	-
	PROGR	AMMES
Number of programmes	16	16
MultiSense automatic programme	-	-
Hand wash	•	•
DarkCare	•	•
Bedding	-	-
VoolProtect	•	•
Mini 14'	•	
Mini	•	•
AguaPerfect 40° / 40'		•
Cotton / with Prewash / Short	• / - / -	• / - / -
Cotton eco	•	•
SteamRefresh		
StainCare		
Anti-Allergy		•
• • • • • • • • • • • • • • • • • • • •	·	·
MachineCare	•	•
Synthetics / with Prewash	• / -	• / -
Shirts	•	•
GentleCare	•	•
Delicate	•	•
Spin + Pump / Rinsing	• / •	• / •
		FUNCTIONS
Prewash / Silent mode / Soak	• / • / -	• / • / -
PerfectRinse / soil level	• / -	• / -
Anti-creasing / quick wash / memory / HomeWhiz	- / - / - / -	- / - / - / -
	SAI	ETY
WaterProtect+ / WaterProtect	• / -	-/•
Child lock / door lock	• / •	• / •
	PERFORMANCE (REG	SULATION 1061 / 2010)
Energy efficiency class	A+++	A+++
Spin drying efficiency class	В	В
Annual energy consumption, (220 cycles) kWh / Year	152	152
Annual water consumption, (220 cycles) L / Year	8800	8800
Energy efficiency index	45.5	45.5
Energy consumption, kWh	0.671	0.671
Energy consumption (60°C cotton prg., full load), kWh		0.786
Energy consumption (60°C cotton prg., partial load), kWh		0.585
Energy consumption (40°C cotton prg., partial load), kWh		0.585
Water consumption, L	40	40
Standard cycle duration, min	193	193
Programme time (60°C cotton prg., full load), min	210	210
Programme time (60°C cotton prg., ratt toad), min	180	180
	180	180
Programme time (40°C cotton prg., partial load), min	53	53
Remaining moisture, % Noise level for washing / spinning, dBA	53 NA	
ŭ , ŭ		54 / 75
Power consumption in off-mode, W	0.5	0.5
Power consumption in left-on mode, W	0.5	0.5
		NFORMATION
EcoMotor	•	•
Supply voltage / Frequency / Connected value, V / Hz / W		230 / 50 / 2200
	Cold	Cold
Water connection		150
Water connection	150	150
Water connection Cable length, cm	DIME	NSIONS
Water connection Cable length, cm		
Water connection Cable length, cm Product dimensions (H x W x D), cm	DIME	NSIONS
Water connection Cable length, cm Product dimensions (H x W x D), cm	84 x 60 x 50 73	NSIONS 84 x 60 x 50
Water connection Cable length, cm Product dimensions (H x W x D), cm Unpacked weight, kg C: Chrome door	84 x 60 x 50 73	NSIONS 84 × 60 × 50 73





GWN 26430

	O 1111 20000	O 11 11 20 400
Туре	Electronic Washing Machine	Electronic Washing Machine
		EATURES
Load capacity, kg	6	6
Control type	LED	LED
Maximum spin speed, rpm	1600	1400
Spin speed options	1600 / 1200 / 800 / 600 / no spin / rinse hold	1400 / 1200 / 800 / 600 / no spin / rinse hold
Fime delay / remaining time	3-6-9 h / -	3-6-9 h / -
MultiSense technology	3 0 7 117	3 0 7 117
	•	•
Automatic water adjustment system	•	•
Liquid detergent compartment	•	•
Anti-Noise side wall	·	-
New drum pattern		
Orum material / tank material	Inox / Polypropylen	Inox / Polypropylen
Porthole diameter / door opening, cm / °	34 / 170	34 / 170
ProDose	-	-
		AMMES
lumber of programmes	16	16
MultiSense automatic programme	-	-
land wash	•	•
DarkCare DarkCare	•	•
Bedding	-	
VoolProtect	•	•
1ini 14'	•	•
fini	•	•
AguaPerfect 40° / 40'	•	
Cotton / with Prewash / Short	• / - / -	• / - / -
	• / - / -	• 1 - 1 -
Cotton eco	•	•
SteamRefresh	<u>-</u>	-
StainCare	-	-
Anti-Allergy	•	•
MachineCare	•	•
synthetics / with Prewash	• / -	• / -
Shirts	•	•
GentleCare	•	•
Delicate	•	•
Spin + Pump / Rinsing	• / •	• / •
	•	FUNCTIONS
Prewash / Silent mode / Soak	• / • / -	• / • / -
PerfectRinse / soil level	• / -	• / -
Anti-creasing / quick wash / memory / HomeWhiz	- / - / - / -	-/-/-
Anti-creasing / quick wasii / memory / nomewinz		EETY
Mata-Durata at / Mata-Durata at		
WaterProtect+ / WaterProtect	-/•	-/•
Child lock / door lock	•/•	•/•
· · · · · ·		SULATION 1061 / 2010)
nergy efficiency class	A+++	A+++
Spin drying efficiency class	A	В
nnual energy consumption, (220 cycles) kWh / Year	153	153
nnual water consumption, (220 cycles) L / Year	8360	8360
nergy efficiency index	45.8	45.8
Energy consumption, kWh	0.676	0.676
energy consumption (60°C cotton prg., full load), kWh	0.79	0.79
Energy consumption (60°C cotton prg., partial load), kWh	0.609	0.609
Energy consumption (40°C cotton prg., partial load), kWh	0.572	0.572
Vater consumption, L	38	38
Standard cycle duration, min	179	169
Programme time (60°C cotton prg., full load), min	197	193
Programme time (60°C cotton prg., partial load), min	170	155
Programme time (40°C cotton prg., partial load), min	170	145
Remaining moisture, %	44	53
Noise level for washing / spinning, dBA	59 / 76	57 / 75
Power consumption in off-mode, W	0.5	0.5
Power consumption in left-on mode, W	0.5	0.5
	TECHNICAL I	NFORMATION
EcoMotor	-	-
Supply voltage / Frequency / Connected value, V / Hz / W	230 / 50 / 2200	230 / 50 / 2200
Vater connection	Cold	Cold
Cable length, cm	150	150
vable length, em		NSIONS
Product dimensions (II v W v D)		
Product dimensions (H x W x D), cm	84 x 60 x 51	84 x 60 x 51
Jnpacked weight, kg	72	73
	COLOUR	OPTIONS
C: Chrome door	-	-
White	•	•



GWD 59405

Туре	Electronic Washer Dryer
71	MAIN FEATURES
Load capacity (washing / drying), kg	9/6
Control type	Text LC display with touch control buttons
Maximum spin speed, rpm	1400
Spin speed options	1400 / 1200 / 1000 / 800 / 600 / 400 / no spin / rinse hold
Time delay / remaining time	24 h / •
	<u> </u>
Automatic water adjustment system	
Air Condensation	<u>.</u>
New drum pattern	
Drum material / tank material	Inox / Polypropylen
Porthole diameter / door opening, cm / °	34 / 165
	PROGRAMMES
Number of programmes	16
Mini Wash&Dry	•
6 kg Wash&Dry	•
Hygiene Care Wash&Dry	•
Cotton Dry	•
Synthetic Dry	•
AquaPerfect 40°/40'	•
Mini 14'	•
Spin+Drain	•
Cotton / with Prewash / Short	•
Cotton Eco	,
Synthetics / with Prewash	·
Delicates	•
WoolProtect	•
Hand Wash	
Shirts	
Rinsing	•
Impregnation	•
prognation	SPECIAL FUNCTIONS
Prewash / Rinse Plus	• / •
Silent Mode / Memory	•/•
WaterProtect+	•
Child lock / door lock	•/•
Office tock / door tock	PERFORMANCE
Energy efficiency class	A
Washing performance	A
Spinning efficiency class	A
Remaining moisture, %	44
Energy consumption for washing & drying, kWh	6.12
Energy consumption for washing, kWh	1.03
Water consumption washing, L	53
Water consumption drying, L	8
Annual energy consumption, kWh / year	206 / 1224
Annual water consumption, L / year	10600 / 12200
Max. adjustable drying time, min	190
Noise level washing / spinning / drying, dBA	55 / 77 / 70
	TECHNICAL INFORMATION
Inverter EcoMotor	·
Supply voltage, V / Hz	230 / 50
Total power, W	2200
Water connection	Cold
Cable length, cm	150
	DIMENSIONS
Product dimensions (H x W x D), cm	84 x 60 x 63
Unpacked weight, kg	87
	COLOUR OPTIONS
Chrome door	•





GTN 48271 GC

GTN 482610 GC

	0111 40271 00	2111 432010 00
Туре	Electronic Heat Pump Dryer	Electronic Heat Pump Dryer
		MAIN FEATURES
Load capacity, kg	8	8
Control type	Text LC display with touch control but	ittons Text LC display with touch control buttons
Time delay / Remaing time	1-24 h / •	1-24 h / •
Advanced heat pump technology	•	•
nox drum / Interior drum light	• / •	• / •
Bi-directional drum action	•	•
TouchDry, Automatic sensor drying	•	•
Auto cool-down	•	
Auto / adjustable anti-creasing cycle	-/•	-/•
Direct drain option	•	•
3-level drying	•	
End of cycle buzzer	•	•
•	39.5 x 32	39.5 x 32
Porthole diameter (H x W), cm		
Door hinge / Door opening, ^o	Right hand / 150	Right hand / 150
		PROGRAMMES
Number of programmes	16	16
Cotton iron dry	•	•
Cotton cupboard dry	•	•
Cotton cupboard dry +	-	•
Cotton extra dry	•	•
Cotton cupboard dry – express	-	
Cotton cupboard dry – silent	-	
Synthetics iron dry	•	•
Synthetics cupboard dry	•	•
WoolProtect	•	•
Bedding	•	
Delicate	•	
	·	
Refresh	•	•
Fashion	-	-
Mix	•	•
Jeans	•	•
Shirts	•	•
Daily	•	•
Shirts 30'	•	-
Night	-	•
Sportswear	•	•
Time programme	•	•
Wool refresh	_	
Mini 35'		
Shirts 15'		
31111115 13	-	SPECIAL FUNCTIONS
Express / Silent mode / HomeWhiz	• / • / -	-/-/•
express / Siterit House / Homewhiz		
		ORMANCE (REGULATION 392/2012)
Energy efficiency class	A+++ (-10 %)	A+++
Condensation efficiency class	A	A
Annual energy consumption, kWh	159	176
Energy consumption at full load, kWh	1.29	1.42
Energy consumption at partial load, kWh	0.73	0.81
Noise level, dBA	66	65
Average condensation efficiency, %	91	91
Average condensation partial load, %	91	91
Programme time, weighted, min	180	136
Programme time at full load, min	220	174
Programme time at partial load, min	150	108
Power consumption in off-mode, W	0.5	0.5
Power consumption in left-on mode, W	1	1
Duration of the left-on mode, min	30	30
		TECHNICAL INFORMATION
Supply voltage, V / Hz	230-240 / 50	230-240 / 50
Connected value, W	800	800
		DIMENSIONS
Product dimensions (H x W x D), cm	0// 505 500	84.6 x 59.5 x 59.8
roduct difficusions (if x vv x D), citi	84.6 x 59.5 x 59.8	
		52.5
Unpacked weight, kg		
Unpacked weight, kg Packed weight, kg	53	52.5 54.5
Unpacked weight, kg	53	52.5





GTN 48261 GC

GTN 38267

	0111 40201 00	0111 00207
Гуре	Electronic Heat Pump Dryer	Electronic Heat Pump Dryer
		MAIN FEATURES
_oad capacity, kg	8	8
Control type	Text LC display with touch control butt	tons LED display with touch control buttons
ime delay / Remaing time	1-24 h / •	1-24 h / •
Advanced heat pump technology	•	•
nox drum / Interior drum light	• / •	• / •
Bi-directional drum action	•	•
ouchDry, Automatic sensor drying	•	•
Auto cool-down	•	•
Auto / adjustable anti-creasing cycle	-/•	• / -
Direct drain option	·	•
B-level drying		
End of cycle buzzer		•
Porthole diameter (H x W), cm	39.5 x 32	39.5 x 32
Door hinge / Door opening, ^o	Right hand / 150	Right hand / 150
		PROGRAMMES
Number of programmes	16	16
Cotton iron dry	•	•
Cotton cupboard dry	•	•
Cotton cupboard dry +	-	•
Cotton extra dry	•	•
Cotton cupboard dry – express	-	
Cotton cupboard dry – silent	-	•
Synthetics iron dry	•	•
Synthetics cupboard dry		
WoolProtect		
Bedding		<u> </u>
	·	·
Delicate	•	•
Refresh	•	•
ashion	-	-
Mix	•	-
Jeans	•	•
Shirts	•	•
Daily	•	•
Shirts 30'	-	-
Night	•	-
Sportswear		•
Time programme		
Wool refresh		
Mini 35'	·	-
	•	-
Shirts 15'	-	- CREALL FUNCTIONS
- /6:1 / / / / / / / / / / / / / / / /		SPECIAL FUNCTIONS
Express / Silent mode / HomeWhiz	-/-/-	• / - / -
		RMANCE (REGULATION 392/2012)
nergy efficiency class	A+++	A+++
Condensation efficiency class	A	A
Annual energy consumption, kWh	176	177
Energy consumption at full load, kWh	1.42	1.42
Energy consumption at partial load, kWh	0.81	0.83
Noise level, dBA	65	65
Average condensation efficiency, %	91	91
verage condensation partial load, %	91	91
Programme time, weighted, min	136	119
Programme time at full load, min		
Programme time at partial load, min		152
	174	152 95
	174 108	95
Power consumption in off-mode, W	174 108 0.5	95 0.4
Power consumption in off-mode, W Power consumption in left-on mode, W	174 108 0.5 1	95 0.4 1
Power consumption in off-mode, W Power consumption in left-on mode, W	174 108 0.5 1 30	95 0.4 1 30
Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min	174 108 0.5 1 30	95 0.4 1 30 TECHNICAL INFORMATION
Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz	174 108 0.5 1 30	95 0.4 1 30 TECHNICAL INFORMATION 230-240 / 50
Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz	174 108 0.5 1 30	95 0.4 1 30 TECHNICAL INFORMATION 230-240 / 50 900
Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz	174 108 0.5 1 30	95 0.4 1 30 TECHNICAL INFORMATION 230-240 / 50
Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz Connected value, W	174 108 0.5 1 30	95 0.4 1 30 TECHNICAL INFORMATION 230-240 / 50 900
Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz Connected value, W Product dimensions (H x W x D), cm	174 108 0.5 1 30 230-240 / 50 800 84.6 x 59.5 x 59.8	95 0.4 1 30 TECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS 84.6 x 59.5 x 59.8
Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz Connected value, W Product dimensions (H x W x D), cm Unpacked weight, kg	174 108 0.5 1 30 230-240 / 50 800 84.6 x 59.5 x 59.8 52.5	95 0.4 1 30 TECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS 84.6 × 59.5 × 59.8 52
Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz Connected value, W Product dimensions (H x W x D), cm	174 108 0.5 1 30 230-240 / 50 800 84.6 x 59.5 x 59.8	95 0.4 1 30 TECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS 84.6 x 59.5 x 59.8 52 54
Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz Connected value, W Product dimensions (H x W x D), cm Unpacked weight, kg	174 108 0.5 1 30 230-240 / 50 800 84.6 x 59.5 x 59.8 52.5	95 0.4 1 30 TECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS 84.6 × 59.5 × 59.8 52





GTA 38261 G

GTN 38250 G

Туре	Electronic Heat Pump Dryer	Electronic Heat Pump Dryer	
	MAIN FEATURES		
Load capacity, kg	8	8	
Control type	LED display with touch control buttons	LED display with touch control buttons	
Time delay / Remaing time	1-24 h / •	1-24 h / •	
Advanced heat pump technology	•	•	
Inox drum / Interior drum light	• / •	•/•	
Bi-directional drum action	•	^	
	•		
TouchDry, Automatic sensor drying	·	•	
Auto cool-down	•	•	
Auto / adjustable anti-creasing cycle	• / -	• / -	
Direct drain option	•	•	
3-level drying	-	-	
End of cycle buzzer	•	•	
Porthole diameter (H x W), cm	39.5 x 32	39.5 x 32	
Door hinge / Door opening, o	Right hand / 150	Right hand / 150	
	-	RAMMES	
Number of programmes	14	16	
Cotton iron dry	:	•	
	•		
Cotton cupboard dry			
Cotton cupboard dry +	•	•	
Cotton extra dry	•	•	
Cotton cupboard dry – express	-	-	
Cotton cupboard dry – silent	-	-	
Synthetics iron dry		•	
Synthetics cupboard dry	•	•	
WoolProtect	•		
Bedding	•	•	
Delicate			
Refresh			
	·	·	
Fashion	-	•	
Mix	-	-	
Jeans	•	•	
Shirts	•	•	
Daily	•	•	
Shirts 30'		•	
Night	-	-	
Sportswear		•	
Time programme			
	·	·	
Wool refresh	·	•	
Mini 35'	-	-	
Shirts 15'	-	-	
		FUNCTIONS	
Express / Silent mode / HomeWhiz	-/-/-	- / - / -	
	PERFORMANCE (RE	GULATION 392/2012)	
Energy efficiency class	A+++	A++	
Condensation efficiency class	Α	А	
Annual energy consumption, kWh	177	230	
Energy consumption at full load, kWh	1.42	1.92	
Energy consumption at partial load, kWh	0.83	1.03	
Noise level, dBA	63	66	
Average condensation efficiency, %	91	91	
Average condensation partial load, %	91	91	
Programme time, weighted, min	119	108	
Programme time at full load, min	152	145	
Programme time at partial load, min	95	81	
Power consumption in off-mode, W	0.4	0.5	
Power consumption in left-on mode, W	1	1	
Duration of the left-on mode, min	30	30	
		INFORMATION	
Supply voltage, V / Hz	230-240 / 50	230-240 / 50	
Connected value, W	800	900	
Connected value, **			
Design discounting (H. W. D)		NSIONS	
Product dimensions (H x W x D), cm	84.6 x 59.5 x 59.8	84.6 x 59.5 x 59.8	
Unpacked weight, kg	52.5	53.5	
Packed weight, kg	54.5	56	
	COLOUR	OPTIONS	
GC: Glass door - chrome door	-	-	
G: Glass door	•	•	





GTN 38111 G

GTN 37250 G

	• • • • • • • • • • • • • • • • • • • •		0111012000
Туре	Electronic Condenser Dryer		Electronic Heat Pump Dryer
**	·	MAIN FEA	
Load capacity, kg	8		7
. , , ,	LED display with touch control butto		
Control type		DIIS	LED display with touch control buttons
Time delay / Remaing time	24 h / •		1-24 h / •
Advanced heat pump technology	-		•
Inox drum / Interior drum light	• / •		• / •
Bi-directional drum action	•		•
TouchDry, Automatic sensor drying	•		•
Auto cool-down	•		•
Auto / adjustable anti-creasing cycle	• / -		• / -
Direct drain option	•		•
·			• • • • • • • • • • • • • • • • • • •
3-level drying	-		-
End of cycle buzzer	•		•
Porthole diameter (H x W), cm	39.5 x 32		39.5 x 32
Door hinge / Door opening, o	Right hand / 150		Right hand / 150
		PROGRAM	MMES
Number of programmes	16		16
Cotton iron dry	•		•
Cotton cupboard dry	•		
Cotton cupboard dry +	•		•
Cotton extra dry	•		•
Cotton cupboard dry – express	•		-
Cotton cupboard dry – silent	•		-
Synthetics iron dry			•
Synthetics cupboard dry			•
WoolProtect			•
	•		-
Bedding	-		•
Delicate	•		•
Refresh	•		•
Fashion	-		-
Mix	_		_
Jeans			
	•		•
Shirts	•		•
Daily	-		•
Shirts 30'	-		•
Night	-		-
Sportswear	•		•
Time programme	_		
· · ·			<u> </u>
Wool refresh			•
Mini 35'	-		-
Shirts 15'	•		-
		SPECIAL FUI	NCTIONS
Express / Silent mode / HomeWhiz	-/•/-		- / - / -
	PERFO	RMANCE (REGU	JLATION 392/2012)
Energy efficiency class	В		A++
Condensation efficiency class	В		А
Annual energy consumption, kWh	561		206
Energy consumption at full load, kWh	4.73		1.68
Energy consumption at partial load, kWh	2.54		0.95
Noise level, dBA	60		66
Average condensation efficiency, %	89		91
Average condensation partial load, %	89		91
Programme time, weighted, min	115		98
Programme time at full load, min	155		127
Programme time at partial load, min	85		77
Power consumption in off-mode, W	0.5		0.5
Power consumption in left-on mode, W	1		1
Duration of the left-on mode, min	30		30
		TECHNICAL INF	FORMATION
Supply voltage, V / Hz	230		230-240 / 50
Connected value, W	2700		900
connected value, vv	2/00	BUTELLE	
		DIMENS	
Product dimensions (H x W x D), cm	84.6 x 59.5 x 59.8		84.6 x 59.5 x 59.8
Unpacked weight, kg	40		53.5
Packed weight, kg	42		56
		COLOUR OI	
GC: Glass door - chrome door		30E30K 0I	
			•
G: Glass door	•		•





GTN 37250

GTN 37240 G

oad capacity, kg Control type Inne delay / Remaing time		
oad capacity, kg ontrol type	Electronic Heat Pump Dryer	Electronic Heat Pump Dryer
ontrol type	MAIN FEATURES	
ontrol type	7	7
	LED display with touch control buttons	LED display with touch control buttons
ane detay / IVEIIIalliu tillie	1-24 h / •	24 h / •
dvanced heat pump technology	•	•
nox drum / Interior drum light	•/•	•/•
	· ·	•
i-directional drum action	•	•
ouchDry, Automatic sensor drying	•	•
uto cool-down	•	•
uto / adjustable anti-creasing cycle	• / -	• / -
lirect drain option	•	•
-level drying	-	-
ind of cycle buzzer	•	•
Porthole diameter (H x W), cm	39.5 x 32	39.5 x 32
loor hinge / Door opening, ^o	Right hand / 150	Right hand / 150
		PROGRAMMES
lumber of programmes	16	16
otton iron dry	•	•
otton cupboard dry	•	•
otton cupboard dry +	•	•
Cotton extra dry	•	
	•	
otton cupboard dry – express	-	•
otton cupboard dry – silent	-	-
ynthetics iron dry	•	•
ynthetics cupboard dry	•	•
VoolProtect	-	_
ledding		
Pelicate		
	·	·
lefresh	•	•
ashion	-	-
fix	-	-
eans	•	•
hirts		
	-	
Daily	-	· ·
hirts 30'	•	•
light	-	-
portswear	•	•
ime programme	•	•
Vool refresh		
fini 35'		
	-	·
hirts 15'	-	-
100		SPECIAL FUNCTIONS
xpress / Silent mode / HomeWhiz	-/-/-	-/-/-
		MANCE (REGULATION 392/2012)
nergy efficiency class	A++	A+
ondensation efficiency class	A	В
nnual energy consumption, kWh	206	266
nergy consumption at full load, kWh	1.68	2.15
nergy consumption at partial load, kWh	0.95	1.23
loise level, dBA	66	66
verage condensation efficiency, %	91	89
verage condensation partial load, %	91	89
rogramme time, weighted, min	98	123
	127	160
	77	96
rogramme time at full load, min	0.5	0.5
rogramme time at full load, min rogramme time at partial load, min	0.5	
rogramme time at full load, min rogramme time at partial load, min lower consumption in off-mode, W		
rogramme time at full load, min rogramme time at partial load, min lower consumption in off-mode, W lower consumption in left-on mode, W	1	1
rogramme time at full load, min rogramme time at partial load, min lower consumption in off-mode, W	1 30	1 30
rogramme time at full load, min rogramme time at partial load, min lower consumption in off-mode, W lower consumption in left-on mode, W	1 30	1
Programme time at full load, min Programme time at partial load, min Prower consumption in off-mode, W Prower consumption in left-on mode, W Prower consumption in left-on mode, W Prower time the left-on mode, min	1 30 Ti	1 30 ECHNICAL INFORMATION
Programme time at full load, min Programme time at partial load, min Prower consumption in off-mode, W Prower consumption in left-on mode, W Prower the left-on mode, min Prower the left-on mode, min Prower the left-on mode, min	1 30 TE 230-240 / 50	1 30 ECHNICAL INFORMATION 230-240 / 50
Programme time at full load, min Programme time at partial load, min Prower consumption in off-mode, W Prower consumption in left-on mode, W Prower the left-on mode, min Prower the left-on mode, min Prower the left-on mode, min	1 30 Ti	1 30 ECHNICAL INFORMATION 230-240 / 50 900
Programme time at full load, min Programme time at partial load, min Prower consumption in off-mode, W Prower consumption in left-on mode, W Puration of the left-on mode, min Pupply voltage, V / Hz Pronnected value, W	1 30 TE 230-240 / 50 900	1 30 ECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS
Programme time at full load, min Programme time at partial load, min Prower consumption in off-mode, W Prower consumption in left-on mode, W Puration of the left-on mode, min Pupply voltage, V / Hz Product dimensions (H x W x D), cm	1 30 TE 230-240 / 50 900 84.6 x 59.5 x 59.8	1 30 ECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS 84.6 x 59.5 x 59.8
Programme time at full load, min Programme time at partial load, min Prower consumption in off-mode, W Prower consumption in left-on mode, W Puration of the left-on mode, min Pupply voltage, V / Hz Pronnected value, W	1 30 TE 230-240 / 50 900	1 30 ECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS
Programme time at full load, min Programme time at partial load, min Prower consumption in off-mode, W Prower consumption in left-on mode, W Puration of the left-on mode, min Pupply voltage, V / Hz Product dimensions (H x W x D), cm Product dimensions (H x W x D), cm	1 30 TE 230-240 / 50 900 84.6 x 59.5 x 59.8	1 30 ECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS 84.6 x 59.5 x 59.8
Programme time at full load, min Programme time at partial load, min Prower consumption in off-mode, W Prower consumption in left-on mode, W Puration of the left-on mode, min Pupply voltage, V / Hz Product dimensions (H x W x D), cm	1 30 TE 230-240 / 50 900 84.6 x 59.5 x 59.8 51.5	1 30 ECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS 84.6 x 59.5 x 59.8 51.5 53.5
Programme time at full load, min Programme time at partial load, min Prower consumption in off-mode, W Prower consumption in left-on mode, W Puration of the left-on mode, min Pupply voltage, V / Hz Product dimensions (H x W x D), cm Product dimensions (H x W x D), cm	1 30 TE 230-240 / 50 900 84.6 x 59.5 x 59.8 51.5	1 30 ECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS 84.6 x 59.5 x 59.8 51.5





GTN 37110 G

GTN 28250 H

	• • • • • • • • • • • • • • • • • • • •	• =
ype	Electronic Condenser Dryer	Electronic Heat Pump Dryer
, , , , , , , , , , , , , , , , , , ,	MAIN FEATURES	
oad capacity, kg	7	8
Control type	LED display with touch control buttons	LED display with touch control buttons
ime delay / Remaing time	1-24 h / •	1-24 h / •
Advanced heat pump technology		
nox drum / Interior drum light	• / •	-/•
Bi-directional drum action	•	•
ouchDry, Automatic sensor drying	•	
	·	•
Auto cool-down	•	
auto / adjustable anti-creasing cycle	• / -	• / -
Direct drain option	•	•
-level drying	-	-
End of cycle buzzer	•	•
Porthole diameter (H x W), cm	39.5 x 32	39.5 x 32
Ooor hinge / Door opening, °	Right hand / 150	Right hand / 150
		PROGRAMMES
lumber of programmes	16	16
Cotton iron dry	•	•
otton cupboard dry	•	
Cotton cupboard dry +	•	•
otton extra dry	•	•
Cotton cupboard dry – express	-	-
Cotton cupboard dry – silent	-	-
ynthetics iron dry	•	•
synthetics cupboard dry	•	•
VoolProtect		
Bedding		
3	-	-
Delicate	•	•
Refresh	•	•
ashion	-	•
1ix	•	•
eans	•	•
Shirts	•	•
Daily	•	•
Shirts 30'		
light	-	-
portswear	•	-
ime programme	•	•
Vool refresh	-	-
/lini 35'	•	-
Shirts 15'	•	-
		SPECIAL FUNCTIONS
xpress / Silent mode / HomeWhiz	-/-/-	-/-/-
	PERFORM	IANCE (REGULATION 392/2012)
nergy efficiency class	В	A++
	В	A
Condensation efficiency class		
nnual energy consumption, kWh	504	230
nergy consumption at full load, kWh	4.17	1.92
nergy consumption at partial load, kWh	2.34	1.03
loise level, dBA	65	65
verage condensation efficiency, %	89	91
verage condensation partial load, %	89	91
Programme time, weighted, min	89	136
Programme time at full load, min	116	179
	68	104
rogramme time at partial load, min		
ower consumption in off-mode, W	0.5	0.5
ower consumption in left-on mode, W	1	1
Juration of the left-on mode, min	30	30
	TE	CHNICAL INFORMATION
Supply voltage, V / Hz	230	230-240 / 50
Connected value, W	2700	900
,	00	DIMENSIONS
Product dimensions (H v W v D) cm	8/. 4 > 50 5 > 5/. 9	
	84.6 x 59.5 x 54.8	84.6 x 59.5 x 59.8
npacked weight, kg	38.5	49.0
npacked weight, kg		49.0 51.0
Jnpacked weight, kg Packed weight, kg	38.5	49.0
Product dimensions (H x W x D), cm Unpacked weight, kg Packed weight, kg C: Glass door - chrome door	38.5	49.0 51.0





GTN 27250 MG

GTN 27250 M

Туре	Electronic Heat Pump Dryer	Electronic Heat Pump Dryer
турс	MAIN FEATURES	
Load capacity, kg	7	7
Control type	LED display with touch control buttons	LED display with touch control buttons
Time delay / Remaing time	1-24 h / •	1-24 h / •
Advanced heat pump technology	•	•
Inox drum / Interior drum light	-/•	-/•
Bi-directional drum action	•	
	•	<u> </u>
TouchDry, Automatic sensor drying		·
Auto cool-down	• / -	• / -
Auto / adjustable anti-creasing cycle	• / -	•/-
Direct drain option		•
3-level drying	-	-
End of cycle buzzer	•	•
Porthole diameter (H x W), cm	39.5 x 32	39.5 x 32
Door hinge / Door opening, ^o	Right hand / 150	Right hand / 150
		RAMMES
Number of programmes	16	16
Cotton iron dry	•	•
Cotton cupboard dry	•	•
Cotton cupboard dry +	•	•
Cotton extra dry	•	•
Cotton cupboard dry – express	-	-
Cotton cupboard dry – silent	-	-
Synthetics iron dry	•	•
Synthetics cupboard dry	•	•
WoolProtect	-	-
Bedding	-	-
Delicate	•	•
Refresh	•	
Fashion	•	
Mix	•	
Jeans	•	
Shirts	•	
Daily	•	
•		
Shirts 30'	•	•
Night		-
Sportswear		-
Time programme	•	•
Wool refresh	-	-
Mini 35'	-	-
Shirts 15'	-	-
		FUNCTIONS
Express / Silent mode / HomeWhiz	-/-/-	-/-/-
	PERFORMANCE (RE	EGULATION 392/2012)
Energy efficiency class	A++	A++
Condensation efficiency class	В	В
Annual energy consumption, kWh	209	209
Energy consumption at full load, kWh	1.68	1.68
Energy consumption at partial load, kWh	0.98	0.98
Noise level, dBA	65	65
Average condensation efficiency, %	86	86
Average condensation partial load, %	86	86
Programme time, weighted, min	136	136
Programme time at full load, min	174	174
Programme time at partial load, min	107	107
Power consumption in off-mode, W	0.5	0.5
Power consumption in left-on mode, W	1	1
Duration of the left-on mode, min	30	30
Dui ation of the terr-on mode, min		INFORMATION
Cumply voltage V/IIa		
Supply voltage, V / Hz	230-240 / 50	230-240 / 50
Connected value, W	900	900
		NSIONS
Product dimensions (H x W x D), cm	84.6 x 59.5 x 54.8	84.6 x 59.5 x 54.8
Unpacked weight, kg	48.5	48.5
Packed weight, kg	50.5	50.5
	COLOUR	ROPTIONS
GC: Glass door - chrome door	-	-
G: Glass door	•	-



GTN 27240 M

Туре	Electronic Heat Pump Dryer MAIN FEATURES
Load capacity, kg	7
Control type	LED display with touch control buttons
Time delay / Remaing time	1-24 h / •
Advanced heat pump technology	•
Inox drum / Interior drum light	-/•
Bi-directional drum action	•
TouchDry, Automatic sensor drying	•
Auto cool-down	•
Auto / adjustable anti-creasing cycle Direct drain option	•/-
3-level drying	·
End of cycle buzzer	•
Porthole diameter (H x W), cm	39.5 x 32
Door hinge / Door opening, o	Right hand / 150
	PROGRAMMES
Number of programmes	16
Cotton iron dry	•
Cotton cupboard dry	•
Cotton cupboard dry +	•
Cotton extra dry	•
Cotton cupboard dry – express	•
Cotton cupboard dry – silent	•
Synthetics iron dry	
Synthetics cupboard dry	•
WoolProtect Bedding	The state of the s
Delicate	· · · · · · · · · · · · · · · · · · ·
Refresh	
Fashion	
Mix	•
Jeans	•
Shirts	•
Daily	•
Shirts 30'	•
Night	·
Sportswear	•
	•
Time programme	•
Wool refresh	· ·
Wool refresh Mini 35'	
Wool refresh	
Wool refresh Mini 35' Shirts 15'	- - - - SPECIAL FUNCTIONS
Wool refresh Mini 35'	
Wool refresh Mini 35' Shirts 15'	- - - - SPECIAL FUNCTIONS - / - / -
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class	SPECIAL FUNCTIONS - /- /- PERFORMANCE (REGULATION 392/2012) A+ B
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh	SPECIAL FUNCTIONS - /- /- SPERFORMANCE (REGULATION 392/2012) A+ B 237
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh	SPECIAL FUNCTIONS - /- /- PERFORMANCE (REGULATION 392/2012) A+ B 237 1.8
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, %	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, %	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min Programme time at partial load, min	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min Programme time at partial load, min Programme time at partial load, min Power consumption in off-mode, W	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min Programme time at partial load, min Power consumption in off-mode, W Power consumption in left-on mode, W	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min Programme time at partial load, min Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min Programme time at partial load, min Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min Programme time at partial load, min Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz Connected value, W	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min Programme time at partial load, min Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz Connected value, W Product dimensions (H x W x D), cm	
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min Programme time at partial load, min Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz Connected value, W Product dimensions (H x W x D), cm Unpacked weight, kg	SPECIAL FUNCTIONS - / - / - PERFORMANCE (REGULATION 392/2012) A+ B 237 1.8 1.2 65 86 86 136 174 107 0.5 1 30 TECHNICAL INFORMATION 230-240/50 900 DIMENSIONS 84.6 x 59.5 x 54.8 46.5
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min Programme time at partial load, min Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz Connected value, W Product dimensions (H x W x D), cm	SPECIAL FUNCTIONS - /- /- PERFORMANCE (REGULATION 392/2012) A+ B 237 1.8 1.2 65 86 86 86 86 136 174 107 0.5 1 107 0.5 1 230-240 / 50 900 DIMENSIONS 84.6 x \$59.5 x \$54.8 46.5 48.5
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min Programme time at partial load, min Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz Connected value, W Product dimensions (H x W x D), cm Unpacked weight, kg Packed weight, kg	SPECIAL FUNCTIONS - /- /- PERFORMANCE (REGULATION 392/2012) A+ B 237 1.8 1.2 65 86 86 86 86 136 174 107 0.5 1 1 30 TECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS 84.6 x 59.5 x 54.8 46.5 48.5 COLOUR OPTIONS
Wool refresh Mini 35' Shirts 15' Express / Silent mode / HomeWhiz Energy efficiency class Condensation efficiency class Annual energy consumption, kWh Energy consumption at full load, kWh Energy consumption at partial load, kWh Noise level, dBA Average condensation efficiency, % Average condensation partial load, % Programme time, weighted, min Programme time at full load, min Programme time at partial load, min Power consumption in off-mode, W Power consumption in left-on mode, W Duration of the left-on mode, min Supply voltage, V / Hz Connected value, W Product dimensions (H x W x D), cm Unpacked weight, kg	SPECIAL FUNCTIONS - /- /- PERFORMANCE (REGULATION 392/2012) A+ B 237 1.8 1.2 65 86 86 86 86 136 174 107 0.5 1 30 TECHNICAL INFORMATION 230-240 / 50 900 DIMENSIONS 84.6 × 59.5 × 54.8 46.5 48.5













GSRS	1	11	20	v

GSBS 11120 X

GSBS 11122 FX

	GSBS 11130 X	GSBS 11120 X	GSBS 11122 FX
Туре	Side by Side Combi Fridge-Freezer	Side by Side Combi Fridge-Freezer	Side by Side Combi Fridge-Freezer
Height, cm	179	179	179
Control system	Display with touch control buttons	Display with touch control buttons	Display with touch control buttons
Cooling system	No Frost	No Frost	No Frost
3 ,		CAPACITIES	
Total gross volume, L	616	616	616
Fotal net volume, L	573	573	573
Fridge net volume, L	368	368	368
SuperFresh net volume, L	15	15	15
Freezer net volume, L	190	190	190
		FRIDGE FEATURES	
Auto defrost	•	•	•
Fast cool function	•	•	
SuperFresh	•	•	
Dairy compartment	_	_	-
Number of height adjustable glass shelves	4	4	4
Number of door racks	5	5	5
Number of crispers	2	2	2
Chrome coated wine rack	•	•	•
VitaminCare	•	•	•
Minibar		_	
Water dispenser		-	
Water and ice dispenser		-	
Inner illumination	LED	LED	LED
Door open buzzer	•	•	•
	•	·	•
FullFresh Crisper	-	FREEZER FEATURES	·
Cton noting	****	****	***
Star rating No Frost	•	•	•
ast freeze function	•	•	•
Number of drawers			
	2	2	2
Number of flaps	0 0	-	
Number of pcm	•	-	-
Twist & serve ice cube tray	•	-	-
Ice cube tray	-	-	-
Inner illumination	LED	LED	LED
A .: 1		HYGIENE	
Anti-odour filter	•	•	•
lonFresh	•	•	•
Antibacterial seal	•	•	•
Wi-Fi Connection Control	-	-	-
		ERFORMANCE (REGULATION 1060 / 201	
Energy efficiency class	A+++	A++	A++
Energy consumption, kWh / 24 h	0.696	1.044	1.044
Energy consumption, kWh / year	254	381	381
Noise level, dBA	43	43	43
Freezing capacity, kg / 24 h	13	13	13
Temperature rise time, h	21	21	21
Climate class	SN-T	SN-T	SN-T
		TECHNICAL INFORMATION	
Supply voltage, V / Hz	230 / 50	220-240 / 50	220-240 / 50
Fan ventilation	•	•	•
Cooling gas	R600a	R600a	R600a
Nater connection	-	-	-
		DIMENSIONS	
Dimensions (H x W x D), cm	179 x 91 x 72	179 x 91 x 72	179 x 91 x 72
		BUILD DETAILS	
Reversible door	-	-	-
Handle type	external	external	integrated
		COLOUR OPTIONS	
White	-	-	
X: Fingerprint free stainless steel	•	•	•
Glass Black			













CC	RC	13	22	U EX

GSBS 13320 X

GSBS 13320 FGB

	GSBS 13320 FX	GSBS 13320 X	GSBS 13320 FGB
Туре	Side by Side Combi Fridge-Freezer	Side by Side Combi Fridge-Freezer	Side by Side Combi Fridge-Freezer
Height, cm	179	179	179
Control system	Display with touch control buttons	Display with touch control buttons	Display with touch control buttons
Cooling system	No Frost	No Frost	No Frost
3.7.		CAPACITIES	
Total gross volume, L	616	616	616
Fotal net volume, L	559	559	559
Fridge net volume, L	368	368	368
SuperFresh net volume, L	15	15	15
Freezer net volume, L	176	176	176
		FRIDGE FEATURES	
Auto defrost		-	_
Fast cool function	•	•	
SuperFresh	•	•	
Dairy compartment		_	
Number of height adjustable glass shelves	4	4	4
Number of height adjustable glass shelves Number of door racks	5	5	5
	2	2	2
Number of crispers			
Chrome coated wine rack	<u>.</u>	•	•
VitaminCare	•	•	•
Minibar	-	-	-
Water dispenser	-	-	-
Water and ice dispenser	•	•	•
Inner illumination	LED	LED	LED
Door open buzzer	•	•	•
FullFresh Crisper	•	-	•
		FREEZER FEATURES	
Star rating	****	***	****
No Frost	•	•	•
Fast freeze function	•	•	•
Number of drawers	2	2	2
Number of flaps	-	-	-
Number of pcm	-	-	-
Twist & serve ice cube tray	-	-	-
Ice cube tray	-	-	-
Inner illumination	LED	LED	LED
		HYGIENE	
Anti-odour filter	•	•	•
IonFresh	•	•	•
Antibacterial seal	•	•	•
Wi-Fi Connection Control	_	_	_
	P	ERFORMANCE (REGULATION 1060 / 201	01
Energy efficiency class	A++	A++	A++
Energy consumption, kWh / 24 h	1.014	1.014	1.014
Energy consumption, kWh / year	370	370	370
Noise level, dBA	43	43	43
Freezing capacity, kg / 24 h	13	13	13
Temperature rise time, h	9	9	9
Climate class			
otimate Class	SN-T	SN-T	SN-T
Supplied the set W/III-	220 270 / 50	TECHNICAL INFORMATION	220, 272, 452
Supply voltage, V / Hz	220-240 / 50	220-240 / 50	220-240 / 50
Fan ventilation	•	• D/00	•
Cooling gas	R600a	R600a	R600a
Water connection	•	•	•
		DIMENSIONS	
Dimensions (H x W x D), cm	179 x 91 x 72	179 x 91 x 72	179 x 91 x 72
		BUILD DETAILS	
Reversible door	-	-	-
Handle type	external	external	integrated
		COLOUR OPTIONS	
White	-	-	-
X: Fingerprint free stainless steel	•	•	-
Glass Black			







GSBS 14620 XWF

	USBS 14020 A	03D3 140ZU AWF	
Туре	Side by Side Combi Fridge-Freezer	Side by Side Combi Fridge-Freezer	
Height, cm	179	179	
Control system	Display with touch control buttons	Display with touch control buttons	
Cooling system	No Frost	No Frost	
3 /	CAPACITIES		
Total gross volume, L	616	616	
Total net volume, L	544	544	
Fridge net volume, L	353	353	
SuperFresh net volume, L	15	15	
Freezer net volume, L	176	176	
		FRIDGE FEATURES	
Auto defrost	•		
Fast cool function	•	•	
SuperFresh	•	•	
Dairy compartment	_		
Number of height adjustable glass shelves	4	4	
Number of door racks	4	4	
Number of crispers	2	2	
Chrome coated wine rack	•	•	
VitaminCare	•	•	
Minibar	•	·	
Water dispenser	•	·	
•	•	•	
Water and ice dispenser Inner illumination	• LED	• LED	
	LED	LEU	
Door open buzzer	•	·	
FullFresh Crisper	-		
Chan makim m	***	FREEZER FEATURES ****	
Star rating	_		
No Frost	•	•	
Fast freeze function	•	•	
Number of drawers	2	2	
Number of flaps	0	-	
Number of pcm	0	-	
Twist & serve ice cube tray	-	•	
Ice cube tray	-	-	
Inner illumination	LED	LED	
		HYGIENE	
Anti-odour filter	•	•	
IonFresh	•	•	
Antibacterial seal	•	•	
Wi-Fi Connection Control	-	•	
		MANCE (REGULATION 1060 / 2010)	
Energy efficiency class	A++	A++	
Energy consumption, kWh / 24 h	1.014	1.014	
Energy consumption, kWh / year	370	370	
Noise level, dBA	43	43	
Freezing capacity, kg / 24 h	13	13	
Temperature rise time, h	9	9	
Climate class	SN-T	SN-T	
	Т	ECHNICAL INFORMATION	
Supply voltage, V / Hz	230 / 50	220-240 / 50	
Fan ventilation	•	•	
Cooling gas	R600a	R600a	
Water connection	Mains water connection	•	
		DIMENSIONS	
Dimensions (H x W x D), cm	179 x 91 x 72	179 x 91 x 72	
		BUILD DETAILS	
Reversible door	-	-	
Handle type	external	external	
.1		COLOUR OPTIONS	
White	<u>-</u>	-	
X: Fingerprint free stainless steel	•	•	







GSBS 15720 X

GSBS 16820 X

	03D3 13720 X	03D3 10020 X
Туре	Side by Side Combi Fridge-Freezer	Side by Side Combi Fridge-Freezer
Height, cm	179	179
Control system	Display with touch control buttons	Display with touch control buttons
Cooling system	No Frost	No Frost
	CA	PACITIES
Total gross volume, L	621	621
Total net volume, L	544	544
Fridge net volume, L	353	353
SuperFresh net volume, L	15	15
Freezer net volume, L	176	176
	FRIDG	E FEATURES
Auto defrost	•	•
Fast cool function	•	•
SuperFresh	•	•
Dairy compartment	-	-
Number of height adjustable glass shelves	4	4
Number of door racks	4	4
Number of crispers	2	2
Chrome coated wine rack	<u>.</u>	<u>:</u>
/itaminCare	•	·
Minibar	•	
Water dispenser	-	- •
Water and ice dispenser	• LED	LED
Door open buzzer	•	•
FullFresh Crisper	<u> </u>	<u> </u>
diti resii orisper	EREF7I	ER FEATURES
Star rating	****	****
No Frost	•	•
ast freeze function	•	•
Number of drawers	2	2
Number of flaps	-	0
Number of pcm	-	0
Twist & serve ice cube tray	-	-
Ice cube tray	-	-
nner illumination	LED	LED
	Н	YGIENE
Anti-odour filter	•	•
onFresh	•	•
Antibacterial seal	•	•
Wi-Fi Connection Control	-	-
		EGULATION 1060 / 2010)
Energy efficiency class	A++	A++
Energy consumption, kWh / 24 h	1.014	1.013
Energy consumption, kWh / year	370	370
Noise level, dBA	43	43
Freezing capacity, kg / 24 h	13	13
Temperature rise time, h	9 CN T	9 CN T
Climate class	SN-T	SN-T
Supply voltage V/IIa		L INFORMATION
Supply voltage, V / Hz Fan ventilation	220-240 / 50	230 / 50
Cooling gas	• R600a	
Vater connection	- PUUON	Glass water tank
vater confidention	nin.	IENSIONS
Dimensions (H x W x D), cm	179 x 91 x 72	179 x 91 x 72
Simonsions (II X 11 X D), CIII		D DETAILS
Reversible door	-	
Handle type	external	external
ianate type		JR OPTIONS
White	-	
X: Fingerprint free stainless steel	•	
Glass Black		







GQN 1232 X

GQN 1112 X

	GQN 1232 X	GQN 1112 X
Туре	French Door with 2 drawers	French Door with 2 drawers
Height, cm	182.5	182.5
Control system	Display with touch control buttons	Display with touch control buttons
Cooling system	No Frost	No Frost
sooting system		CITIES
Fotal gross volume, L	605	605
Fotal net volume, L	530	539
Fridge net volume, L	378	387
SuperFresh net volume, L	31	31
reezer net volume, L	152	152
rieezer net votume, L		FEATURES
No. 4 - 4 - france	FRIDGE	EATORES
Auto defrost	- •	
Fast cool function		· ·
SuperFresh	•	•
Dairy compartment	•	•
Number of height adjustable glass shelves	2	2
Number of door racks	5	6
Number of crispers	2	2
Chrome coated wine rack	-	-
/itaminCare	•	•
Minibar	-	-
Water dispenser	-	-
Nater and ice dispenser	•	-
nner illumination	LED	LED
Door open buzzer	•	•
FullFresh Crisper	-	-
	FREEZER	FEATURES
Star rating	****	****
No Frost	•	•
ast freeze function	•	•
Number of drawers	2	2
	۷	۷
Number of flaps	<u>-</u>	-
Number of pcm	<u>-</u>	-
Twist & serve ice cube tray	•	
ce cube tray	·	•
nner illumination	-	-
		IENE
Anti-odour filter	•	•
onFresh	•	•
Antibacterial seal	•	•
Vi-Fi Connection Control	-	-
		GULATION 1060 / 2010)
Energy efficiency class	A++	A++
Energy consumption, kWh / 24 h	0.973	0.981
Energy consumption, kWh / year	355	358
Noise level, dBA	42	42
Freezing capacity, kg / 24 h	10	10
Temperature rise time, h	22	22
Climate class	SN-T	SN-T
		INFORMATION
Supply voltage, V / Hz	220-240 / 50	220-240 / 50
an ventilation	•	•
Cooling gas	R600a	R600a
Vater connection	•	-
rater confliction		- NSIONS
Dimensions (H v W v D) cm		182.5 x 84 x 74.5
Dimensions (H x W x D), cm	182.5 x 84 x 74.5	
2 11 1		DETAILS
Reversible door	-	-
Handle type	external	external
		OPTIONS
Vhite	-	-
X: Fingerprint free stainless steel	•	•
Glass Black	-	-







GKN 17920 X

GKN 16220 X

	OKI 17720 X	ONI 10220 X
Туре	Combi Fridge-Freezer	Combi Fridge-Freezer
Height, cm	192	202
Control system	Display with touch control buttons	Display with touch control buttons
Cooling system	No Frost	No Frost
	CAPA	ACITIES
Total gross volume, L	520	400
Total net volume, L	474	353
Fridge net volume, L	330	232
SuperFresh net volume, L	20	25
Freezer net volume, L	124	96
	FRIDGE	FEATURES
Auto defrost	-	•
ast cool function	-	•
SuperFresh	•	•
Dairy compartment	-	•
Number of height adjustable glass shelves	3	4
Number of door racks	4	4
Number of crispers	1	1
Chrome coated wine rack	•	•
/itaminCare Minibar		
Water dispenser Water and ice dispenser	-	
Inner illumination	- LED	- LED
Door open buzzer	•	•
FullFresh Crisper		
an resir erisper	FRFF7FF	RFEATURES
Star rating	****	****
No Frost	•	
Fast freeze function	•	•
Number of drawers	3	3
Number of flaps	0	0
Number of pcm	-	2
Twist & serve ice cube tray	-	-
ce cube tray	•	•
nner illumination	LED	-
	HY	GIENE
Anti-odour filter	•	•
onFresh	•	•
Antibacterial seal	•	•
Ni-Fi Connection Control	-	-
		GULATION 1060 / 2010)
Energy efficiency class	A++	A++
Energy consumption, kWh / 24 h	0.868	0.747
Energy consumption, kWh / year	317	273
Noise level, dBA	44 6	43 5
Freezing capacity, kg / 24 h	6 15	33
Temperature rise time, h Climate class	SN-T	SN-T
Juniare class		INFORMATION
Supply voltage, V / Hz	220 / 50	230 / 50
Fan ventilation	220 / 30	230 / 30
Cooling gas	R600a	R600a
Vater connection	-	-
	DIMF	NSIONS
Dimensions (H x W x D), cm	192 x 70.4 x 70.1	202 x 59.5 x 65
		DETAILS
Reversible door	•	• (By qualified installer)
Handle type	external	external
*1		ROPTIONS
White	-	-
X: Fingerprint free stainless steel	•	•
Glass Black		









GKN 16225 GB

GKN 16225 X

GKN 16820 X

	OKIN 10223 OB	OKI 10223 X	OKIN 10020 X
Туре	Combi Fridge-Freezer	Combi Fridge-Freezer	Combi Fridge-Freezer
Height, cm	202	202	185
Control system	Display with touch control buttons	Display with touch control buttons	Display with touch control buttons
Cooling system	No Frost	No Frost	No Frost
		CAPACITIES	
Total gross volume, L	400	400	365
Total net volume, L	353	353	315
Fridge net volume, L	232	232	192
SuperFresh net volume, L	25	25	25
Freezer net volume, L	96	96	98
		FRIDGE FEATURES	
Auto defrost	•	•	•
Fast cool function	•	•	•
SuperFresh	•	•	•
Dairy compartment	•	•	•
Number of height adjustable glass shelves	4	4	3
Number of door racks	4	4	3
Number of crispers	1	1	1
Chrome coated wine rack	•	•	•
/itaminCare	_	-	_
Minibar	-	_	_
Water dispenser	-	_	_
Water and ice dispenser	_	_	_
Inner illumination	LED	LED	LED
Door open buzzer	•	•	•
FullFresh Crisper	_	_	_
auti resir orisper		FREEZER FEATURES	
Star rating	***	****	***
No Frost	•	•	•
ast freeze function	•	•	•
Number of drawers	3	3	3
	0	0	0
Number of flaps	2	2	U
Number of pcm	Z	Z	-
Twist & serve ice cube tray	-	•	
ce cube tray	•	•	•
nner illumination	-	-	-
A C L CI		HYGIENE	
Anti-odour filter	•	•	
lonFresh	•	•	•
Antibacterial seal	•	•	•
Wi-Fi Connection Control	-	-	-
		ERFORMANCE (REGULATION 1060 / 201	
Energy efficiency class	A++	A++	A++
Energy consumption, kWh / 24 h	0.747	0.747	0.717
Energy consumption, kWh / year	273	273	262
Noise level, dBA	43	43	43
Freezing capacity, kg / 24 h	5	5	5
Temperature rise time, h	33	33	21
Climate class	SN-T	SN-T	SN-T
		TECHNICAL INFORMATION	
Supply voltage, V / Hz	230 / 50	230 / 50	230 / 50
Fan ventilation	•	•	•
Cooling gas	R600a	R600a	R600a
Nater connection	-	-	-
		DIMENSIONS	
Dimensions (H x W x D), cm	202 x 59.5 x 65	202 x 59.5 x 65	185 x 59.5 x 65
		BUILD DETAILS	
Reversible door	 (By qualified installer) 	 (By qualified installer) 	 (By qualified installer)
Handle type	integrated	integrated	external
		COLOUR OPTIONS	
White	-	-	-
X: Fingerprint free stainless steel	-	•	•









GKN 16820

GKN 16830 X

GKN 16830

Туре	Combi Fridge-Freezer	Combi Fridge-Freezer	Combi Fridge-Freezer
Height, cm	185	185	185
Control system	Display with touch control buttons	Display with touch control buttons	Display with touch control buttons
Cooling system	No Frost	No Frost	No Frost
		CAPACITIES	
Total gross volume, L	365	365	365
Fotal net volume, L	315	315	315
Fridge net volume, L	192	192	192
SuperFresh net volume, L	25	25	25
Freezer net volume, L	98	98	98
Tooler not votame, L	, 0	FRIDGE FEATURES	, 5
Auto defrost	•	•	•
ast cool function	•	•	
SuperFresh		•	
•		•	
Dairy compartment	•		•
Number of height adjustable glass shelves	3	3	3
Number of door racks	3	3	3
Number of crispers	1	1	1
Chrome coated wine rack	•	•	•
/itaminCare	-	-	-
Minibar	-	-	-
Vater dispenser	-	-	-
Nater and ice dispenser	-		-
nner illumination	LED	LED	LED
Door open buzzer	•	•	•
FullFresh Crisper	-	-	-
		FREEZER FEATURES	
Star rating	***	****	***
No Frost		•	
ast freeze function	•	•	•
Number of drawers	3	3	3
Number of flaps	0	0	0
Number of pcm	-	-	-
Twist & serve ice cube tray	-	-	-
ce cube tray	•	•	•
nner illumination	-	-	-
		HYGIENE	
Anti-odour filter	•	•	•
onFresh	•	•	•
Antibacterial seal	•	•	•
Wi-Fi Connection Control	-	-	-
	P	ERFORMANCE (REGULATION 1060 / 201	0)
Energy efficiency class	A++	A+++	A+++
Energy consumption, kWh / 24 h	0.717	0.476	0.476
Energy consumption, kWh / year	262	174	174
Noise level, dBA	43	43	43
Freezing capacity, kg / 24 h	5	6	6
Temperature rise time, h	21	43	43
Climate class	SN-T	SN-T	SN-T
ournate etass	314 1	TECHNICAL INFORMATION	311 1
Supply voltage, V / Hz	230 / 50	230 / 50	230 / 50
	230 / 50	230 / 50	230 / 50
an ventilation			
Cooling gas	R600a	R600a	R600a
Nater connection	-	-	-
		DIMENSIONS	
Dimensions (H x W x D), cm	185 x 59.5 x 65	185 x 59.5 x 65	185 x 59.5 x 65
		BUILD DETAILS	
Reversible door	 (By qualified installer) 	 (By qualified installer) 	 (By qualified installer)
Handle type	external	external	external
		COLOUR OPTIONS	
	•		•
White			
White K: Fingerprint free stainless steel	-		-













GKN	16835	Χ
-----	-------	---

Туре	Combi Fridge-Freezer	Combi Fridge-Freezer	Combi Fridge-Freezer
Height, cm	185	185	185
Control system	Display with touch control buttons	Display with touch control buttons	Display with touch control buttons
Cooling system	No Frost	No Frost	No Frost
		CAPACITIES	
otal gross volume, L	365	365	365
otal net volume, L	315	315	313
ridge net volume, L	192	192	192
SuperFresh net volume, L	25	25	25
Freezer net volume, L	98	98	96
· · · · · · · · · · · · · · · · · · ·		FRIDGE FEATURES	
Auto defrost	•	•	•
ast cool function	•		•
SuperFresh	•		
Dairy compartment		•	
Number of height adjustable glass shelves	3	3	3
	3	3	3
lumber of door racks			1
lumber of crispers	1	1	1
Chrome coated wine rack	•	•	•
itaminCare	-	-	-
Minibar	-	-	-
Vater dispenser	-	-	-
Vater and ice dispenser	-	-	-
nner illumination	LED	LED	LED
Ooor open buzzer	•	•	•
FullFresh Crisper	-	-	-
		FREEZER FEATURES	
itar rating	***	***	***
lo Frost	•	•	•
ast freeze function	•	•	•
Number of drawers	3	3	3
Number of flaps	0	0	0
Number of raps	-	_	2
Twist & serve ice cube tray			_
ce cube tray	•	•	-
nner illumination	•	<u> </u>	-
iller itturrination	-	HYGIENE	-
Anti-odour filter		• •	
onFresh	•	•	•
	•	•	•
Antibacterial seal	•	•	•
Vi-Fi Connection Control		-	-
		ERFORMANCE (REGULATION 1060 / 201	
nergy efficiency class	A++	A++	A+++
nergy consumption, kWh / 24 h	0.717	0.717	0.476
nergy consumption, kWh / year	262	262	174
loise level, dBA	43	43	43
reezing capacity, kg / 24 h	5	5	6
emperature rise time, h	21	21	43
Climate class	SN-T	SN-T	SN-T
		TECHNICAL INFORMATION	
Supply voltage, V / Hz	230 / 50	230 / 50	230 / 50
an ventilation	•	•	•
Cooling gas	R600a	R600a	R600a
Vater connection	-	-	-
rater confidencial		DIMENSIONS	
Dimensions (H v W v D) cm	185 x 59.5 x 65		185 x 59.5 x 65
Dimensions (H x W x D), cm	183 X 6.76 X 681	185 x 59.5 x 65	185 X 6.76 X 681
	(D. 177. 1	BUILD DETAILS	(5. 1.7
Reversible door	• (By qualified installer)	(By qualified installer)	• (By qualified installer)
Handle type	integrated	integrated	integrated
		COLOUR OPTIONS	
Vhite	-	-	-
K: Fingerprint free stainless steel Glass Black	-	•	•











GKN 16835

GKM 16225 X

GKM 16820 X

Туре	Combi Fridge-Freezer	Combi Fridge-Freezer	Combi Fridge-Freezer
Height, cm	185	202	185
Control system	Display with touch control buttons	Mechanic	Mechanic
Cooling system	No Frost	Static	Static
		CAPACITIES	
Total gross volume, L	365	400	365
Total net volume, L	313	356	335
Fridge net volume, L	192	232	200
SuperFresh net volume, L	25	25	25
Freezer net volume, L	96	99	113
Trocker net rotalite, E	, ,	FRIDGE FEATURES	
Auto defrost	•	•	•
Fast cool function		_	_
SuperFresh		•	
Dairy compartment	•	•	
· · · ·	3	4	3
Number of height adjustable glass shelves		,	
Number of door racks	3	4	3
Number of crispers	1	1	1
Chrome coated wine rack	•	•	•
VitaminCare	-	-	-
Minibar	-	-	-
Water dispenser	-	-	-
Water and ice dispenser	-	-	-
Inner illumination	LED	LED	LED
Door open buzzer	•	•	•
FullFresh Crisper	-	-	-
·		FREEZER FEATURES	
Star rating	***	***	***
No Frost	•	-	-
Fast freeze function	•	_	_
Number of drawers	3	3	3
Number of flaps	0	0	0
Number of pcm	2	2	2
· · · · · · · · · · · · · · · · · · ·	2	2	Z
Twist & serve ice cube tray Ice cube tray	•	•	
Inner illumination	·	•	•
inner ittumination	-	HYGIENE	-
A - ti - d filt	•	HIGIENE	
Anti-odour filter	•	-	
IonFresh	-	-	-
Antibacterial seal	•	•	•
Wi-Fi Connection Control	-	-	-
		RFORMANCE (REGULATION 1060 / 2010	
Energy efficiency class	A+++	A++	A++
Energy consumption, kWh / 24 h	0.476	0.753	0.717
Energy consumption, kWh / year	174	275	262
Noise level, dBA	43	40	40
Freezing capacity, kg / 24 h	6	5	5
Temperature rise time, h	43	20	23
Climate class	SN-T	SN-T	SN-T
		TECHNICAL INFORMATION	
Supply voltage, V / Hz	230 / 50	230 / 50	230 / 50
Fan ventilation	•	-	-
Cooling gas	R600a	R600a	R600a
Water connection	-	-	-
		DIMENSIONS	
Dimensions (H x W x D), cm	185 x 59.5 x 65	202 x 59.5 x 65	185 x 59.5 x 65
Difficusions (II X W X D), CIII	100 X 07.0 X 00	BUILD DETAILS	100 x 37.3 x 03
Poversible deer	• (Dy qualified installan)		•
Reversible door	• (By qualified installer)	• (By qualified installer)	
Handle type	integrated	integrated	external
		COLOUR OPTIONS	
White	•	-	-
X: Fingerprint free stainless steel	-	•	•
Glass Black	_	-	_









GKM 16830 X

GKM 16830

GKM 16825 X

	0111111000071		
Туре	Combi Fridge-Freezer	Combi Fridge-Freezer	Combi Fridge-Freezer
Height, cm	185	185	185
Control system	Mechanic	Mechanic	Mechanic
Cooling system	Static	Static	Static
		CAPACITIES	
Total gross volume, L	365	365	365
Fotal net volume, L	335	335	335
Fridge net volume, L	200	200	200
SuperFresh net volume, L	25	25	25
Freezer net volume, L	110	110	113
Tooler net votame, E	110	FRIDGE FEATURES	
Auto defrost	•	•	•
ast cool function			
SuperFresh	•	•	
•	•	•	•
Dairy compartment			
Number of height adjustable glass shelves	3	3	3
Number of door racks	3	3	3
Number of crispers	1	1	1
Chrome coated wine rack	•	•	•
/itaminCare	-	-	-
Minibar	-	-	-
Vater dispenser	-	-	-
Nater and ice dispenser	-	-	-
nner illumination	LED	LED	LED
Door open buzzer	•	•	•
FullFresh Crisper	-	-	-
'		FREEZER FEATURES	
Star rating	***	****	***
No Frost	_	_	_
ast freeze function	_		_
Number of drawers		3	3
	0	0	0
Number of flaps			
Number of pcm	2	2	2
Twist & serve ice cube tray	-	-	-
ce cube tray	•	•	•
nner illumination	-	-	-
		HYGIENE	
Anti-odour filter	-	-	-
onFresh	-	-	-
Antibacterial seal	•	•	•
Ni-Fi Connection Control	-	-	-
	F	PERFORMANCE (REGULATION 1060 / 2010)	
Energy efficiency class	A+++	A+++	A++
Energy consumption, kWh / 24 h	0.473	0.473	0.717
Energy consumption, kWh / year	173	173	262
Noise level, dBA	37	37	40
Freezing capacity, kg / 24 h	6	6	5
emperature rise time, h	30	43	23
Climate class	SN-T	SN-T	SN-T
otimate ctass	SIV I	TECHNICAL INFORMATION	314 1
Supply voltage, V / Hz	230 / 50	230 / 50	230 / 50
	230 / 30	230 / 50	230 / 30
an ventilation	- D/00		- D/00
Cooling gas	R600a	R600a	R600a
Vater connection	-	-	-
		DIMENSIONS	
Dimensions (H x W x D), cm	185 x 59.5 x 65	185 x 59.5 x 65	185 x 59.5 x 65
		BUILD DETAILS	
Reversible door	•	•	•
Handle type	external	external	integrated
		COLOUR OPTIONS	-
A. 11. 12.		•	-
Vhite	-		
Vhite (: Fingerprint free stainless steel	•	-	•





GKM 16835 X

GKM 16835

Tuna	Carabi Fridge Frances	Cambi Fridge France
Туре	Combi Fridge-Freezer	Combi Fridge-Freezer
Height, cm	185	185
Control system	Mechanic	Mechanic
Cooling system	Static	Static
		CITIES
Total gross volume, L	365	365
Total net volume, L	335	335
Fridge net volume, L	200	200
SuperFresh net volume, L	25	25
Freezer net volume, L	110	110
	FRIDGE F	EATURES
Auto defrost	•	•
Fast cool function	<u>-</u>	<u>-</u>
SuperFresh	•	•
Dairy compartment		•
	3	3
Number of height adjustable glass shelves		
Number of door racks	3	3
Number of crispers	1	1
Chrome coated wine rack	•	•
VitaminCare	-	-
Minibar	-	-
Water dispenser	-	
Water and ice dispenser	-	<u>-</u>
Inner illumination	LED	LED
Door open buzzer	•	•
FullFresh Crisper	_	_
	FRFF7FR	FEATURES
Star rating	****	****
No Frost	<u>_</u>	_
Fast freeze function		
	3	3
Number of drawers		
Number of flaps	0	0
Number of pcm	2	2
Twist & serve ice cube tray	-	-
Ice cube tray	•	•
Inner illumination	-	-
	HYG	IENE
Anti-odour filter	-	-
IonFresh	-	-
Antibacterial seal	•	•
Wi-Fi Connection Control	-	-
	PERFORMANCE (REG	ULATION 1060 / 2010)
Energy efficiency class	A+++	A+++
Energy consumption, kWh / 24 h	0.473	0.473
Energy consumption, kWh / year	173	173
Noise level, dBA	37	37
Freezing capacity, kg / 24 h	6	6
Temperature rise time, h	30	30
Climate class	SN-T	SN-T
Carried Causs		NFORMATION
Supply voltage, V / Hz	230 / 50	230 / 50
Fan ventilation	230 / 30	250 / 50
	- D/00-	- D/00-
Cooling gas	R600a	R600a
Water connection	- · · · · ·	-
		ISIONS
Dimensions (H x W x D), cm	185 x 59.5 x 65	185 x 59.5 x 65
		DETAILS
Reversible door	•	•
Handle type	integrated	integrated
	COLOUR	OPTIONS
White	-	•
X: Fingerprint free stainless steel		
	•	-













GDN 17920 X

GDN 17835 FX

GDN 17825 X

Туре	Double Door Fridge-Freezer	Double Door Fridge-Freezer	Double Door Fridge-Freezer
Height, cm	193	185	185
Control system	Display with touch control buttons	Display with touch control buttons	Mechanic
Cooling system	No Frost	No Frost	No Frost
		CAPACITIES	
Total gross volume, L	535	505	465
Total net volume, L	495	470	423
Fridge net volume, L	372	347	313
SuperFresh net volume, L	20	20	17
Freezer net volume, L	103	103	93
reezer net votame, E	100	FRIDGE FEATURES	73
Auto defrost	_	-	_
Fast cool function	-	-	-
	-	•	- •
SuperFresh	<u> </u>	•	•
Dairy compartment	-	-	-
Number of height adjustable glass shelves	4	4	4
Number of door racks	4	4	4
Number of crispers	1	1	1
Chrome coated wine rack	•	•	-
/itaminCare	-	-	-
Minibar	-	-	-
Water dispenser	-	_	-
Water and ice dispenser	-	-	-
nner illumination	LED	LED	LED
Door open buzzer	•	•	•
FullFresh Crisper	_	•	_
utti reali oriapei		FREEZER FEATURES	
Stan nating	***	FREEZER FEATURES	4
Star rating		•	4
No Frost	<u> </u>	•	•
Fast freeze function	-	•	-
Number of drawers	-	-	-
Number of flaps	-	-	-
Number of pcm	-	-	-
Twist & serve ice cube tray	•	•	•
ce cube tray	-	-	-
nner illumination	LED	Standard	-
		HYGIENE	
Anti-odour filter	•	•	•
onFresh	•	•	•
Antibacterial seal	•	•	•
Wi-Fi Connection Control	_	_	-
	Р	ERFORMANCE (REGULATION 1060 / 2010	1
Energy efficiency class	A++	A+++	A++
Energy consumption, kWh / 24 h	0.860	0.558	0.786
Energy consumption, kWh / year	314	203	287
Noise level, dBA	43	43	43
Freezing capacity, kg / 24 h	6	6	6
Temperature rise time, h	15	15	15
Climate class	SN-T	SN-T	SN-T
		TECHNICAL INFORMATION	
Supply voltage, V / Hz	220 / 50	220-240 / 50	220-240 / 50
an ventilation	•	•	•
Cooling gas	R600a	R600a	R600a
Nater connection	-	N0	NO
		DIMENSIONS	
Dimensions (H x W x D), cm	193 x 70 x 69	185 x 70 x 69	185 x 70 x 64
		BUILD DETAILS	
Reversible door	•	•	•
Handle type	external	integrated	integrated
тапасс туре	CYIGHIIGI	COLOUR OPTIONS	integrated
A/L:L-		CULUUR UPIIUNS	
White	-	-	
X: Fingerprint free stainless steel	•	•	•
Glass Black			







GSN 10720 X

GSN 10730 X

T	Landau Friday	Landan Friday
Туре	Larder Fridge	Larder Fridge
Height, cm	185	185
Control system	Display with touch control buttons	Display with touch control buttons
Cooling system	No Frost	No Frost
	CAPA	CITIES
Total gross volume, L	445	445
Total net volume, L	375	375
Fridge net volume, L	344	344
SuperFresh net volume, L	31	31
Freezer net volume, L		_
	FRIDGE F	EATURES
Auto defrost	•	•
Fast cool function	•	
SuperFresh	•	
Dairy compartment	•	•
Number of height adjustable glass shelves	6	6
Number of door racks	4	4
Number of crispers	l l	1
Chrome coated wine rack	•	•
VitaminCare	-	-
Minibar	-	
Water dispenser	•	-
Water and ice dispenser	-	-
Inner illumination	LED	LED
Door open buzzer	•	•
FullFresh Crisper	+	-
	FREEZER	FEATURES
Star rating	-	-
No Frost	-	-
Fast freeze function	-	-
Number of drawers		-
Number of flaps		_
Number of pcm		_
Twist & serve ice cube tray		_
Ice cube tray		_
Inner illumination		
miler itturmination	LIVO	IENE
Anti-odour filter	nio	IENE
		·
IonFresh	<u> </u>	•
Antibacterial seal	•	•
Wi-Fi Connection Control	-	-
		ULATION 1060 / 2010)
Energy efficiency class	A++	A+++
Energy consumption, kWh / 24 h	0.362	0.242
Energy consumption, kWh / year	132	88
Noise level, dBA	41	41
Freezing capacity, kg / 24 h	0	0
Temperature rise time, h	0	0
Climate class	SN-T	SN-T
	TECHNICAL I	NFORMATION
Supply voltage, V / Hz	230 / 50	230 / 50
Fan ventilation	•	•
Cooling gas	R600a	R600a
Water connection	-	-
	DIMEN	ISIONS
Dimensions (H x W x D), cm	185 x 59.5 x 65	185 x 59.5 x 65
S		DETAILS
Reversible door	• (By qualified installer)	(By qualified installer)
Handle type	external - easy opening	external - easy opening
AARI S		OPTIONS
White	-	-
X: Fingerprint free stainless steel	•	•
Glass Black	-	-







GSN 10620 X

GSN 10620

T	1 1 511	
Туре	Larder Fridge	Larder Fridge
Height, cm	171.4	171.4
Control system	Display with touch control buttons	Display with touch control buttons
Cooling system	No Frost	No Frost
	CAPA	CITIES
Total gross volume, L	415	415
Total net volume, L	343	343
Fridge net volume, L	312	312
SuperFresh net volume, L	31	31
Freezer net volume, L		
1100201 Hot Votalilo, E	FRIDGE F	EATURES
Auto defrost	•	•
Fast cool function	•	•
SuperFresh	•	•
	- i	•
Dairy compartment	•	
Number of height adjustable glass shelves	5	5
Number of door racks	4	4
Number of crispers	1	1
Chrome coated wine rack	•	•
VitaminCare	-	-
Minibar	-	-
Water dispenser	-	-
Water and ice dispenser		<u>-</u>
Inner illumination	LED	LED
Door open buzzer	•	•
FullFresh Crisper		_
. dan reen eneper	EREF7ER	FEATURES
Star rating	INCLEEN	EATORES
No Frost		
	· ·	-
Fast freeze function	•	-
Number of drawers	-	-
Number of flaps	-	-
Number of pcm	•	-
Twist & serve ice cube tray		-
Ice cube tray	-	-
Inner illumination	-	-
	HYG	IENE
Anti-odour filter	•	•
IonFresh	•	•
Antibacterial seal	•	•
Wi-Fi Connection Control	-	-
	PERFORMANCE (REG	ULATION 1060 / 2010)
Energy efficiency class	A++	A++
Energy consumption, kWh / 24 h	0.353	0.353
Energy consumption, kWh / year	129	129
Noise level, dBA	41	41
	0	0
Freezing capacity, kg / 24 h	0	0
Temperature rise time, h		
Climate class	SN-T	SN-T
		NFORMATION
Supply voltage, V / Hz	230 / 50	230 / 50
Fan ventilation	•	•
Cooling gas	R600a	R600a
Water connection	-	-
	DIMEN	ISIONS
Dimensions (H x W x D), cm	171.4 x 59.5 x 65	171.4 x 59.5 x 65
		DETAILS
Reversible door	• (By qualified installer)	• (By qualified installer)
Handle type	external - easy opening	external - easy opening
		OPTIONS
White	-	•
X: Fingerprint free stainless steel	•	·
• •	•	·
Glass Black	•	-









GFN 13820 X

GFN 13820

GFN 13830

	0	0	
Туре	Upright Freezer	Upright Freezer	Upright Freezer
Height, cm	185	185	185
Control system	Display with touch control buttons	Display with touch control buttons	Display with touch control buttons
Cooling system	No Frost	No Frost	No Frost
		CAPACITIES	
Total gross volume, L	312	312	312
Total net volume, L	275	275	275
Fridge net volume, L	-	-	-
SuperFresh net volume, L	-	-	-
Freezer net volume, L	275	275	275
1 roozer net rotaine, z	270	FRIDGE FEATURES	2,70
Auto defrost		_	_
Fast cool function	_	_	_
SuperFresh			
Dairy compartment			
· · · · ·	-		-
Number of height adjustable glass shelves	-	•	-
Number of door racks	-	-	-
Number of crispers	-	-	-
Chrome coated wine rack	-	-	-
/itaminCare	-	•	-
Minibar	-		-
Water dispenser	-	-	-
Water and ice dispenser	-	-	-
nner illumination	-	-	-
Door open buzzer	-	-	-
FullFresh Crisper	-		-
·		FREEZER FEATURES	
Star rating	***	***	***
No Frost	•	•	•
Fast freeze function	•	•	•
Number of drawers	6	6	6
Number of flaps	2	2	2
Number of Itaps	2	2	2
·		2	2
Twist & serve ice cube tray	•	•	•
Ice cube tray			
nner illumination	LED	LED	LED
A .:		HYGIENE	
Anti-odour filter	-	-	-
IonFresh	-	-	-
Antibacterial seal	•	•	•
Wi-Fi Connection Control	-	-	-
	P	ERFORMANCE (REGULATION 1060 / 201	0)
Energy efficiency class	A++	A++	A+++
Energy consumption, kWh / 24 h	0.699	0.699	0.463
Energy consumption, kWh / year	255	255	169
Noise level, dBA	42	42	41
Freezing capacity, kg / 24 h	20	20	20
Temperature rise time, h	30	30	30
Climate class	SN-T	SN-T	SN-T
		TECHNICAL INFORMATION	
Supply voltage, V / Hz	230 / 50	230 / 50	230 / 50
an ventilation	230 / 30	230 / 30	230 / 30
Cooling gas	R600a	R600a	R600a
Vater connection	KOUUd	Nouva	Nouua
water connection		- DIMENSIONS	-
o: (II) W D)	405 50 5 /5	DIMENSIONS	105 50 5 15
Dimensions (H x W x D), cm	185 x 59.5 x 65	185 x 59.5 x 65	185 x 59.5 x 65
		BUILD DETAILS	4-
Reversible door	 (By qualified installer) 	 (By qualified installer) 	 (By qualified installer)
Handle type	external - easy opening	external - easy opening	external - easy opening
		COLOUR OPTIONS	
White	-	•	•
K: Fingerprint free stainless steel			
t. I mgerprint nee stantess steet		<u>-</u>	





GFN 13720 X

GFN 13720

	GFN 13720 X	GFN 13720	
Туре	Upright Freezer	Upright Freezer	
Height, cm	171	171	
Control system	Display with touch control buttons	Display with touch control buttons	
Cooling system	No Frost	No Frost	
g -,		PACITIES	
Total gross volume, L	290	290	
Total net volume, L	250	250	
Fridge net volume, L	-	-	
SuperFresh net volume, L			
Freezer net volume, L	250	250	
reezer net votume, L		E FEATURES	
A	FRIDO	-	
Auto defrost	•	•	
Fast cool function	•	-	
SuperFresh	-	•	
Dairy compartment	<u>-</u>	-	
Number of height adjustable glass shelves		-	
Number of door racks	-	-	
Number of crispers	-	-	
Chrome coated wine rack	-	-	
/itaminCare	-	-	
Minibar	-	-	
Vater dispenser	-	-	
Nater and ice dispenser	-	-	
nner illumination	-	-	
Door open buzzer	-	-	
FullFresh Crisper	-	-	
· · · · · · · · · · · · · · · · · · ·	FREEZER FEATURES		
Star rating	****	****	
No Frost	•	•	
ast freeze function	•		
Number of drawers	5	5	
	2	2	
Number of flaps	2	2	
Number of pcm	Δ	Z	
Twist & serve ice cube tray	- •	-	
ce cube tray			
nner illumination	LED	LED	
	н	YGIENE	
Anti-odour filter	-	-	
onFresh	-	-	
Antibacterial seal	•	•	
Vi-Fi Connection Control	-	-	
		EGULATION 1060 / 2010)	
Energy efficiency class	A++	A++	
Energy consumption, kWh / 24 h	0.66	0.66	
Energy consumption, kWh / year	241	241	
Noise level, dBA	42	42	
Freezing capacity, kg / 24 h	20	20	
Temperature rise time, h	30	30	
Climate class	SN-T	SN-T	
		L INFORMATION	
Supply voltage, V / Hz	230 / 50	230 / 50	
an ventilation	•	•	
Cooling gas	R600a	R600a	
Vater connection	-	-	
Tatal Salinostion		ENSIONS	
Dimensions (H x W x D), cm	171 x 59.5 x 65	171 x 59.5 x 65	
DIFFICULTS (FLX VV X DJ, CITI			
Davanaihla daan		D DETAILS	
Reversible door	(By qualified installer)	• (By qualified installer)	
Handle type	external - easy opening	external - easy opening	
		JR OPTIONS	
Vhite	-	•	
X: Fingerprint free stainless steel	•	-	
Glass Black	-	-	









GTM 10120

GTM 14120

	0114 10120	0114120
Туре	Table Top Fridge-Freezer	Table Top Fridge-Freezer
Height, cm	84	84
Control system	Mechanic	Mechanic
Cooling system	Static	Static
, , , , , , , , , , , , , , , , , , ,		CAPACITIES
Total gross volume, L	135	120
Total net volume, L	130	114
Fridge net volume, L	130	101
SuperFresh net volume, L	-	-
Freezer net volume, L	-	13
		FRIDGE FEATURES
Auto defrost	•	•
Fast cool function	-	-
SuperFresh	-	-
Dairy compartment	-	-
Number of height adjustable glass shelves	3	2
Number of door racks	3	3
Number of crispers	1	1
Chrome coated wine rack	-	-
VitaminCare	-	-
Minibar	-	-
Water dispenser	-	and the second s
Water and ice dispenser	-	· ·
Inner illumination	Standard	Standard
Door open buzzer	-	-
FullFresh Crisper	-	-
	F	REEZER FEATURES
Star rating	-	****
No Frost	-	-
Fast freeze function	-	-
Number of drawers	-	-
Number of flaps	-	-
Number of pcm	-	-
Twist & serve ice cube tray	-	-
Ice cube tray	-	•
Inner illumination	-	-
		HYGIENE
Anti-odour filter	-	-
IonFresh	-	-
Antibacterial seal	•	•
Wi-Fi Connection Control	-	-
	PERFORMA	NCE (REGULATION 1060 / 2010)
Energy efficiency class	A++	A++
Energy consumption, kWh / 24 h	0.252	0.381
Energy consumption, kWh / year	92	139
Noise level, dBA	37	40
Freezing capacity, kg / 24 h	0	2
Temperature rise time, h	0	10
Climate class	SN-T	SN-T
		HNICAL INFORMATION
Supply voltage, V / Hz	230 / 50	230 / 50
Fan ventilation	-	-
Cooling gas	R600a	R600a
Water connection	-	-
		DIMENSIONS
Dimensions (H x W x D), cm	84 x 54.5 x 60	84 x 54.5 x 60
		BUILD DETAILS
Reversible door	•	•
Handle type	external	external
		COLOUR OPTIONS
White	•	•
X: Fingerprint free stainless steel	-	-
Glass Black		-







GTM 14130

GFT 12320

Туре	Table Top Fridge-Freezer	Table Top Freezer
Height, cm	84	84
Control system	Mechanic	Mechanic
Cooling system	Static	Static
Cooling System	Static	Static
Total gross volume, L	120	102
Total net volume, L	114	90
	101	70
Fridge net volume, L		
SuperFresh net volume, L	-	-
Freezer net volume, L	13	90 FEATURES
Auto defrost	- FRIDGE F	-
Fast cool function	·	-
	-	-
SuperFresh	·	-
Dairy compartment	-	•
Number of height adjustable glass shelves	2	-
Number of door racks	3	-
Number of crispers	1	-
Chrome coated wine rack	-	-
VitaminCare	-	-
Minibar	-	-
Water dispenser	-	-
Water and ice dispenser	-	<u>-</u>
Inner illumination	Standard	-
Door open buzzer	-	-
FullFresh Crisper	-	-
. ск. тоон отюро	FRFF7FR	FEATURES
Star rating	****	****
No Frost	_	_
Fast freeze function		•
Number of drawers		2
	•	
Number of flaps	•	1
Number of pcm	•	-
Twist & serve ice cube tray	-	-
Ice cube tray	•	•
Inner illumination	-	-
	HYG	IENE
Anti-odour filter	-	-
IonFresh	•	-
Antibacterial seal	•	•
Wi-Fi Connection Control		
		ULATION 1060 / 2010)
Energy efficiency class	A+++	A++
Energy consumption, kWh / 24 h	0.254	0.397
Energy consumption, kWh / year	93	145
Noise level, dBA	38	39
Freezing capacity, kg / 24 h	2	10.5
Temperature rise time, h	8	13
Climate class	N-T	SN-T
	TECHNICAL I	NFORMATION
Supply voltage, V / Hz	230 / 50	230 / 50
Fan ventilation	-	•
Cooling gas	R600a	R600a
Water connection	-	-
	DIMEN	NSIONS
Dimensions (H x W x D), cm	84 x 54.5 x 60	84 x 54.5 x 60
Difficusions (II X W X DJ, CIII		DETAILS
Reversible door	• BUILD	DETAILS •
		external
Handle type	external	
AARI **		OPTIONS
White	•	•
X: Fingerprint free stainless steel	-	-
Glass Black	-	-





GNF 51030 XH

GNF 41832 X

	0111 010007111	0111 4100E X
Туре	60 cm Free Standing Dishwasher	60 cm Free Standing Dishwasher
	MAIN FE	EATURES
Place settings	13	13
Control type	LC display with touch control buttons	LC display with touch control buttons
Delay timer	24 h	24 h
Remaining time	•	•
Drying system	Eco fan drying	Eco fan drying
	Auto GlassPerfect	GlassPerfect
Glass protection system	Auto otassperiect	OldSSFELIECT
Automatic water softener	-	-
Automatic door opening	-	-
		AMMES
Number of programmes	10	8
Eco 50°	•	•
Auto	•	•
Prewash	•	•
Mini 30'	•	•
GlassCare		
QuickWash 58'	<u>.</u>	
	•	·
ntensive 70°	•	•
Anti-Allergy 70°	•	
All-in-Wash	•	•
SilentWash	•	-
	SPECIAL F	FUNCTIONS
onFresh technology	•	•
Express	•	•
·	•	· ·
SteamShine		
Tablet	Auto	Auto
TurboWash	•	-
Traymaster	-	-
Half load	•	•
	INTERIO	R DESIGN
nner illumunation	_	-
Removable cutlery drawer		
SoftSlide baskets	<u> </u>	·
	•	-
Loaded adjustable upper basket	•	•
Foldable glass supports in the upper basket	•	•
Foldable glass supports in the lower basket	• (full foldable)	• (full foldable)
Bottle holder / long tool basket	- / -	- /
VarioSlide cutlery basket	•	
Alu-Shield coating	•	-
Active self-cleaning filter	•	_
Active Sett-Cleaning litter		-
W . B		ETY
WaterProtect+	•	•
Antibacterial seal	•	•
Key lock	•	•
Warning indicators: tap closed, door open,	• / - / • / •	• / - / - / -
water leakage, filter blocked	•/-/•/•	•/-/-/-
	PERFORMANCE (REC	GULATION 1059/2010)
Energy efficiency class	A+++	A+++
Orying performance	A	А
Water consumption (Eco 50°), L	10	10
Annual water consumption, (280 cycles) L / year	2800	2800
Energy consumption (Eco 50°), kWh	0.82	0.82
Annual energy consumption, (280 cycles) kWh / year	234	234
Noise level, dBA	44	43
Programme duration, min (Eco 50°)	232	232
Power consumption in off-mode, W	0.49	0.49
Power consumption in left-on mode, W	0.9	0.9
Duration of the left-on mode, min	30	30
Daration of the terr-oil fillode, fillif		
Makan		NFORMATION
EcoMotor	•	•
Supply voltage / Frequency, V / Hz	220-240 / 50	220-240 / 50
Maximum possible height from floor	110	110
o water connection, cm		
Maximum temperature for water intake, °C	60	60
	DIMEN	NSIONS
Product dimensions (H x W x D), cm	85 x 59.8 x 60	85 x 59.8 x 60
Depth with opened door, mm	115	115
Jnpacked weight / packed weight, kg	47 / 50	47 / 50
onpacked weight / packed weight, kg		
	COLOUR	OPTIONS
White	-	
K: Fingerprint free inox	•	•
Black	-	_





GNF 41830 X

GNF 41822 X

	0111 4100071	OHI TIOLEX
Туре	60 cm Free Standing Dishwasher	60 cm Free Standing Dishwasher
	MAIN FE	ATURES
Place settings	13	13
Control type	LC display with touch control buttons	LC display with touch control buttons
Delay timer	24 h	24 h
Remaining time	•	•
Orying system	Eco fan drying	Eco fan drying
Glass protection system	GlassPerfect	GlassPerfect
Automatic water softener	-	- Ottosi ericet
Automatic door opening		
Automatic door opening	- PPOCE	- AMMES
North and for an arrangement		
Number of programmes	8	8
Eco 50°	•	•
Auto	•	•
Prewash	•	•
Mini 30'	•	•
GlassCare	•	•
QuickWash 58'	•	•
ntensive 70°	•	•
Anti-Allergy 70°	-	
All-in-Wash	•	•
SilentWash		
DIGHTYYGOH	CDEOLAL E	- UNCTIONS
onFresh technology -	-	-
Express	•	•
SteamShine	•	•
「ablet	Auto	Auto
TurboWash	-	-
Traymaster	-	•
Half load	•	•
	INTERIO	R DESIGN
nner illumunation	-	-
Removable cutlery drawer	•	•
SoftSlide baskets		
	<u>. </u>	
Loaded adjustable upper basket	•	•
Foldable glass supports in the upper basket	•	•
Foldable glass supports in the lower basket	•	•
Bottle holder / long tool basket	-/-	-/•
VarioSlide cutlery basket	•	•
Alu-Shield coating	-	•
Active self-cleaning filter	-	-
	SAF	ETY
WaterProtect+	•	•
Antibacterial seal	•	•
Key lock	•	•
Warning indicators: tap closed, door open,		
water leakage, filter blocked	• / - / - / -	• / - / - / -
<u> </u>	PERFORMANCE (REG	GULATION 1059/2010)
Energy efficiency class	A+++	A++
Orying performance	A	A
Nater consumption (Eco 50°), L	10	5.5
Annual water consumption, (280 cycles) L / year	2800	1680
·	0.82	
Energy consumption (Eco 50°), kWh		0.92
Annual energy consumption, (280 cycles) kWh / year	234	262
Noise level, dBA	44	45
Programme duration, min (Eco 50°)	232	167
Power consumption in off-mode, W	0.49	0.49
Power consumption in left-on mode, W	0.9	0.9
Ouration of the left-on mode, min	30	30
	TECHNICALI	NFORMATION
EcoMotor	•	•
Supply voltage / Frequency, V / Hz	220-240 / 50	220-240 / 50
Maximum possible height from floor		
o water connection, cm	110	110
Maximum temperature for water intake, °C	60	60
		ISIONS
Product dimensions (H x W x D), cm	85 x 59.8 x 60	85 x 59.8 x 60
Depth with opened door, mm	115	115
	47 / 50	40 / 43
Inpacked weight / packed weight, kg		
and the second s		OPTIONS
Vhite	-	-
K: Fingerprint free inox	•	•
Black	-	-





GNF 41821 X

GNF 41820 X

	0111 410E1 X	0111 41020 X
Туре	60 cm Free Standing Dishwasher	60 cm Free Standing Dishwasher
·		ATURES
Place settings	13	13
Control type	LC display with touch control buttons	LC display with touch control buttons
Delay timer	24 h	24 h
Remaining time	•	-
Drying system	Active ventilation	Active ventilation
	GlassPerfect	GlassPerfect
Glass protection system	GlassPeriect	GlassPeriect
Automatic water softener	•	· ·
Automatic door opening	-	-
		AMMES
Number of programmes	8	8
Eco 50°	•	•
Auto	•	•
Prewash	•	•
Mini 30'	•	•
GlassCare	•	•
QuickWash 58'		
	<u> </u>	
ntensive 70°	•	•
Anti-Allergy 70°	-	-
All-in-Wash	•	•
SilentWash	-	-
	SPECIAL F	UNCTIONS
IonFresh technology	<u> </u>	
Express	•	•
SteamShine		
Tablet		
TurboWash -		
Traymaster	-	-
Half load	•	•
	INTERIOR	R DESIGN
Inner illumunation	-	-
Removable cutlery drawer	-	•
SoftSlide baskets	-	-
Loaded adjustable upper basket	•	•
Foldable glass supports in the upper basket		•
		•
Foldable glass supports in the lower basket	•	
Bottle holder / long tool basket	-/•	-/•
VarioSlide cutlery basket	•	•
Alu-Shield coating	-	-
Active self-cleaning filter	-	-
	SAF	ETY
WaterProtect+	•	•
Antibacterial seal	•	•
Key lock	•	•
Warning indicators: tap closed, door open,		
water leakage, filter blocked	• / - / - / -	• / - / - / -
water teakage, inter blocked	PERFORMANCE (REG	SULATION 1059/2010)
Energy efficiency class	A++	A++
Drying performance	A	A
Water consumption (Eco 50°), L	6	10
Annual water consumption, (280 cycles) L / year	1680	2800
Energy consumption (Eco 50°), kWh	0.92	0.92
Annual energy consumption, (280 cycles) kWh / year	262	262
Noise level, dBA	45	44
Programme duration, min (Eco 50°)	167	189
Power consumption in off-mode, W	0.49	0.49
	0.47	0.47
Power consumption in left-on mode, W		
Duration of the left-on mode, min	30	30
		NFORMATION
EcoMotor	•	•
Supply voltage / Frequency, V / Hz	220-240 / 50	220-240 / 50
Maximum possible height from floor	110	110
to water connection, cm	110	110
Maximum temperature for water intake, °C	60	60
		ISIONS
Product dimensions (H x W x D), cm	85 x 59.8 x 60	85 x 59.8 x 60
	115	115
Depth with opened door, mm		
Unpacked weight / packed weight, kg	43 / 46	46 / 49
	COLOUR	OPTIONS
White	-	-
X: Fingerprint free inox	•	•
Black	<u>-</u>	<u>-</u>





GNF 41820

GNF 41810 B

		••.•
Туре	60 cm Free Standing Dishwasher	60 cm Free Standing Dishwasher
	MAIN FE	ATURES
Place settings	13	13
Control type	LC display with touch control buttons	LC display with touch control buttons
Delay timer	24 h	24 h
Remaining time	•	•
Drying system	Active ventilation	Active ventilation
Glass protection system	GlassPerfect	GlassPerfect
Automatic water softener	-	•
Automatic door opening	-	-
	PROGR	AMMES
Number of programmes	8	8
Eco 50°	•	•
Auto	•	•
Prewash	•	•
Mini 30'		
	<u> </u>	<u> </u>
GlassCare	•	•
QuickWash 58'	•	•
ntensive 70°	•	•
Anti-Allergy 70°	-	
All-in-Wash	•	•
SilentWash		_
	CDECIAL E	UNCTIONS
an Frank tanknala my	SPECIAL F	UNUTIONS
onFresh technology	-	-
Express	•	•
SteamShine	-	-
Tablet	•	•
TurboWash	-	-
Traymaster	_	_
Half load	•	•
Tali load	-	
	INTERIO	RDESIGN
nner illumunation	-	-
Removable cutlery drawer	•	•
SoftSlide baskets	-	-
Loaded adjustable upper basket	•	•
Foldable glass supports in the upper basket	•	
Foldable glass supports in the lower basket		
	<u> </u>	
Bottle holder / long tool basket	-/•	-/•
VarioSlide cutlery basket	•	•
Alu-Shield coating	-	-
Active self-cleaning filter	-	-
	SAF	ETY
WaterProtect+	•	•
Antibacterial seal		
	• • • • • • • • • • • • • • • • • • •	•
Key lock	•	•
Warning indicators: tap closed, door open,	• / - / - / -	• / - / - / -
vater leakage, filter blocked		
	PERFORMANCE (REC	SULATION 1059/2010)
Energy efficiency class	A++	A++
Drying performance	А	А
Nater consumption (Eco 50°), L	10	6
Annual water consumption, (280 cycles) L / year	2800	1680
	0.92	1.03
Energy consumption (Eco 50°), kWh		
Annual energy consumption, (280 cycles) kWh / year	262	295
Noise level, dBA	44	43
Programme duration, min (Eco 50°)	189	167
Power consumption in off-mode, W	0.49	0.49
Power consumption in left-on mode, W	0.9	0.9
Duration of the left-on mode, min	30	30
Surgary of the tert on mode, IIIII		NFORMATION
	TECHNICAL I	• •
EcoMotor		
Supply voltage / Frequency, V / Hz	220-240 / 50	220-240 / 50
Maximum possible height from floor	110	110
o water connection, cm		
Maximum temperature for water intake, °C	60	60
	DIMEN	ISIONS
Product dimensions (H x W x D), cm	85 x 59.8 x 60	85 x 59.8 x 60
Depth with opened door, mm	115	115
	46 / 49	48 / 51
Jnpacked weight / packed weight, kg		
		OPTIONS
White	•	
K: Fingerprint free inox	-	-
Black	-	•





GNF 41810 X

GNF 41810

	0141 41010 X	0111 41010
Туре	60 cm Free Standing Dishwasher	60 cm Free Standing Dishwasher
		EATURES
Place settings	13	13
Control type	LC display with touch control buttons	LC display with touch control buttons
Delay timer	24 h	24 h
Remaining time	•	•
Drying system	Active ventilation	Active ventilation
,	GlassPerfect	GlassPerfect
Glass protection system	• Oldssfellect	GlassFellect
Automatic water softener	•	•
Automatic door opening	-	-
		AMMES
Number of programmes	8	8
Eco 50°	•	•
Auto	•	•
Prewash	•	•
Mini 30'	•	•
GlassCare	•	•
QuickWash 58'	•	
	<u>.</u>	
ntensive 70°	•	·
Anti-Allergy 70°	-	-
All-in-Wash	•	•
SilentWash	• • • • • • • • • • • • • • • • • • •	-
	SPECIAL F	FUNCTIONS
onFresh technology	-	-
Express	•	•
SteamShine		_
Tablet	•	
TurboWash		
Traymaster	-	-
Half load	•	•
	INTERIO	R DESIGN
nner illumunation	-	-
Removable cutlery drawer	•	•
SoftSlide baskets	-	-
Loaded adjustable upper basket	•	
Foldable glass supports in the upper basket	•	•
		•
Foldable glass supports in the lower basket	•	
Bottle holder / long tool basket	-/•	-/•
VarioSlide cutlery basket	•	•
Alu-Shield coating	-	-
Active self-cleaning filter	-	-
	SAF	ETY
WaterProtect+	•	•
Antibacterial seal	•	•
Key lock		
•	·	
Warning indicators: tap closed, door open,	• / - / - / -	• / - / - / -
water leakage, filter blocked	DEDECOMANICE (DE	GULATION 1059/2010)
The navy officient by alone		
Energy efficiency class	A++	A++
Drying performance	A	A
Nater consumption (Eco 50°), L	6	6
Annual water consumption, (280 cycles) L / year	1680	1680
Energy consumption (Eco 50°), kWh	1.03	1.03
Annual energy consumption, (280 cycles) kWh / year	295	295
Noise level, dBA	43	43
Programme duration, min (Eco 50°)	167	167
<u> </u>	0.49	
Power consumption in off-mode, W		0.49
Power consumption in left-on mode, W	0.9	0.9
Duration of the left-on mode, min	30	30
		NFORMATION
EcoMotor	•	•
Supply voltage / Frequency, V / Hz	220-240 / 50	220-240 / 50
Maximum possible height from floor	110	110
o water connection, cm		
Maximum temperature for water intake, °C	60	60
	DIME	ISIONS
Product dimensions (H x W x D), cm	85 x 59.8 x 60	85 x 59.8 x 60
Depth with opened door, mm	115	115
Jnpacked weight / packed weight, kg	48 / 51	48 / 51
	COLOUR	OPTIONS
White	•	•
X: Fingerprint free inox	•	-
Black	-	-





GNF 11520 X

GNF 11520

	0111 1102071	0111 11020
Туре	60 cm Free Standing Dishwasher	60 cm Free Standing Dishwasher
	MAIN FE	ATURES
Place settings	12	12
Control type	LED display with button control	LED display with button control
Delay timer	3-6-9 h	3-6-9 h
Remaining time		
Drying system	Active ventilation	Active ventilation
Glass protection system	GlassPerfect	GlassPerfect
	Glassreffect	Glassreffect
Automatic water softener	-	-
Automatic door opening	-	-
_		AMMES
Number of programmes	5	5
Eco 50°	•	•
Auto	•	•
Prewash	•	•
Mini 30'	-	-
GlassCare	-	-
QuickWash 58'		
	•	<u> </u>
ntensive 70°		•
Anti-Allergy 70°	-	-
All-in-Wash		-
ilentWash	-	-
	SPECIAL F	UNCTIONS
onFresh technology	<u>-</u>	
Express	-	
SteamShine	_	_
ablet		•
TurboWash		
Traymaster	-	-
Half load	•	•
	INTERIO	R DESIGN
nner illumunation	-	-
Removable cutlery drawer	-	
SoftSlide baskets	-	-
_oaded adjustable upper basket	•	•
Foldable glass supports in the upper basket	•	
	• • • • • • • • • • • • • • • • • • •	·
Foldable glass supports in the lower basket	•	•
Bottle holder / long tool basket	-/-	-/-
VarioSlide cutlery basket	•	•
Alu-Shield coating	-	-
Active self-cleaning filter	-	-
	SAF	ETY
WaterProtect+	•	•
Antibacterial seal	•	
Key lock		
·	- -	-
Warning indicators: tap closed, door open,	• / - / - / -	• / - / - / -
vater leakage, filter blocked	DEDECOMANCE (DEC	NUL ATION 4050/2040)
		GULATION 1059/2010)
nergy efficiency class	A++	A++
Orying performance	А	А
Vater consumption (Eco 50°), L	12	12
Annual water consumption, (280 cycles) L / year	3360	3360
Energy consumption (Eco 50°), kWh	0.9	0.9
Annual energy consumption, (280 cycles) kWh / year	258	258
Noise level, dBA	47	47
	178	178
Programme duration, min (Eco 50°)		
Power consumption in off-mode, W	0.22	0.22
Power consumption in left-on mode, W	0.7	0.7
Duration of the left-on mode, min	30	30
	TECHNICAL I	NFORMATION
coMotor	•	•
Supply voltage / Frequency, V / Hz	220-240 / 50	220-240 / 50
Maximum possible height from floor		110
o water connection, cm	110	110
Maximum temperature for water intake, °C	60	60
. ,		ISIONS
Product dimensions (H x W x D), cm	85 x 59.8 x 60	85 x 59.8 x 60
Depth with opened door, mm	115	115
Jnpacked weight / packed weight, kg	45 / 48	45 / 48
	COLOUR	OPTIONS
White	<u>-</u>	•
(: Fingerprint free inox	•	
Black	<u>_</u>	_





GSF 41930 X

GSF 41820 X

Туре	45 cm Free Standing Dishwasher	45 cm Free Standing Dishwasher
-7F-		EATURES
Place settings	10	10
Control type	LC display with touch control buttons	LC display with touch control buttons
Delay timer	24 h	24 h
Remaining time	•	•
Drying system	Hot air drying	Hot air drying
Glass protection system	•	-
Automatic water softener	•	•
Automatic door opening	-	-
	PROGR	AMMES
Number of programmes	9	8
Eco 50°	•	•
Auto	•	•
Prewash	•	•
Mini 30'	•	•
GlassCare	•	•
QuickWash 58'	•	•
Intensive 70°	•	•
Anti-Allergy 70°	•	-
All-in-Wash	•	•
SilentWash	-	-
	SPECIAL F	
IonFresh technology	•	-
Express	•	•
SteamShine	•	-
Tablet	•	•
TurboWash	-	-
Traymaster	-	
Half load	•	•
	INTERIOR	R DESIGN
Inner illumunation	•	•
Removable cutlery drawer	-	-
SoftSlide baskets	· · · · · · · · · · · · · · · · · · ·	<u> </u>
Loaded adjustable upper basket	•	•
Foldable glass supports in the upper basket	- (6.11 (-1.1-1.1-)	- (6.41.6-14-11-)
Foldable glass supports in the lower basket	• (full foldable) - / -	• (full foldable) - / -
Bottle holder / long tool basket	-/-	- / -
VarioSlide cutlery basket	·	•
Alu-Shield coating	•	-
Active self-cleaning filter	- SAF	- ETV
WaterProtect+	JAF	•
Antibacterial seal		
Key lock		•
Warning indicators: tap closed, door open,		
water leakage, filter blocked	• / - / - / -	• / - / - / -
	PERFORMANCE (REG	GULATION 1059/2010)
Energy efficiency class	A+++	A++
Drying performance	А	А
Water consumption (Eco 50°), L	9	9
Annual water consumption, (280 cycles) L / year	2520	2520
Energy consumption (Eco 50°), kWh	0.74	0.74
Annual energy consumption, (280 cycles) kWh / year	188	211
Noise level, dBA	47	47
Programme duration, min (Eco 50°)	194	194
Power consumption in off-mode, W	0.49	0.49
Power consumption in left-on mode, W	0.9	0.9
Duration of the left-on mode, min	30	30
		NFORMATION
	•	•
EcoMotor Supply voltage / Frequency, V / Hz		
Supply voltage / Frequency, V / Hz Maximum possible height from floor	•	•
Supply voltage / Frequency, V / Hz Maximum possible height from floor to water connection, cm	• 220-240 / 50 110	• 220-240 / 50 110
Supply voltage / Frequency, V / Hz Maximum possible height from floor to water connection, cm	• 220-240 / 50 110 60	• 220-240 / 50 110 60
Supply voltage / Frequency, V / Hz Maximum possible height from floor to water connection, cm Maximum temperature for water intake, °C	• 220-240 / 50 110 60 DIMEN	• 220-240 / 50 110 60 ISIONS
Supply voltage / Frequency, V / Hz Maximum possible height from floor to water connection, cm Maximum temperature for water intake, °C Product dimensions (H x W x D), cm	• 220-240 / 50 110 60 DIMEN 85 x 44.8 x 60	• 220-240 / 50 110 60 ISIONS 85 x 44.8 x 60
Supply voltage / Frequency, V / Hz Maximum possible height from floor to water connection, cm Maximum temperature for water intake, °C Product dimensions (H x W x D), cm Depth with opened door, mm	• 220-240 / 50	220-240 / 50 110 60 ISIONS 85 x 44.8 x 60 115
Supply voltage / Frequency, V / Hz Maximum possible height from floor to water connection, cm Maximum temperature for water intake, °C Product dimensions (H x W x D), cm Depth with opened door, mm	• 220-240 / 50 110 60 DIMEN 85 x 44.8 x 60 115 39.5 / 42	• 220-240 / 50 110 60 ISIONS 85 x 44.8 x 60 115 39.5 / 42
Supply voltage / Frequency, V / Hz Maximum possible height from floor to water connection, cm Maximum temperature for water intake, °C Product dimensions (H x W x D), cm Depth with opened door, mm Unpacked weight / packed weight, kg	• 220-240 / 50 110 60 DIMEN 85 x 44.8 x 60 115 39.5 / 42	220-240 / 50 110 60 ISIONS 85 x 44.8 x 60 115
Supply voltage / Frequency, V / Hz Maximum possible height from floor to water connection, cm Maximum temperature for water intake, °C Product dimensions (H x W x D), cm Depth with opened door, mm	• 220-240 / 50 110 60 DIMEN 85 x 44.8 x 60 115 39.5 / 42	• 220-240 / 50 110 60 ISIONS 85 x 44.8 x 60 115 39.5 / 42



GSF 41820

Type	45 cm Free Standing Dishwasher
Туре	
	MAIN FEATURES
Place settings	10
Control type	LC display with touch control buttons
Delay timer	24 h
Remaining time	•
Drying system	Hot air drying
Glass protection system	27,113
Automatic water softener	
	·
Automatic door opening	-
	PROGRAMMES
Number of programmes	8
Eco 50°	•
Auto	•
Prewash	•
Mini 30'	
GlassCare	
	•
QuickWash 58'	·
Intensive 70°	•
Anti-Allergy 70°	
All-in-Wash	•
SilentWash	· ·
	SPECIAL FUNCTIONS
IonFresh technology	-
	•
Express	·
SteamShine	
Tablet	•
TurboWash	
Traymaster	-
Half load	•
	INTERIOR DESIGN
Inner illumunation	INTERIOR BESTON
	•
Removable cutlery drawer	•
SoftSlide baskets	· · · · · · · · · · · · · · · · · · ·
Loaded adjustable upper basket	•
Foldable glass supports in the upper basket	·
Foldable glass supports in the lower basket	• (full foldable)
Bottle holder / long tool basket	-/-
VarioSlide cutlery basket	
· · · · · · · · · · · · · · · · · · ·	
Alu-Shield coating	•
Active self-cleaning filter	-
	SAFETY
WaterProtect+	•
Antibacterial seal	•
Key lock	•
Warning indicators: tap closed, door open,	
water leakage, filter blocked	• / - / -
	PERFORMANCE (REGULATION 1059/2010)
Energy efficiency class	A++
	A
Drying performance	
Water consumption (Eco 50°), L	9
Annual water consumption, (280 cycles) L / year	2520
Energy consumption (Eco 50°), kWh	0.74
Annual energy consumption, (280 cycles) kWh / year	211
Noise level, dBA	47
Programme duration, min (Eco 50°)	194
Power consumption in off-mode, W	0.49
Power consumption in left-on mode, W	0.9
Duration of the left-on mode, min	30
	TECHNICAL INFORMATION
EcoMotor	•
Supply voltage / Frequency, V / Hz	220-240 / 50
Maximum possible height from floor	
to water connection, cm	110
Maximum temperature for water intake, °C	60
I	DIMENSIONS
Product dimensions (U.v.W.v.D)	
Product dimensions (H x W x D), cm	85 x 44.8 x 60
Depth with opened door, mm	115
Unpacked weight / packed weight, kg	39.5 / 42
	COLOUR OPTIONS
	•
White	
	<u>.</u>
White X: Fingerprint free inox Black	<u>.</u>



Due to the continual improvements achieved through research and development, Grundig reserves the right to make any changes to the specifications and features of products without prior notice. As a result, you may find differences between the product as described in the catalogue and the product you receive.

Version 08/2015

Grundig Intermedia GmbH, 90471 Nuremberg