Digital AV receiver system with wOOx and Neodymium Ribbon Tweeters

LX700/25S

# Total immersion in movies and music

Thinking of transforming your DVD player, Recorder or even your VCR into a complete Home Entertainment System? Just match them with this sleek and stylish digital receiver system and be fully immersed in your movies and music.

#### **Benefits**

#### Superb audio performance

- Neodymium Ribbon Tweeters for crystal clear sound
- Dolby Digital for movies or concerts in full surround sound
- DTS Digital Surround for multi-channel surround sound
- Dolby Pro Logic II for surround sound from stereo sources

#### Features

#### Neodymium Ribbon Tweeters



Enjoy unparalleled, natural and crystal clear sound quality with Omnidirectional Neodymium Ribbon Tweeters. Dipoles that radiate high-frequency sounds in a full 360-degree pattern result in a very 'open', wide sound spectrum that delivers crisp clarity and high-pitched detail in the higher tones. • wOOx loudspeaker technology for deep and powerful bass

#### Quick and easy setup

· Easy set-up to initialise your total home entertainment

This further enhances the surround experience in a multi-channel system and is especially noticed when listening to Super Audio CD sound where the clarity in music is excellent.

#### **Dolby Digital Surround**

Because Dolby Digital and DTS, the world's leading digital multi-channel audio standards, make use of the way the human ear naturally processes sound, you experience superb quality surround sound audio with realistic spatial cues.



#### **DTS Digital Surround**



#### Quick Start Guide

To guide you through the initial set-up of your system, Philips delivers a Quick Start Guide that uses an easy approach with clearly defined graphics and colours to guide you through the basic steps of connection and obtaining picture and sound. These basic steps are clearly described on one page in the packaging box, making setup quick and simple.

DTS delivers superior surround sound with your DVD movies.

#### Dolby Pro Logic II Surround

Dolby Pro Logic II is an advanced matrix decoder that derives five channels of surround sound, including two full-range surround channels, from any stereo source.

#### wOOx



wOOx technology creates a superior bass sound by capturing and enhancing low frequency bass for a dramatically enhanced bass and sound experience.

#### **Specifications**

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

#### Sound

D/A converter	24-bit, 192 kHz
Equalizer settings	Action
	Classic
	Concert
	Digital
	Drama
	Jazz
	Rock
	Sci-Fi
Signal to noise ratio	> 60 dB (A-Weighte
Sound System	Dolby Digital (AC-3
	Dolby Prologic II
	DTS
	MPEG2
	Virtual Dolby Surro
Total Sound Power	300 W

# (RMS)

#### Loudspeakers

- Satellite Speaker Satellite speaker freq range Satellite speaker impedance Satellite speaker drivers Centre Speaker Centre freq range
- Centre speaker impedance Centre speaker drivers Subwoofer freq range Subwoofer impedance Subwoofer driver

ed) 3) ound

Magnetically shielded front 120-50000 Hz

3" ribbon tweeter 3" mid range woofer 2-way Magnetically shielded 120-50000 Hz 8 ohm

8 ohm

3" ribbon tweeter 2x 3" mid range woofer 30-120 Hz 8 ohm

6.5" high-efficiency woofer 6.5" wOOx passive radiator

#### Tuner/Reception/Transmission

Auto digital tuning Auto store Number of Pre-set Channels RDS Tuner Bands

Yes Yes 40 Station Name FM Stereo MW

### Connectivity

Other connections

AUX in Digital coaxial in Digital optical in DVD 6 Channel FM Antenna Line out MW Antenna TV in (audio, cinch)

FTD

Multi-functional

#### Convenience

Display Type Remote Control

#### Accessories

Included accessories

Included batteries

1 x centre speaker 1 x subwoofer 2 x front satellite speakers 2 x rear satellite speakers AC Power Cord Audio Cable Coax digital audio cable FM/MW Antenna Quick Use Guide Remote Control User Manual Warranty certificate 2 x Longlife AA

> data subject to change 2019, February 3

## Power

Power supply

Standby power consumption

200-240 V 50/60 Hz < 1 W



data subject to change 2019, February 3 Version: 2.0.3 EAN: 8710895749985 © 2019 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com