ThinkCentre M700 Tower Platform Specifications

Product Specifications Reference (PSREF)

Processor

Intel® Celeron®, Intel Pentium®, or 6th Generation Intel Core™ i3 / i5 / i7 Processor

Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Types	Integrated Graphics
Celeron G3900	2 / 2	2.8 G	2 MB	DDR4-2133	HD 510
Pentium G4400	2 / 2	3.3G	3 MB	DDR4-2133	HD 510
Pentium G4500	2 / 2	3.5G	3 MB	DDR4-2133	HD 530
Core i3-6100	2 / 4	3.7 G	3 MB	DDR4-2133	HD 530
Core i3-6300	2 / 4	3.8 G	4 MB	DDR4-2133	HD 530
Core i5-6400	4 / 4	2.7 G / 3.3 G	6 MB	DDR4-2133	HD 530
Core i5-6500	4 / 4	3.2 G / 3.6 G	6 MB	DDR4-2133	HD 530
Core i5-6600	4 / 4	3.3 G / 3.9 G	6 MB	DDR4-2133	HD 530
Core i7-6700	4 / 8	3.4 G / 4.0 G	8 MB	DDR4-2133	HD 530

Memory

32GB max, UDIMM, DDR4 2133, two 288-pin DIMM sockets, dual-channel capable

Disk

Some: Hard disk, SATA 6.0Gb/s, 2.5"/ 3.5" wide, 5400 / 7200 rpm
Some: Solid State Hybrid Drive (SSHD), 500GB (5400 rpm, 2.5") / 1TB or 2TB (7200 rpm, 3.5"), with 8GB NAND flash memory, SATA 6.0Gb/s
Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" Wide
Some: Front accessible and removable HDD, 3.5", lockable via physical key

Optical

Some: DVD-ROM SATA 1.5Gb/s Drive
Some: Super Multi-Burner DVD±RW SATA 1.5Gb/s Drive

Onboard SATA

Three onboard SATA 6.0Gb/s connectors,

Media reader

Optional 9-in-1 media reader

Graphics

Intel HD Graphics 510/530 in processor, uses main memory, DirectX® 12, one VGA, one DisplayPort™, supports two independent displays, works along with discrete graphics to support more displays;
Max resolution: 4096x2304 (DP)@60Hz; 1920x1200 (VGA)@60Hz
Some: **NVIDIA® Quadro® K420**, DirectX 12, 2GB, PCIe 2.0 x16 adapter, one DVI-I, one DisplayPort, 41 watts;
Max resolution: 3840x2160 (DisplayPort)@60Hz; 2560x1600 (DVI-I)@60Hz
Some: **NVIDIA Geforce® GT 720**, DirectX 12, 2GB, PCIe 2.0 x8 adapter, one VGA, one HDMI, 25 watts;
Max resolution: 1920x1080 (HDMI)@60Hz; 2048x1536 (VGA)@85Hz
Some: **NVIDIA Geforce GT 720**, DirectX 12, 1GB, PCIe 2.0 x8 adapter, two DisplayPort, 25 watts;
Max resolution: 3840x2160 (DisplayPort)@60Hz;

DP cable

Optional DP to VGA, DP to DVI-D (single link), or DP to HDMI 1.4 dongle

Chipset

Intel H110 Chipset

Front ports

Two USB 3.0, two optional USB 2.0, microphone (3.5mm), headphone (3.5mm)

Rear ports

Two USB 3.0, two USB 2.0, two optional USB 2.0, serial (9-pin), optional 2nd serial (9-pin), optional parallel (25-pin), ethernet (RJ-45), one VGA, one DisplayPort, two PS/2 ports (keyboard/mouse); additional VGA, DisplayPort, DVI-I or HDMI on optional graphics on some models

Rear audio ports

Line-in (3.5mm), line-out (3.5mm), microphone-in (3.5mm)

IEEE 1394

None

Audio support

High Definition (HD) Audio, Realtek ALC662 / optional internal speaker (1.5 watt)

WLAN[13]

Some: 11ac wireless, M.2 Card, Qualcomm Atheros QCA9377 (dual band), Wi-Fi + Bluetooth 4.1 combo adapter, 1x1
Some: 11ac wireless, M.2 Card, Qualcomm Atheros QCA6174 (dual band), Wi-Fi + Bluetooth 4.1 combo adapter, 2x2
Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1
Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8260, Wi-Fi + Bluetooth 4.1 combo adapter, 2x2

Bluetooth™

Some: Bluetooth 4.0 or 4.1 wireless, integrated in Wi-Fi + BT combo adapter

Ethernet

Gigabit ethernet, Realtek RTL8111GN, Wake on LAN®

Modem

None

Manageability

None

Security chip

Trusted Platform Module, TCG 1.2-compliant

Security features

- One lock to secure both cover and entire system to fixed object:
  -Padlock loop (in rear for opt padlock)
  -Security slot (in rear for optional Kensington® MicroSaver® cable)
- Optional cable lock to physically lock both keyboard and mouse
- Power-on password
- Administrator password
- Hard disk password
- Boot sequence control
- Boot without keyboard and mouse
- Individual USB port disablement
- Optional chassis intrusion switch

Keyboard

Some: PS/2 Keyboard (PS/2 connector), Lenovo logo
Some: Preferred Pro USB Keyboard (USB connector), Lenovo logo
Some: Lenovo USB Fingerprint Keyboard (USB connector)
Some: Ultraslim Plus Wireless Keyboard (2.4GHz via USB receiver), black

Mouse

Some: PS/2 Optical Wheel Mouse, black, Lenovo logo
Some: Enhanced Optical USB Mouse, black, Lenovo logo
Some: Ultraslim Plus Wireless Mouse (2.4GHz via USB receiver), black

Mechanical

- Tower (20L), black color, metal case
- *(WxDxH)* 6.3" X 15.5" X 15.7"; 160mm X 394.5mm X 398mm
- 19.8 lb (9.0 kg)
- Optional handle
- Optional dust filter

Bay 1: 5.25", 1.6" high, access, std optical / opt front access HDD
Bay 2: 3.5", 1" high, no access, std disk
Bay 3: 3.5", 1" high, no access, opt disk
Bay 4: N/A, N/A, external, opt reader
Slot 1: half-length, full-height, PCIe 3.0 x16
Slot 2: half-length, full-height, PCIe 2.0 x1
Slot 3: half-length, full-height, PCIe 2.0 x1



Power supply

Some: 180 watts, autosensing, 85% PSU
Some: 250 watts, autosensing, 85% PSU

Limited warranty[3]

Some: **1-year** or **3-year**, **depot service** / service upgrades available
Some: **1-year** or **3-year**, **limited onsite service** / service upgrades available
Some: **3-year**, **limited onsite service, OID** (Onsite International Delivery) / service upgrades available
For Lenovo service upgrade options, please go to S-TC sheet

Preload

Preloaded operating system

Some: Windows® 7 Professional 32/64 preinstalled through downgrade rights in Windows 10 Pro 64-bit
Some: Windows 7 Professional 32/64
Some: Windows 10 Pro 64-bit
Some: Windows 10 Home 64-bit

Preloaded applications (only some listed)

- Desktop Power Manager
- Lenovo Solution Center
- Lenovo REACHit
- Lenovo SHAREit
- Lenovo Bluetooth Lock (for models with Wi-Fi/BT card)
- McAfee® LiveSafe™ (30-day trial)
- Microsoft Office preloaded; purchase a product key to activate
- PowerDVD Create (DVD±RW)
- Lenovo ThinkVantage Tools

- Only for Window 10

- Lenovo Companion
- Cyberlink PowerDVD (DVD, DVD±RW)
- Lenovo QuickOptimizer

- Only for Window 7

- Rescue and Recovery
- Password Manager
- ThinkVantage System Update
- Lenovo Message Center Plus
- Adobe® Reader®

Environment

ENERGY STAR® 6.0*, EPEAT™ Gold rating* (*Need 85% PSU and Windows OS); ErP Lot 3; GREENGUARD ; RoHS-compliant

Accessories

For compatible accessories, please go to TC-AQP sheet

See footnotes for more detailed information

© Lenovo

Model	10GR0054++
Product	ThinkCentre M700 Tower
Region	EMEA
Machine Type	10GR
TopSeller	TopSeller
Processor	Core i5-6400 (4C, 2.7 / 3.3GHz, 6MB)
vPro	No
Graphics	Integrated Intel HD Graphics 530
Monitor Cable	None
Memory	8GBx1
Storage	256GB SSD Opal
Optical	DVD±RW
Media Reader	9-in-1
WLAN + Bluetooth	None
Optional Front Ports	None
Optional Rear Ports	Parallel
Chassis Intrusion Switch	Chassis Intrusion Switch
Cable Lock	None
Front Access HDD	None
Dust Filter	None
Keyboard / Mouse	USB / USB
Carry Handle	Carry Handle
Power Supply	250W 85%
Operating System	Windows 10 DG Windows 7 Pro 64
Warranty	3-year, Onsite
Global	No
Ann Date (mm/yy)	10/16