



3D FRONT VIEW



3D REAR VIEW

MATERIALE	Vedi Distinta Base	DISEGNATO	APPROVATO	DATA
FINITURA	-			10/06/19
TOLLERANZE GENERALI ISO 2768 - mK		ARMADIO PARETE P CIECA IP65 600X600X17U		
DIMENSIONI	<±	<10	<10	<100
LINEARI	±0.1	±0.2	±0.3	±0.4
		ASSIEME	ARMADI_IP	
DIMENSIONI IN mm			FOGLIO	1 di 3
I-CASE IP-1760GC		REVISIONE	/	SCALA 1:4



BOTTOM VIEW




FRONT VIEW

SIDE VIEW

REAR VIEW

TOP VIEW

MATERIALE	Vedi Distinta Base	DISEGNATO	APPROVATO	DATA	
FINITURA	-			10/06/19	
TOLLERANZE GENERALI ISO 2768 - mK		ARMADIO PARETE P CIECA IP65 600X600X17U			
DIMENSIONI	<-0				<-0,10
LINEARI	0,15	0,12	0,10	0,08	0,07
		ASSIEME	ARMADI_IP		
		DIMENSIONI IN mm		FOGLIO	2 di 3
		REVISIONE	/	SCALA	1:5



MATERIALE	Vedi Distinta Base	DISEGNATO	APPROVATO	DATA
FINITURA	-			10/06/19
TOLLERANZE GENERALI ISO 2768 - mK		ARMADIO PARETE P CIECA IP65 600X600X17U		
DIMENSIONI	<4	<10	<100	<1000
LINEARI	±0.1	±0.2	±0.3	±0.5
ASSIEME		ARMADI_IP		
DIMENSIONI IN mm		FOGLIO		3 di 3
		REVISIONE		SCALA
		/		1:5

