Fujitsu recommends Windows 10 Pro.



Data Sheet FUJITSU Notebook LIFEBOOK U747

Ultra-Mobile Meets Ultra Secure

The new LIFEBOOK U747, based on the 7th generation Intel® Core™ processor is a slim and light ultra-mobile notebook for business professionals supporting optimum mobility for business trips and ergonomics in the office. With its 35.6 cm (14-inch) and light weight of only 1.43 kg (3.15 lbs.) it provides excellent mobility. Ergonomic viewing is guaranteed with the anti-glare HD, FHD or optional FHD touch display options and the embedded palm vein or finger print sensor provide outstanding security. Smart design combines legacy interfaces like full-size VGA and easy upgradeability with a thin and durable housing. The common port replicator of the LIFEBOOK U family facilitates workplace sharing within today's modern workstyle.



Premium connectivity

Stay flexible and productive within a modern workplace environment

- Full set of interfaces with full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G/LTE, WLAN and Bluetooth

Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

 Embedded palm vein or finger print sensor, Trusted Platform Module 2.0, integrated SmartCard reader



Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

A remarkable slim 19.2 mm ultra-mobile notebook starting from 1.43 kg, HD or FHD display, antiqlare, FHD touch panel option, aluminum/magnesium housing and optional backlit keyboard



Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

 Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard layout, BIOS and bit image across the ultra-mobile LIFEBOOK U family

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

■ Battery, memory and internal storage can be changed easily





Page 1 / 7 www.fujitsu.com/fts/mobile

Components

| Base unit | LIFEBOOK U747 non vPro | LIFEBOOK U747 vPro | LIFEBOOK U747 6th Gen |
|--|---|--|---|
| Operating systems | | | |
| Operating system pre-installed | Windows 10 Pro. Windows 10 Home | Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home | Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home Windows 7 Professional (available through downgrade rights from Windows 10 Pro) |
| Operating system notes | MS OS support information: Systems with 7th generation Intel processor receive support from Microsoft with Windows 10 Home / Windows 10 Pro only. For more information, please see MS Support Lifecycle. | MS OS support information: Systems with 7th generation Intel processor receive support from Microsoft with Windows 10 Home / Windows 10 Pro only. For more information, please see MS Support Lifecycle. | |
| Processor | Intel® Core™ i7-7600U processor (2.9 lntel® Core™ i7-7500U processor (2.7 lntel® Core™ i5-7300U processor (2.6 lntel® Core™ i5-7200U processor (2.5 lntel® Core™ i3-7100U processor (2.4 lntel® Core™ i3-7100U processor (2.5 lntel® Core™ i3-7100U processor (2.6 lntel® Cor | GHz, up to 3.5 GHz, 4 MB) * GHz, up to 3.5 GHz, 3 MB) GHz, up to 3.1 GHz, 3 MB) * GHz, 3 MB) * | |
| Memory modules | 4 GB (1 module(s) 4 GB) DDR4, 2,133 8 GB (1 module(s) 8 GB) DDR4, 2,133 16 GB (1 module(s) 16 GB) DDR4, 2,1 | MHz, SO DIMM MHz, SO DIMM | |
| Hard disk drives (internal) | SSD SATA III, 512 GB, M.2 module, SED SSD SATA III, 256 GB, M.2 module, SED SSD SATA III, 256 GB, M.2 module SSD SATA III, 128 GB, M.2 module PCIe-SSD, 512 GB, M.2 module, SED PCIe-SSD, 256 GB, M.2 module, SED | | |
| Hard disk notes | One Gigabyte equals one billion bytes Accessible capacity may vary, also dep Up to 20 GB of HDD space is reserved Internal storage interface: S-ATA III or | for system recovery | ity. |
| Interface add on cards/components (optional) | | | |
| 3G/4G (optional) | | ownlink speed up to 300 Mbit/s, Uplink ownlink speed up to 100 Mbit/s, Uplink | • |
| WLAN (optional) | Intel® Dual Band Wireless-AC8265 11a | ac with integrated Bluetooth 4.2 | |
| Display | 35.6 cm (14-inch),LED backlight,(Full m² | ,Anti-glare display,magnesium,1,366 x HD),Anti-glare IPS touchscreen,magnes | ium,1,920 x 1,080 pixel,700:1,300 cd/ |
| Multimedia | | | <u>·</u> |
| Camera | Optional: Built-in webcam, HD (Micros | soft® Lync™) | |

Base unit

Page 2 / 7 www.fujitsu.com/fts/mobile

| Base unit | LIFEBOOK U747 non vPro | LIFEBOOK U747 vPro | LIFEBOOK U747 6th Gen |
|---|--|--|--|
| General system information | | | |
| Chipset | Integrated | Integrated | Integrated |
| Chipset notes | | Supports iAMT 11.6 Intel® vPro™ requires Core i5-73xx & i7-76xx CPU, Intel WLAN 8265ac, TPM module | Supports iAMT 11.0 Intel® vPro™ requires Core i5-63xx & i7-66xx CPU, Intel WLAN 8260ac, TPM module |
| Supported capacity RAM (max.) | 32 GB | 32 GB | 32 GB |
| Memory slots | 2 DIMM (DDR4) | 2 DIMM (DDR4) | 2 DIMM (DDR4) |
| Memory notes | DDR4 - 2133 MHz | DDR4 - 2133 MHz | DDR4 - 2133 MHz |
| LAN | 10/100/1,000 MBit/s Intel® I219V | 10/100/1,000 MBit/s Intel® I219LM | 10/100/1,000 MBit/s Intel® I219LM |
| BIOS features | InsydeH20 Bios | InsydeH20 Bios | InsydeH20 Bios |
| Audio type | On board | On board | On board |
| Audio codec | Realtek ALC255 | Realtek ALC255 | Realtek ALC255 |
| Audio features | Stereo speakers | Stereo speakers | Stereo speakers |
| MIL-STD tested | Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty. | Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty. | Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty. |
| Display | | | |
| Display notes | ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72% | ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72% | ISO 9241-307 - Pixel class II DEPTH |
| Graphics | | | |
| Base unit | LIFEBOOK U747 non vPro | LIFEBOOK U747 vPro | LIFEBOOK U747 6th Gen |
| TFT resolution (DisplayPort) | up to 4,096 × 2,160 | up to 4,096 × 2,160 | up to 4,096 × 2,160 |
| TFT resolution (VGA) | up to 1,920 x 1,200 | up to 1,920 x 1,200 | up to 1,920 x 1,200 |
| TFT resolution (DVI on Port Replicator) | up to 1,920 x 1,200 | up to 1,920 x 1,200 | up to 1,920 x 1,200 |
| Graphics brand name | Intel® HD Graphics 620 | Intel® HD Graphics 620 | Intel® HD Graphics 520 |
| Graphics features | 3 Display Support | 3 Display Support | 3 Display Support |
| Graphics notes | Shared memory depending on main memory size and operating system | Shared memory depending on main memory size and operating system | Shared memory depending on main memory size and operating system |
| Interfaces | | | |
| DC-in | 1 | | |
| Audio: line-out / headphone | 1 (combo port with Audio line-in) | | |
| Audio: line-in / microphone | 1 (combo port with Audio line-out) | | |
| Internal microphones | 2x digital array microphones (optional) | | |
| USB 3.1 Gen1 (USB 3.0) total | 2x Type-A (1 with Anytime USB charge 1x Type-C (with Power Delivery function | functionality) | |
| VGA | 1 | | |
| DisplayPort | 1 | | |
| Ethernet (RJ-45) | 1 (with status LED) | | |
| Memory card slots | 1 microSD up to 2GB, microSDHC up to Speed Class: up to UHS-I | 32GB, microSDXC up to 128GB | |
| SmartCard slot | 1 (optional) | | |
| SIM card slot | 1 (only for models with integrated 4G/l | ITE module) | |

Page 3 / 7 www.fujitsu.com/fts/mobile

| D + D | |
|---------------------------------------|---|
| Port Replicator interfaces (optional) | . (***) |
| DC-in | 1 (19V) |
| Power on switch | 1 |
| Audio: headphone | 1 |
| Audio: microphone | 1 |
| USB 3.1 Gen1 (USB 3.0) total | 4x Type-A 2x Type-C |
| DisplayPort | 2 |
| VGA | 1 |
| DVI | 1 |
| Ethernet (RJ-45) | 1 (10/100/1000) |
| Kensington Lock support | 1 (Portrep only, Portrep option with key lock to secure Portrep & System) |
| Keyboard and pointing devices | |
| | Keyboard w/o touchstick (spill-resistant)#Keyboard w/ touchstick#Backlight keyboard w/o touchstick (spill-resistant) |
| | Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm |
| | Multi gesture touchpad with two mouse buttons Status LED Power Button |
| Wireless technologies | |
| Antennas | 2 Dual band WLAN antennas, 2 LTE antennas optional |
| Bluetooth | v4.2 |
| WLAN encryption | WEP, WPA, WPA2 |
| WLAN notes | Import and usage according to country-specific regulations. |
| GPS | Embedded in 3G/4G module if configured with WWAN |
| Power supply | |
| AC Adapter | 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter |
| | 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology |
| | 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter |
| Notes | 65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator |
| 1st battery options | Lithium polymer battery 4-cell, 50 Wh |
| Battery features | Quick Charge: 80% in 1 h |
| Runtime 1st battery | up to 10 h |
| Battery notes | Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. |
| Noise emission | |
| Noise emission | Please refer to the Eco Declaration Please refer to the Eco Declaration Please refer to the Eco Declaration |
| Dimensions / Weight / Environmental | |
| Dimensions (W x D x H) | 332.6 x 234 x 19.0mm (non-touch), 19.6mm (touch) mm |
| | 13.09 x 9.21 x 0.75 (non-touch), 0.77 (touch) inch |
| Weight | From 1.43 kg |
| Weight (lbs) | From 3.15 lbs |
| Weight notes | Weight may vary depending on actual configuration |
| Operating ambient temperature | 5 - 35 °C (41 - 95 °F) |
| Operating relative humidity | 20 - 80 % |
| Compliance with standards | |
| Germany | GS planned (Full HD Display only) |
| Europe | CE |
| | CB |

Page 4 / 7 www.fujitsu.com/fts/mobile


| Compliance with standards | | | |
|------------------------------------|---|--|--|
| Global | RoHS (Restriction of hazardous substar WEEE (Waste electrical and electronic & Microsoft Operating Systems (HCT / HCI ENERGY STAR® 6.1 EPEAT® Gold (dedicated regions) (plan | equipment) L entry / WHQL) | |
| Compliance link | https://sp.ts.fujitsu.com/sites/certificate | es | |
| Additional Software | | | |
| Additional software (preinstalled) | McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool) | | |
| Additional software (optional) | LTE / UMTS Connection Manager (if cor Microsoft Office (buy license to activate CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows® | | |
| Manageability | | | |
| Manageability technology | DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) | DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology iAMT 11.6 (depending on processor) | DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) iAMT 11.0 (depending on processor) |
| Manageability software | DeskView Client DeskView Instant BIOS Management | | |
| DeskView components | Inventory Management BIOS Management Driver Management Security Management Alarm Management | | |
| Supported standards | WMI (Windows Management Instrume PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you) | ntation) | |
| Manageability link | http://www.fujitsu.com/fts/manageabil | lity | |
| Security | | | |
| System and BIOS Security | Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional) Credential Guard Ready and Device Guard Capable (Windows 10, v. 1511) | Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional) Credential Guard Ready and Device Guard Capable (Windows 10, v. 1511) | Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional) Credential Guard Ready and Device Guard Capable (Windows 10, v. 1511) |
| User Security | Integrated palm vein sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution) | Integrated palm vein sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution) | Integrated palm vein sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution) |

Page 5 / 7 www.fujitsu.com/fts/mobile

| 2 years (for countries within EMEIA) |
|--|
| Collect & Return Service / Bring-in Service (depending on country) |
| http://support.ts.fujitsu.com/warranty |
| ct extension |
| 9x5, Onsite Response Time: Next Business Day |
| 5 years after end of product life |
| htttp://ts.fujitsu.com/Supportservice |
| |

Recommended Accessories

| | | Order Code: S26391-F1607-L209 |
|-------------------|---|----------------------------------|
| | | Order Code: S26361-F1650-L202 |
| Sneaker Sleeve 14 | The Sneaker Sleeve 14 protects notebooks with up to 14-inch screens. The front half of the bag has dedicated compartments for your notebook, power cord, office supplies and personal items. The back half of the bag has an expanding, divided compartment for your files. | |





The Wireless Mouse WI200 uses the latest wireless 2.4 GHz technology, and a high-resolution 1000 dpi optical sensor to give you the precision and S26381-K462-L100 reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or left handed.

Order Code:

UC&C USB Value Headset



The FUJITSU UC&C USB Value Headset is a lightweight bi-aural full-size stereo headset with high wearing comfort. This Lync-tested USB-Headset has an appropriate Inline-Controller which supports easy call management. A noise cancelling microphone facilitates undisturbing clear phone calls.

Order Code: S26391-F7139-L20

Wireless Keyboard Set LX901



The Wireless Keyboard LX901 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption.

S26381-K565-L4** (**: Country specific variation)

Page 6 / 7 www.fujitsu.com/fts/mobile

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK U747, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U747, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

© 2017 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2017-06-01 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2017 Fujitsu Technology Solutions GmbH