

Fujitsu recommends Windows 10 Pro.

Data Sheet

FUJITSU Notebook LIFEBOOK E557

Reliable Business Performer

Enjoy reliability and powerful performance with FUJITSU Notebook LIFEBOOK E557 through latest technology enhancements. A comprehensive business feature-set with common port replicator and connectivity options support you to work with ease and efficiency wherever your meeting room or workplace is situated. Choose a 39.6 cm (15.6-inch) or 35.6 cm (14-inch) display and even reduce weight with an interchangeable modular bay element.

Reliable and powerful performance

Technology enhancement offer advanced functionality

- 7th generation Intel® Core™ processors and DDR4 RAM boost performance empowering you to work faster



Family concept continuity

Reduce complexity and drive down evaluation and deployment costs

- BIOS and mainboard for one bit image, components, modular bay elements, accessories and port replicator are shared across the LIFEBOOK E5 Series. Unique to Fujitsu, one port replicator befits 7 devices across the LIFEBOOK Ultrabook™, notebook, 2 in 1 and mobile workstation and is compatible with the predecessor



Secure and solid protection

Smart security and resistant design

- Integrated fingerprint sensor, SmartCard reader, TPM, among other security options protect your data, a solid housing and spill-resistant keyboard your notebook



Different high-capacity battery packs

Long lasting performance for extra working hours

- Choose from three different high-capacity battery packs to support efficient working in business environments



Components

Base unit	LIFEBOOK E557 non vPro	LIFEBOOK E557 vPro
Operating systems		
Operating system	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home
Processor		
	Intel® Core™ i7-7600U processor (2.9 GHz, up to 3.9 GHz, 4 MB) Intel® Core™ i7-7500U processor (2.7 GHz, up to 3.5 GHz, 4 MB) * Intel® Core™ i5-7300U processor (2.6 GHz, up to 3.5 GHz, 3 MB) Intel® Core™ i5-7200U processor (2.5 GHz, up to 3.1 GHz, 3 MB) * Intel® Core™ i3-7100U processor (2.4 GHz, 3 MB) *	
	*Processor only for retail, SMB, education and government	
Memory modules		
	4 GB (1 module(s) 4 GB) DDR4, 2,133 MHz, SO DIMM 8 GB (1 module(s) 8 GB) DDR4, 2,133 MHz, SO DIMM 16 GB (1 module(s) 16 GB) DDR4, 2,133 MHz, SO DIMM	
Hard disk drives (internal)		
	SSD SATA III, 512 GB, 2.5-inch, SED SSD SATA III, 256 GB, 2.5-inch, SED SSD SATA III, 256 GB, 2.5-inch SSD SATA III, 128 GB, 2.5-inch HDD SATA III, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. HDD SATA III, 5,400 rpm, 1 TB, 2.5-inch, S.M.A.R.T.	
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III (6Gbit/s) If configured with an HDD, the drive has an integrated shock sensor.	
Modular bay options		
	2nd hard disk drive Blu-ray Disc™ Triple Writer SuperMulti-format DVD burner (with double layer support) Weight saver	
Interface add on cards/components (optional)		
3G/4G (optional)	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)	
WLAN (optional)	Intel® Dual Band Wireless-AC8265 11ac with integrated Bluetooth 4.1	
Display	39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, compound, 1,366 x 768 pixel, 350:1, 220 cd/m ² 39.6 cm (15.6-inch), LED backlight, (Full HD), Anti-glare IPS display, compound, 1,920 x 1,080 pixel, 700:1, 250 cd/m ²	
Multimedia		
Camera	Optional: Built-in webcam, HD (Microsoft® Lync™)	

Base unit

Base unit	LIFEBOOK E557 non vPro	LIFEBOOK E557 vPro
General system information		
Chipset	Integrated	Integrated

General system information

Chipset notes	---	Supports iAMT 11.6 Intel® vPro™ requires Core i5-73xx & i7-76xx CPU, Intel WLAN 8265ac, TPM module
Supported capacity RAM (max.)	32 GB	32 GB
Memory slots	2 DIMM (DDR4)	2 DIMM (DDR4)
Memory notes	DDR4 - 2133 MHz	DDR4 - 2133 MHz
LAN	10/100/1,000 MBit/s Intel® I219V	10/100/1,000 MBit/s Intel® I219LM
BIOS features	InsydeH20 Bios	InsydeH20 Bios
Audio type	On board	On board
Audio codec	Realtek ALC255	Realtek ALC255
Audio features	Stereo speakers	Stereo speakers

Display

Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 40°, Top 10°, Bottom 30°; Color Gamut: 42% FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gamut: 45%	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 40°, Top 10°, Bottom 30°; Color Gamut: 42% FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gamut: 45%
----------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Graphics

Base unit	LIFEBOOK E557 non vPro	LIFEBOOK E557 vPro
TFT resolution (DisplayPort)	up to 4,096 × 2,160	up to 4,096 × 2,160
TFT resolution (VGA)	up to 1,920 x 1,200	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	up to 1,920 x 1,200
Graphics brand name	Intel® HD Graphics 620	Intel® HD Graphics 620
Graphics features	3 Display Support (2 external, 1 internal)	3 Display Support (2 external, 1 internal)
Graphics notes	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system

Interfaces

DC-in	1
Audio: line-out / headphone	1
Audio: line-in / microphone	1
Internal microphones	2x digital array microphones (optional)
USB 3.0 (= USB 3.1 Gen 1) total	3 (1 with Anytime USB Charge functionality)
VGA	1
DisplayPort	1
Serial (RS-232)	1 x optional
Ethernet (RJ-45)	1
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)
SmartCard slot	1 (optional)
SIM card slot	1 (only for models with integrated 4G/LTE module)

Port Replicator interfaces (optional)

DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 3.0 (= USB 3.1 Gen 1) total	4
DisplayPort	2 - 1 DP (next to DVI) is shared with DVI, works when DVI not connected
VGA	1
DVI	1 - shared with DP (next to DVI) - works when DP (next to DVI) not connected
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1 (Portrep & System)
eSATA	1
Notes	Port replicator supports 0-Watts functionality

Keyboard and pointing devices

Spill-resistant keyboard
 Number of keyboard keys: 104, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm
 Multi gesture touchpad with two mouse buttons
 Status LED
 Application buttons
 Power Button

Wireless technologies

Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional
Bluetooth	v4.1
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.

Power supply

AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
Notes	65W AC Adapter for usage with system/ 80 & 90W AC Adapter for usage with Port Replicator
1st battery options	Li-Ion battery 6-cell, 5,600/5,800 mAh, 63 Wh Li-Ion battery 6-cell, 6,400/6,700 mAh, 72 Wh Li-Ion battery 6-cell, 4,500 mAh, 49 Wh
Runtime 1st battery	up to 12 h
Battery charging time	~150 min (63Wh) ~ 180 min (72Wh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.

Noise emission

Noise emission	Please refer to the Eco Declaration	Please refer to the Eco Declaration
-----------------------	-------------------------------------	-------------------------------------

Dimensions / Weight / Environmental

Dimensions (W x D x H)	374 x 250 x 24.2 - 31.4 mm 14.72 x 9.84 x 0.95 - 1.23 inch
Weight	from 2.2 kg
Weight (lbs)	from 4.9 lbs
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	20 - 80 %

Compliance

Germany	GS planned (Full HD Display only) in progress
Europe	CE CB
USA/Canada	FCC (depending on configuration)
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.1 EPEAT® in progress (dedicated regions)
China	CCC (depending on configuration)
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates

Additional Software

Additional software (preinstalled)	McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)
Additional software (optional)	LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS) Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink PowerDVD BD (playback software for Blu-ray Disc™) CyberLink PowerDVD DVD (playback software for DVD) CyberLink YouCam (webcam software) Nero (backup and burning software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology iAMT 11.6 (depending on processor)
Manageability software	DeskView Client DeskView Instant BIOS Management	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management	
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)	
Manageability link	http://www.fujitsu.com/fts/manageability	

Security

Physical Security	Kensington Lock support	Kensington Lock support
System and BIOS Security	Absolute Persistence® technology capable BIOS Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional)	Absolute Persistence® technology capable BIOS Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional)
User Security	Access protection via internal SmartCard reader (optional) Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution) SystemLock 3 SmartCard Security (optional): BIOS based pre-boot/ two-factor authentication for high level of access protection	Access protection via internal SmartCard reader (optional) Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution) SystemLock 3 SmartCard Security (optional): BIOS based pre-boot/ two-factor authentication for high level of access protection

Warranty

Warranty period	1 year (for countries in EMEA)
Warranty type	Collect & Return Service / Bring-in Service (depending on country)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Product Support Services - the perfect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life

Warranty**Service Weblink**<http://ts.fujitsu.com/Supportservice>

Recommended Accessories

Port Replicator for LIFEBOOK U745, T7, E5, E7 Series and CELSIUS H730, H760



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Order Code:
S26391-F1337-L109

Sneaker Sleeve 15.6



The Sneaker Sleeve 15.6 protects notebooks with up to 15.6-inch screens. The front half of the bag has dedicated compartments for your notebook, power cord, office supplies and personal items. The back half of the bag has an expanding, divided compartment for your files.

Order Code:
S26391-F1194-L501

Prestige Case 15



The Prestige Case 15 protects notebooks with up to 15.6-inch screens. The front half of the bag has compartments for your notebook, power cord and office supplies. Through the nylon pockets you can see your modular bay accessories. The back half of the bag has a divided file compartment.

Order Code:
S26391-F1194-L60

Wireless Notebook Mouse WI610



The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.

Order Code:
S26381-K460-L100

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK E557, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK E557, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2017 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH

Website: www.fujitsu.com/fts

2017-02-14 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2017 Fujitsu Technology Solutions GmbH