ThinkPad P71 20HK0000++

Region

EMEA

Machine Type

20HK

TopSeller

TopSeller

Processor

Core i7-7700HQ (4C, 2.8 / 3.8GHz, 6MB)

vPro

No

Graphics

NVIDIA Quadro M620 2GB

Chipset

Intel CM238

Memory

8GBx1 non-ECC

Display

17.3" FHD (1920x1080) IPS

Multi-touch

None

Pen

None

Storage

256GB SSD M.2 PCIe NVMe Opal2

RAID

No

Optical

DVD±RW

WLAN + Bluetooth

Intel 8265 ac, 2x2 + BT4.1

WWAN

WWAN Upgradable

SIM Card

None

Smart Card Reader

Smart Card Reader

Monitor Cable

None

Camera

720p

Keyboard

Backlit

Color Calibrator

X-Rite

Fingerprint Reader

Fingerprint Reader

NFC

None

TPM dTPM 2.0

Battery

8-cell (96Wh)

Power Adapter

170W

Operating System

Windows 10 Pro 64

Warranty

3-year, Onsite

End of Support

May 4, 2023

Ann Date (mm/yy)

04/17

Note:

Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "**" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries



www.lenovo.com

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.



http://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2018. All rights reserved.



ThinkPad P71 Platform Specifications

Number Cores Threads Frequency F	Processor	7th Generation Intel® Core™ i7 Processor or Intel Xeon® Processor E3 v6 Family						Dimensions	WxDxH: 16.38" x 10.85" x 1.18-1.35"; 416mm x 275.5mm x 29.9-34.2mm
Case material Display cover: Glass-Fiber + PPS; Both Case material Display cover: Glass-Fiber + PPS; Both Case material Display cover: Glass-Fiber + PPS; Both Glass DR4-240 Intel HD Graphics Both Case material Display cover: Glass-Fiber + PPS; Both Glass DR4-240 Intel HD Graphics Both Glass DR4-240 Intel HD Graphics Both Glass DR4-240 Intel HD Graphics Glass Gl					Cache				Starting at 7.3 lb (3.3kg) Black
Sample S			Tilleaus		6MB	Types			Display cover: Glass-Fiber + PPS; Rottom: Magnesium/Aluminum
ExpressCard/34 Expr		E3-1505M v6	8		0145	DDR4-2400			
Intel HD Graphics 630 or P630 in processor and NVIDIA Quadro' M620 (2GB memory), M2200 (4GB memory), more possessor and more several digital monitor via HDMI, Mini DisplayPort, or Thunderbolt's supports four independent displays; Max resolution: 340x2160@60Hz (DisplayPort via Mini DisplayPort acable); 3840x2160@60Hz (Thunderbolt); 4096x2160@24Hz (HDMI) More possessor (Main DisplayPort 12.8, HDMI 14.8, Ethernet (RJ-45), Dock connector Optional: Lenovo Mini-DisplayPort to DisplayPort to DisplayPort to DisplayPort double); 3840x2160@60Hz (Thunderbolt); 4096x2160@24Hz (HDMI) More possessor (Main DisplayPort 12.8, HDMI 14.8, Ethernet (RJ-45), Dock connector optional: Lenovo Mini-DisplayPort to DisplayPort to DisplayPort double focus and provided focus and provided for the possessor optional provided for the provided for the possessor optional provided for the possessor optio					SMB		Intel HD Graphics	ExpressCard	One slot (ExpressCard/34)
Supports external digital monitor via HDMI, Mini DisplayPort, or Thunderbolt**, supports four independent displays; Max resolution: 3840x2160@60Hz (DisplayPort via Mini DisplayPort cable); 3840x2160@60Hz (Thunderbolt); 4096x2160@24Hz (HDMI) Chipset Mobile Intel CM238 Chipset 64GB max / 2400MHz DDR4, ECC or non-ECC (ECC function supported only on Xeon processor), dual-channel capable, four DDR4 SO-DIMM sockets 76:98 aspect ratio, 8001: contrast ratio, 72% gamut, 170° viewing angle None Display Some: 17.3° (439mm) FHD (1920x1080), anti-glare, LED backlight, IPS, 300 nits, 16:9 aspect ratio, 8001: contrast ratio, 72% gamut, 170° viewing angle None Multi-touch Pen None Storage Up to 4 drives (two M.2 SSD and two HDD, one of which is in the optical bay) • M.2 SSD / PCle NVMe, PCle 3.0 x 4, 3250bs • M.2 S	Graphics	NVIDIA Quadro® M620 (2GB memory), M2200 (4GB memory), P3000 (6GB memory), P4000 (8GB memory), or P5000 (16GB memory);					emory);	Ports Four USB 3.1 Gen 1 (USB 3.0, one Always On), two USB Type-C / Thunderbolt 3, Mini DisplayPort 1.2a, HDMI 1.4b, Ethernet (RJ-45), Dock connector	
Homory Acon processor), dual-channel capable, four DDR4 SO-DIMM sockets Display Some: 17.3" (439mm) FHD (1920x1080), anti-glare, LED backlight, IPS, 300 nits, 16:9 aspect ratio, 800:1 contrast ratio, 72% gamut, 170° viewing angle None Pen None Multi-touch Pen None Storage Up to 4 drives (two M.2 SSD and two HDD, one of which is in the optical bay) → M.2 SSD / PCIe NVMe, PCIe 3.0 x 4, 32Gb/s Optical (optional) DVD burner, 9.5mm high, fixed, tray-in Ethernet Non-VPro model: Intel Ethernet Connection I219-V (Jacksonville) vPro model: Inte		supports external digital monitor via HDMI, Mini DisplayPort, or Thunderbolt™; supports four independent displays; Max resolution: 3840x2160@60Hz (DisplayPort via Mini DisplayPort cable);						Audio support	HD Audio, Realtek® ALC3268 codec / stereo speakers, 2W x 2 / dual array microphone, combo audio/microphone jack
Some: 17.3" (439mm) FHD (1920x1080), anti-glare, LED backlight, IPS, 300 nits, 16:9 aspect ratio, 800:1 contrast ratio, 72% gamut, 170° viewing angle 16:9 aspect ratio, 800:1 contrast ratio, 72% gamut, 170° viewing angle 16:9 aspect ratio, 800:1 contrast ratio, 90% gamut, 170° viewing angle None Multi-touch Pen None Storage Up to 4 drives (two M.2 SSD and two HDD, one of which is in the optical bay) • HDD / SATA 6.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ • M.2 SSD / PCle NVMe, PCle 3.0 x 4, 32Gb/s Optical (optional) DVD burner, 9.5mm high, fixed, tray-in Ethernet Non-vPro model: Intel Ethernet Connection I219-LM (Jacksonville) vPro model: Intel Ethernet Connection I219-LM (Jacksonville) WLAN Intel Dual Band Wireless-AC 8265, Wi-Fi 2x2 802.11ac + BT4.1, M.2 card Bluetooth 4.1 wireless, integrated in Wi-Fi + Bluetooth combo adapter 'Intel 8265ac acrd support BT4.2 but is limited to BT4.1 by Windows OS WWAN (optional) One of the following, configurable by model: • Wireless WAN upgradable • Integrated Mobile Broadband 4G LTE-A, Qualcomm® Snapdragon™ X7 LTE-A (Sierra Wireless EM7455), M.2 card Micro-SIM card slot, opt Verizon LTE (US) or Lenovo® Connect (EMEA) SIM card Some: Will-SSD (mild) satisfaction on the keyboard bezel Touch style match on chip fingerprint reader on the keyboard bezel Color calibration None Prover-or preservice, 1200 and its, 170° viewing angle MPro (optional) Prover-or or calibration by X-Rite® color calibration sensor in palm r None Pattry (Lion 8-cell (96Wh) Max battery life (MobileMark® 2014) Max battery life (MobileMark® 2014) Max battery life (MobileMark® 2014) AC adapter 170W or 230W AC adapter Preload Some: Windows 10 Pro 64 • Lenovo Companion • Lenovo Setting • Microsoft Office preloaded; • Microsoft Office preloaded; • Microsoft Office preloaded; • Microsoft Office preloaded; • 11rel 8265ac acrd support Is Mybrid Graphics Max battery life (MobileMark® 2014) • Max battery life (MobileMark® 2014) • Lenovo Setting • Microsoft Office preloaded; • Microsoft Of		Mobile Intel CM238 Chipset 64GB max / 2400MHz DDR4, ECC or non-ECC (ECC function supported only on							6-row, spill-resistant, multimedia Fn keys, numeric keypad, optional LED backlight 3-button TrackPoint® pointing device and 3-button Mylar surface multi-touch touchpad
Some: 17.3" (439mm) 4K (3840x2160), anti-glare, ĽED backlight, IPS, 300 nits, 16:9 aspect ratio, 800:1 contrast ratio, 90% gamut, 170° viewing angle None Multi-touch Pen None Storage	Display	Some: 17.3" (439mm) FHD (1920x1080), anti-glare, LED backlight, IPS, 300 nits,					nt, IPS, 300 nits,		Power-on password, hard disk password, supervisor password, security keyhole Discrete TPM 2.0, TCG Certified
Multi-touch Pen None Storage Up to 4 drives (two M.2 SSD and two HDD, one of which is in the optical bay)		Some: 17.3" (439mm) 4K (3840x2160), anti-glare, LED backlight, IPS, 300 nits, 16:9 aspect ratio, 800:1 contrast ratio, 90% gamut, 170° viewing angle None						Fingerprint reader Touch style match on chip fingerprint reader on the keyboard bezel Color calibration Optional: Pantone® color calibrator by X-Rite® color calibration sensor in palm rest NFC None	rTouch style match on chip fingerprint reader on the keyboard bezel
Storage Up to 4 drives (two M.2 SSD and two HDD, one of which is in the optical bay) HDD / SATA 6.0Gb/s, 2.5" wide, 7mm high, Active Protection System Max battery life Mode Discrete Graphics Hybrid Graphics Max battery life MobileMark® 2014 AC adapter 170W or 230W AC adapter Preload Some: Windows® 10 Home 64 Some: Windows® 10 Pro 64 Lenovo Companion Lenovo Setting Microsoft Office preloaded; purchase a product key to activate Microsoft Office preloaded; purchase a product key to activate Limited warranty One of the following, configurable by model: 1 - Lenovo Setting Microsoft Office preloaded; purchase a product key to activate Limited warranty Limited warranty One of the following, configurable by model: 1 - Lenovo Setting Microsoft Office preloaded; purchase a product key to activate Limited warranty One of the following, configurable by model: 1 - Lenovo Setting Microsoft Office preloaded; purchase a product key to activate 1 - Lenovo Setting Microsoft Office preloaded; purchase a product key to activate 1 - Lenovo Setting Microsoft Office preloaded; purchase a product key to activate 1 - Lenovo Setting Microsoft Office preloaded; purchase a product key to activate 1 - Lenovo Setting Microsoft Office preloaded; purchase a product key to activate 1 - Lenovo Setting Microsoft Office preloaded; purchase a product key to activate 1 - Lenovo Setting Microsoft Office preloaded; purchase a product key to activate									
Optical (optional) DVD burner, 9.5mm high, fixed, tray-in Ethernet Non-vPro model: Intel Ethernet Connection I219-V (Jacksonville) WLAN Intel Dual Band Wireless-AC 8265, Wi-Fi 2x2 802.11ac + BT4.1, M.2 card Bluetooth 1.1 wireless, integrated in Wi-Fi + Bluetooth combo adapter * Intel 8265ac card support BT4.2 but is limited to BT4.1 by Windows OS WWAN (optional) One of the following, configurable by model: • Wireless WAN upgradable • Integrated Mobile Broadband 4G LTE-A, Qualcomm® Snapdragon™ X7 LTE-A (Sierra Wireless EM7455), M.2 card Micro-SIM card slot, opt Verizon LTE (US) or Lenovo® Connect (EMEA) SIM card AC adapter 170W or 230W AC adapter Preload Some: Windows® 10 Home 64 Some: Windows 10 Pro 64 • Lenovo Companion • Lenovo Companion • Lenovo Setting • Microsoft Office preloaded; purchase a product key to activate Limited warranty One of the following, configurable by model: • 1-year depot repair service • 3-year/1-yr battery depot repair service • 3-year/1-yr battery limited onsite service Mil-STD-810G military certification	•	 HDD / SATA 6.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ 						Max battery life Mode Discrete Graphics Hybrid Graphics	
WLAN Bluetooth™ Bluetooth™ Bluetooth™ Bluetooth™ Bluetooth Intel Ethernet Connection I219-LM (Jacksonville) WLAN Bluetooth™ Bluetooth 4.1 wireless, integrated in Wi-Fi + Bluetooth combo adapter * Intel 8265ac card support BT4.2 but is limited to BT4.1 by Windows OS WWAN (optional) WWAN (optional) Wireless WAN upgradable • Integrated Mobile Broadband 4G LTE-A, Qualcomm® Snapdragon™ X7 LTE-A (Sierra Wireless EM7455), M.2 card Micro-SIM card slot, opt Verizon LTE (US) or Lenovo® Connect (EMEA) SIM card Mil-Spec test Mil-STD-810G military certification	Optical (optional)	DVD burner, 9.5mm high, fixed, tray-in							<u> </u>
Bluetooth™ Bluetooth 4.1 wireless. AC 8265, WI-FI 2X2 802.11ac + B14.1, M.2 card Bluetooth™ Bluetooth 4.1 wireless, integrated in Wi-Fi + Bluetooth combo adapter * Intel 8265ac card support BT4.2 but is limited to BT4.1 by Windows OS WWAN (optional) One of the following, configurable by model: • Wireless WAN upgradable • Integrated Mobile Broadband 4G LTE-A, Qualcomm® Snapdragon™ X7 LTE-A (Sierra Wireless EM7455), M.2 card Micro-SIM card slot, opt Verizon LTE (US) or Lenovo® Connect (EMEA) SIM card Mil-Spec test • Lenovo Setting • Microsoft Office preloaded; purchase a product key to activate • Imited warranty • Lenovo Setting • Microsoft Office preloaded; purchase a product key to activate • 1-year depot repair service • 3-year/1-yr battery depot repair service • 3-year/1-yr battery limited onsite service Mil-Spec test Mil-STD-810G military certification	Ethernet							Some: Windows 10 Pro 64	
WWAN (optional) One of the following, configurable by model: Wireless WAN upgradable Integrated Mobile Broadband 4G LTE-A, Qualcomm® Snapdragon™ X7 LTE-A (Sierra Wireless EM7455), M.2 card Micro-SIM card slot, opt Verizon LTE (US) or Lenovo® Connect (EMEA) SIM card Mil-Spec test Mil-STD-810G military certification		Bluetooth 4.1 wireless, integrated in Wi-Fi + Bluetooth combo adapter					oter		Lenovo SettingMicrosoft Office preloaded;
Mil-Spec test MIL-STD-810G military certification	, ,	 Wireless WAN upgradable Integrated Mobile Broadband 4G LTE-A, Qualcomm® Snapdragon™ X7 LTE-A (Sierra Wireless EM7455), M.2 card 					M.2 card MEA) SIM card		One of the following, configurable by model: 1-year depot repair service 3-year/1-yr battery depot repair service 3-year/1-yr battery limited onsite service
Environment EPEAT™ Gold (US only); ENERGY STAR® 6.1; RoHS-compliant							, 51111 5414	l	
								Environment	EPEAT™ Gold (US only); ENERGY STAR® 6.1; RoHS-compliant

Lenovo September 2017

