HP Color LaserJet Enterprise MFP M681 series



The pinnacle of performance and security.

This HP Colour LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network with the industry's deepest security. ¹









The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High speed performance meets energy efficiency

- Scanning is now faster than ever; scan to SharePoint and more.
- This MFP wakes up fast and prints your first page faster in as quickly as 9 seconds (M681dh and M681f). 3
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology. $^4\,$
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 10.16 x 15.24 cm (4 x 6") to legal.

More. Pages, Performance, and Protection.⁵

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality.
- Original HP Toner cartridges with JetIntelligence supply 39% more pages per colour cartridge vs predecessor.⁵
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁶

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages every time
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and greyscaleoptimised.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

Product walkaround

HP Color LaserJet Enterprise Flow MFP M681z shown

- 1. Hardware Integration Pocket
- 2. Easy-access USB port
- 3. 1,000-sheet 3-bin stapler/stacker with offset job printing (Flow z model only)
- 4. Built-in automatic two-sided printing
- 5. HP High-Performance Secure Hard Disk
- 6. 550-sheet tray 2
- 7. 3x500-sheet paper feeder and stand
- 8. 150-sheet ADF with single-pass, two-sided scanning and HP EveryPage
- 9. 20.3 cm icon-based colour touchscreen
- 10. Pull-out keyboard
- 11. 100-sheet multipurpose tray 1
- 12. Lower-right door (access to print path)
- 13. Front door access to toner cartridges
- 14. Fax port
- 15. Slot for cable-type security lock
- 16. Built-in Gigabit Ethernet
- 17. Hi-Speed USB 2.0 printing port
- 18. USB port for connecting external USB devices





Series at a glance





Model	HP Color LaserJet Enterprise MFP M681dh	HP Color LaserJet Enterprise Flow MFP M681z
Product number	J8A10A	J8A13A
Print speeds (A4)	Up to 47 ppm	
Fax capabilities	Optional	Yes
100-sheet tray 1, 550-sheet tray 2	Yes	
550-sheet paper feeder	Optional (up to two)	Not available
550-sheet paper feeder with stand and cabinet	Optional	Not available
3x550-sheet paper feeder and stand	Optional	Yes
1x550-sheet/2,000-sheet HCl feeder and stand	Optional	Not available
3-bin stapler/stacker with offset job printing	Not available	Yes
Advanced workflow features including pull-out keyboard	Not available	Yes
Direct mobile printing	Optional wireless direct/NFC	
Wireless networking	Optional	

Accessories, Supplies and Support

Supplies	CF450A HP 655A Black Original Laser Jet Toner Cartridge (12,500 pages)				
	CF451A HP 655A Cyan Original LaserJet Toner Cartridge (10,500 pages) CF452A HP 655A Yellow Original LaserJet Toner Cartridge (10,500 pages) CF453A HP 655A Magenta Original LaserJet Toner Cartridge (10,500 pages)				
				CF470X HP 657X High Yield Black Original LaserJet Toner Cartridge (28,000 pages) CF471X HP 657X High Yield Cyan Original LaserJet Toner Cartridge (23,000 pages) CF472X HP 657X High Yield Yellow Original LaserJet Toner Cartridge (23,000 pages) CF473X HP 657X High Yield Magenta Original LaserJet Toner Cartridge (23,000 pages) P1B92A HP LaserJet 220V Maintenance Kit (Up to 150,000 pages for HP Color LaserJet Enterprise M65X and M68X series, HP Color LaserJet Managed E650XX and E675XX series; Up to 225,000 pages for HP Color LaserJet Managed E651XX and E676XX series) P1B93A HP LaserJet Image Transfer Belt Kit (Up to 150,000 pages)	
	Accessories	J8J95A HP 300 ADF Roller Replacement Kit			
	Service and Support	U9NP3E HP 3 year Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x U9NP4E HP 4 year Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x U9NP5E HP 5 year Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x U9NX1PE HP 1 year Post Warranty Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x U9NX2PE HP 2 year Post Warranty Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x			

Technical specifications

Model	HP Color LaserJet Enterprise MFP M681dh	HP Color LaserJet Enterprise Flow MFP M681z	
Product number	J8A10A	J8A13A	
Functions	Print, copy, scan	Print, copy, scan, fax	
Control panel	20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu)	20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Pull-out keyboard	
Print			
Print technology	Laser	Laser	
Print speed ¹	Black (A4, normal) Up to 47 ppm; Colour (A4, normal): Up to 47 ppm; Black (A4, duplex): Up to 47 ppm; Colour (A4, duplex): Up to 47 ppm; Colour (A4, duplex): Up to 47 ppm;		
First page out ²	Black (A4, ready): As fast as 6.5 sec; Colour (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 9 sec; Colour (A4, sleep): As fast as 9 sec;	Black (A4, ready): As fast as 6.5 sec; Colour (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 13.3 sec; Colour (A4, sleep): As fast as 13.3 sec;	
Print resolution	Black (best): Up to 1200 x 1200 dpi; Colour (best): Up to 1200 x 1200 dpi; Technology: HP ImageRet 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone® Calibrated;		
Monthly duty cycle	Up to 100,000 pages A4; Recommended monthly page volume: 2,000 to 14,000		
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB		
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation; Native PDF printing (v 1.7); URF (AirPrint)		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 347.1 mm		
Duplex printing	Automatic (standard)	Automatic (standard)	
Сору			
Copy speed ³	Black (A4): Up to 47 cpm; Colour (A4): Up to 47 cpm	Black (A4): Up to 47 cpm; Colour (A4): Up to 47 cpm	
Copier specifications	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes); Maximum number of copies : Up to 9,999 copies; Copy resolution : Up to 600 x 600 dpi;		
Scan			
Scan speed ⁴	Normal (A4): Up to 69 ppm (black and white), up to 69 ppm (colour); Duplex (A4): Up to 111 ipm (black and white), up to 111 ipm (colour)	Normal (A4): Up to 83 ppm (black and white), up to 83 ppm (colour); Duplex (A4): Up to 167 ipm (black and white), up to 167 ipm (colour)	
Scan file format ⁵	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.pm., pcl, .cht)	

Model	HP Color LaserJet Enterprise MFP M681dh	HP Color LaserJet Enterprise Flow MFP M681z
Product number	J8A10A	J8A13A
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Charge Coupled Device (CCD); Scan input modes: Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN; Twain version: Version 2.1; Duplex ADF scanning; Yes; Scan size maximum (flatbed): 216 x 356 mm; Optical scan resolution: Up to 600 dpi	Scanner type: Flatbed, ADF; Scan technology: Charge Coupled Device (CCD); Scan input modes: Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB: Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN; Twain version: Version 2.1; Duplex ADF scanning: Yes; Scan size maximum (flatbed): 216 x 356 mm; Optical scan resolution: Up to 600 dpi
Scanner advanced features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR); Auto crop to page; Auto-tone
Recommended monthly scan volume	14,250 to 23,750	26,750 to 44,500
Scannable area	Minimum media size (flatbed): No Minimum Size Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 147 mm Maximum media size (ADF): 215.9 x 863.6 mm	
Bit depth/ Grey scale levels	24-bit / 256	
Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book
Fax	<u> </u>	
Fax	Optional,	Yes, 33.6 kbps
Fax specifications		Fax memory: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 203 x 392 dpi or 300 x 300; Quick dialing: Up to 1,000 numbers (each with 210 destinations)
Fax smart software features		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Processor speed	1.2 GHz	
Connectivity		
Standard	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax
Optional	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Acces	sory J8030A
Wireless	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A	
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0	
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint TM , HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x	
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	
Hard disk	Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hard	lware encryption or greater)
Memory	Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 4 GB	Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 4.5 GB
Media handling		
Number of paper trays	Standard: 2 ; Maximum: 5	Standard: 5 ; Maximum: 5
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transparency, labels, letterhead, envelope, preprinted, prepunched, coloured, rough, opaque film, user-defined	
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 101.6 x 148 to 216 x 356 mm; Optional 1 x 500/2,000-sheet high-capacity tray: custom sizes not supported in this tray; Supported (metric): Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS single and double), envelopes (DL, C5, B5, C6); Tray 2: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard; Optional 550-sheet trays 3, 4, 5: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard; Optional 2,000-sheet high-capacity Tray 4: A4; ADF: Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 68 x 147 mm to 215.9 x 863.6 mm	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Trays 2, 3, 4, 5: 101.6 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (IJS single and double), envelopes (DI, C5, B5, C6). Trays 2, 3, 4, 5: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard; ADF: Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 68 x 147 mm to 215.9 x 863.6 mm

Model	HP Color LaserJet Enterprise MFP M681dh	HP Color LaserJet Enterprise Flow MFP M681z	
Product number	J8A10A	J8A13A	
Media handling	Standard input: 100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder Standard output: 500-sheet output tray, two-sided printing Optional input: Optional 1 x 550-sheet paper feeder, optional 1 x 550 paper feeder and stand with cabinet, optional 3 x 550-sheet paper feeder and stand, optional high-capacity paper feeder and stand with 1 x 550 sheet feeder and 1 x 2,000-sheet feeder ADF: Standard, 150 sheets	Standard input: 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder Standard output: 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing ADF: Standard, 150 sheets	
Media weight	Tray 1: 60-220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2: 60 to 163 g/m² (plain), 120 to 220 g/m² (glossy); ADF : 45 to 199 g/m²	Tray 1: 60-220 g/m² (plain), 120 to 220 g/m² (glossy); Trays 2, 3, 4, 5: 60 to 163 g/m² (plain), 120 to 220 g/m² (glossy); ADF : 45 to 199 g/m²	
Input capacity	Tray 1: Paper: 100 sheets of 75 g/m² media; Envelopes: 10 Tray 2: Plain media (75 g/m²) sheets: 550 (55 mm stack height); Glossy media sheets (120 g/m²): 250 (30 mm stack height) Maximum: Up to 3,200 sheets ADF: Standard, 150 sheets	Tray 1: Paper: 100 sheets of 75 g/m² media; Envelopes: 10 Tray 2: Plain media (75 g/m²) sheets: 550 (55 mm stack height); Glossy media sheets (120 g/m²): 250 (30 mm stack height) Tray 3: Plain media (75 g/m²) sheets: 550 (55 mm stack height); Glossy media sheets (120 g/m²): 250 (30 mm stack height) Maximum: Up to 2,300 sheets ADF: Standard, 150 sheets	
Output capacity	Standard: Up to 500 sheets Envelopes: Up to 85 envelopes Transparencies: Up to 200 sheets Maximum: Up to 500 sheets	Standard: Up to 1,000 sheets Envelopes: Up to 85 envelopes Transparencies: Up to 200 sheets Maximum: Up to 1,000 sheets	
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.11 El Capitan, OS X 10.10 Yosemite, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)		
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2008 R2 SP1, Citrix On Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32/64-bit, Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenApp 5.0 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenApp 5.0 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenApp 5.0 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenApp 5.0 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 5.0 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 5.0 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 5.0 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit, Novell Netware 6.5/5P8 Novell Clients http://www.novell.com/iprint, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers http://www.novell.com/iprint, Windows Server 2003/2003 R2 32-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 82/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 Server 2008/2008 R2 32/64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit Standard/Foundation/Essential/Datacenter (+ Cluster & Terminal Services)		
Minimum system requirements	Windows: 2 GB available hard drive space; OS hardware requirements see http://www.nicrosoft.com; Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see http://www.npple.com for more info		
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to http://www.123.HP.com or OS App Source for printer software), Online user manuals		
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted OPE & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Sysloq Messages processed and accessible in Arcsight and Splunk SIEMS		
Printer management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Softv Print Driver	ware; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal	
Dimensions and weight			
Printer dimensions (W x D x H)	Minimum 510 x 555 x 658 mm; Maximum: 963 x 770 x 910 mm;	Minimum 657 x 657 x 1270 mm; Maximum: 992 x 967 x 1529 mm;	
Package dimensions (W x D x H)	714 x 677 x 816 mm	856 x 760 x 1684 mm	
Printer weight ⁷	42.3 kg	76.3 kg	
Package weight	49.5 kg	95.7 kg	
Operating environment	Temperature: 15 to 30°C; Humidity: 30 to 70% RH	33 Ng	
Storage conditions			
Acoustics	Temperature: -20 to 40°C; Humidity: 10 to 90% RH		
Acoustics	Acoustic power emissions: 6.6 B(A); Acoustic pressure emissions: 52 dB(A)		
Power ⁸	Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220 V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.; Consumption: 900 watts (printing/copying), 47 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Manual On), 0.1 (Manual Off); Typical Electricity Consumption (TEC): Blue Angel: 2.68 kWh/Week; Energy Star 3.0: 0.672 kWh/Week; Power supply type: Built in 220 V Power Supply;		
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy		
Certifications ⁹	CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010; EMC Directive 2014/30/EU; Other EMC approvals as required by individual countries ENERGY STAR®; EPEAT® Silver; CECP	CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010; EMC Directive 2014/30/EU; Other EMC approvals as required by individual countries ENERGY STAR® qualified; CECP; EPEAT® Silver; EPEAT® Gold (Options AAZ; 201) Telecom compliance: ES 203 021-1 v2.1. 1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; Other Telecom approvals as required by individual countries	
Blue Angel compliant ¹⁰	Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies		
Country of origin	Made in Netherlands		
What's in the box ¹¹	HP Colour Laser Jet Enterprise MFP M681dh Printer; HP Black Original Laser Jet Toner Cartridge (12,500 pages), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (10,500 pages each - toner cartridges installed); CD with software drivers and documentation; Documentation (hardware install guide); Power cord	HP Colour Laser Jet Enterprise Flow MFP M681z Printer; HP Black Original Laser Jet Toner Cartridge (12,500 pages), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (10,500 pages each - toner cartridges installed); CD with software drivers and documentation; Documentation (hardware install guide); Power cord	
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary blearn about HP award winning service and support options in your region.	by product, country and local legal requirements. Go to http://hp.com/support to	

Footnotes

- 1 Based on HP review of 2016 published security features of competitive in-class printers, Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims
- ² HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
 Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalised to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual
- 5 More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner information, see hp.com/go/learnaboutsupplies.
- ⁶ HP 657X High Yield Original LaserJet Toner Cartridges not included; please purchase separately.
- ⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 8 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- 10 An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.
- ⁴ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
 ⁵ Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support.
- 6 High-Performance Secure Hard Disk (AES 256 hardware encryption or greater); Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk).
- With print cartridges.
- 8 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- 9 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- ¹⁰ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
- 11 Cartridges included; Yields 10,500 colour (C/Y/M) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage.



















http://www.hp.com/uk

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

