Print only

HP LaserJet Enterprise M608 series



This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.¹

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.



HP LaserJet Enterprise M608n



HP LaserJet Enterprise M608dn



HP LaserJet Enterprise M608x

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.⁴
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁵
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.⁶

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.⁶
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁷

Product walkaround

- 1. Hardware Integration Pocket³
- 2. 10.9 cm (4.3-inch) colour touchscreen control panel
- 3. Easy-access USB port¹
- 4. 100-sheet multipurpose tray 1
- 5. Front door access to toner cartridges
- 6.550-sheet input tray 2
- 7.550-sheet input tray 3
- 8. 500-sheet output bin
- 9. Automatic two-sided printing
- 10. Wi-Fi Direct^{®5}/Bluetooth[®] Low Energy⁸
- 11. Host USB port
- 12. Gigabit Ethernet network port
- 13. Hi-Speed USB 2.0 printing port
- 14. Slot for cable-type security lock



HP LaserJet Enterprise M608x



Series at a glance



Model	HP LaserJet Enterprise M608n	HP LaserJet Enterprise M608dn	HP LaserJet Enterprise M608x
Product number	K0Q17A	KOQ18A	K0Q19A
Print speeds (A4) ²	Up to 61 ppm	Up to 61 ppm	Up to 61 ppm
Control panel	6.9 cm (2.7-inch) LCD with keypad	6.9 cm (2.7-inch) LCD with keypad	10.9 cm (4.3-inch) colour touchscreen
Automatic two-sided printing	Not available	Yes	Yes
Hardware Integration Pocket ³	Not available	Yes	Yes
100-sheet tray 1, 550-sheet tray 2	Yes	Yes	Yes
550-sheet paper feeder⁴	Optional (up to four)	Optional (up to four)	Yes (plus up to three optional)
2,100-sheet paper feeder₄	Optional	Optional	Optional
Envelope feeder	Optional (up to two)	Optional (up to two)	Optional (up to two)
Printer stand	Optional	Optional	Optional
5-bin stapler/stacker/mailbox with job offset	Optional	Optional	Optional
Direct mobile printing	Optional wireless direct ^s /NFC ⁶	Optional wireless direct ⁵ /NFC ⁶	Embedded Wi-Fi Direct ^s /Bluetooth Low Energy [®]
Wireless networking	Optional ⁷	Optional ⁷	Optional ⁷
HP High-Performance Secure Hard Disk	Optional	Optional	Optional

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network **Configuration Service**

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network **Configuration Service**

Basic Care (minimum recommended

support):

Next Business Day Onsite Support

4 hr Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices













Top Features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.¹

With speeds up to 65 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.⁶

Product K0017A HP Laser let Enterprise M608n K0018A HP LaserJet Enterprise M608dn HP LaserJet Enterprise M608x K0Q19A

ccessories	
------------	--

Accessories	
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
F5S62A	HP Trusted Platform Module Accessory
G6W84A	HP 1 GB 90-pin DDR3 DIMM
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
LOH17A	HP LaserJet 550-sheet Paper Tray
LOH18A	HP LaserJet 2100 Sheet Paper Tray
LOH19A	HP LaserJet Printer Stand
LOH2OA	HP LaserJet Stapler/Stacker/Mailbox
LOH21A	HP LaserJet Envelope Feeder

Supplies

CF237A	HP 37A Black Original LaserJet Toner Cartridge (11,000 pages)
CF237X	HP 37X High Yield Black Original LaserJet Toner Cartridge (25,000 pages)
CF237Y	HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge (41,000 pages)
LOH24A	HP LaserJet 110V Maintenance Kit (Up to 225,000 pages)
LOH25A	HP LaserJet 220V Maintenance Kit (Up to 225,000 pages)

HP Care Packs

U9NE0E	HP 3 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M608
U9NE1E	HP 4 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M608
U9NE2E	HP 5 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M608
U9NE3E	HP 3 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M608
U9NE4E	HP 4 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M608
U9NE5E	HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M608
U9NG4PE	HP 1 year Post Warranty Next Business Day Hardware Support w/DMR for LaserJet Enterprise M608
U9NG5PE	HP 2 year Post Warranty Next Business Day Hardware Support w/DMR for LaserJet Enterprise M608
U9NG6PE	HP 1 year Post Warranty 4 hour 9x5 Hardware Support w/DMR for LaserJet Enterprise M608
U9NG7PE	HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR for LaserJet Enterprise M608

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Enterprise M608 series

odel	HP LaserJet Enterprise M608n	HP LaserJet Enterprise M608dn	HP LaserJet Enterprise M608x		
oduct number	KOQ17A	K0Q18A	K0Q19A		
nctions	Print				
	Manual (driver support provided)	Automatic (standard)			
nt speed ⁷	Black (A4, normal): Up to 61 ppm; Black (letter, normal): Up	Black (A4, normal): Up to 61 ppm; Black (letter, normal): Up t	o 65 ppm; Black (A4, duplex): Up to 50 ppm; Black (letter,		
	to 65 ppm	duplex): Up to 53 ppm			
st page out ⁹ nt technology	Black (A4, ready): As fast as 5.4 sec; Black (A4, sleep): As fast as 7.9 sec				
nt resolution	Laser Black (best) Up to 1200 x 1200 dpi; Black (normal) FastRes 1200; Black (fine lines) Up to 1200 x 1200 dpi				
	FastRes 1200; 1200 x 1200 dpi				
nt cartridges number	1 (black)				
	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web o	· · · · · · · · · · · · · · · · · · ·	•••		
nter management nnectivity	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP	P Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Adi			
	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket 10/100/1000 Base-TX network; Hardware Integration Pocket; 1 Wi-Fi direct 802.11b/g/n; Bluetooth low energy I/O				
bile printing capability ⁶	HP ePrint; Apple AirPrint™; Mopria-certified		HP ePrint; Wireless direct printing; Apple AirPrint™; Mopria- certified		
reless capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print	t Server J8031A or HP Jetdirect 3000w NFC/Wireless			
twork capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).		Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (standard).		
emory	Standard: 512 MB; Maximum: 1.5 GB, MAX memory, when 1G	B Accessory DIMM is installed	netronking (standard).		
rd disk	Optional, 500 GB (with accessory B5L29A)				
ocessor speed	1.2 GHz	5000 H 25000			
ity cycle (monthly) per handling	Up to 275,000 pages; Recommended monthly page volume:	5000 to 25000			
-			100-sheet multipurpose feeder, 550-sheet input feeder, 550		
out	100-sheet multipurpose feeder, 550-sheet input feeder		accessory feeder		
tput	500 sheet output bin	of an anisted are superior entered to the second	and transparancy labels latterband on story from the		
edia types edia weight	Paper (plain, light, bond, recycled, heavy, extra heavy, cardsto Feeder 1: 60 to 199 g/m ² ; feeder 2: 60 to 120 g/m ²	ירא, pre-printea, pre-punchea, colorea, rough, heavy rough), m	nono transparency, labels, letterhead, envelope, heavy envelope Feeder 1: 60 to 199 g/m ² ; feeder 2, 3: 60 to 120 g/m ²		
~			feeder 1: 76 x 127 to 216 x 356 mm; feeder 2: 99 x 148 to		
dia Sizes Custom	feeder 1: 76 x 127 to 216 x 356 mm; feeder 2: 99 x 148 to 21	16 X 356 MM	216 x 356 mm, feeder 3: 99 x 148 to 216 x 356 mm		
	431 x 466 x 380 mm		431 x 466 x 505 mm		
	21.6 kg HP LaserJet Printer; HP Black Original LaserJet Toner Cartridg	e (~11K vield): CD with software drivers and documentation:D	ocumentation (Hardware Install Guide): Power cord		
	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Pr				
ftware included	printer software), Online user manuals				
arranty features	One-year, next-business day, onsite warranty. Warranty and s service and support options in your region. (wty code 4G)	support options vary by product, country and local legal requir	ements. Go to hp.com/support to learn about HP award winning		
stems					
mpatible operating systems	Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux U	, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fe Jbuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Slets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 3	Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX,		
nimum system requirements	PC:2 GB available hard disk space; OS hardware requirements Mac: 1.3 GB available hard drive space; Internet; OS hardware	see microsoft.com; requirements see Apple com for more info			
curity management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication (sic g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SIMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted DPF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLS, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs				
nts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal sc Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional fo http://www.hp.com/go/laserjetfonts	calable fonts in HP postscript level 3 emulation (Euro symbol b ont solutions available via third-party flash memory cards; HP	LaserJet Fonts and IPDS Emulation available at		
ntrol panel	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustabl	le angle) display with 24-key pad	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button		
splay	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustabl	le angle)	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)		
ergy efficiency compliance	1	ENERGY STAR [®] qualified; EPEAT [®] Silver; EPEAT [®] Gold (#AAZ,			
	No	Yes	· · · · · ·		
wer	Power supply type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier); Power supply required: 100V -127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal ./-/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal , @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6A; Power consumption ² : 780 watts (printing), 15.3 watts (fead), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off); Typical Electricity Consumption number ⁴ : ES: 2.622 kWh/week, BA: 2.425 kWh/week	Power supply type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier): Power supply required: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal; @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A; Power consumption ³ : 780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto 0ff/Manual On), < 0.1 watts (Manual Off); Typical Electricity Consumption number ⁴ : 2.425 kWh/Week (Blue Angel); 0.877 kWh/Week (Energy Star 3.0)			
oustics	Acoustic power emissions: $6.9 B(A)$; Acoustic power emission (active, printing): $55 dB(A)$; Acoustic pressure emissions bysta	Acoustic power emissions: 6.9 B(A) ; Acoustic power emissions (ready): Inaudible ; Acoustic pressure emissions bystander ander (ready): Inaudible ; Acoustic pressure emissions bystander (active, printing): 54 dB(A) ; Acoustic pressure emissions bystander (ready): Inaudible			
vironmental ranges	Operating temperature range: 10 to 32.5°C; Recommended operating temperature: 15 to 27°C; Non-operating humidity range: 10 to 80% RH; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH				
fety approvals and quirements	IEC 60950-1:2005 +01:2005 +02:2013 (International): EN60950-1:2006 +011:2009 +01:2010 +012:2011 +02:2013 (EU); EN 60825-1:2007 / IEC 60825-1:2007 (IEas 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2006/95/EC with CE Mark Europe); GS Certificate (Germany, Europe); UL/CUL Listed and UC CoC (US/Canada); CAN/CSA (22.2 No. 60950-1:07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CER 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007. Other safety approvals as required by individual countries				
pported network protocols	Via built-in networking solution: TCP/IP.IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint [™] , HP ePrint, FTP Print Google Cloud Print; DISCOVERY: SLP Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Pring), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x				
wer oustics vironmental ranges fety approvals and quirements	nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A; Power consumption ² : 780 watts (printing), 15.3 watts (steep), < 0.1 watts (chinting), 15.5 watts (ready), 3.1 watts (steep), < 0.1 watts (chinting), 15.5 watts (ready), 2.425 kWh/week, BA: 2.425 kWh/week Acoustic power emissions: 6.9 B(A) ; Acoustic power emissions bysts Operating temperature range: 10 to 32.5°C ; Recommended operating humidity range: 30 to 70% RH IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60 Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Dire C22.2 No. 60950-1-07 and Ed. 2011-12; Compliance with La 2007. Other safety approvals as required by individual countr Via built-in networking solution: TCP/IR, IPV4, IPV6; Print: TCP-I Goorde Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Dir				

Footnotes

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersEverityclaims
² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin
³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and

document complexity.

document complexity.
 ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
 ⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Ljcliams
 ⁶ More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/Learnaboutsupplies
 ⁷ HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.
 ⁸ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment due to the increased risk of interference to radio communications.

Product walkaround disclaimers

An administrator must enable the easy-access USB port before use. Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

complexity. ⁴ All models come standard with the 100-sheet multipurpose tray and 550-sheet tray 2. The HP LaserJet Enterprise M608x and M609x models come with one additional 550-sheet paper feeder standard, and can add up to three additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeder. The M607n, M607dn, M608n, M608dn, and M609dn models can add up to four additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeders. The M607n, M607dn, M608n, M608dn, and M609dn models can add up to four additional optional 550-sheet paper feeders and the stepsel 2, 100-sheet paper feeders.

additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeders. In MoU/III, MOU/III MOU/III, MOU/III MOU/

active VPN connections.⁸ Bluetooth Low Energy is standard only on the HP Laser Jet Enterprise M608x and M609x models, and it cannot be added to other models. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license.

Technical specifications disclaimers

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. ² Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ¹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ¹ For the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

1 S veloce.
5 Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
6 May require a firmware upgrade to be compatible, download at http://www.hp.com/go/support
7 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and ¹ Measured using ISO/IEC 24/34, excludes first set of test documents. For more information see http://www.hp.com/go/printercialms. Exact speed varies depending on the system configuration, software applicating document complexity.
 ⁸ Measured using ISO 24734 Feature Test, AS Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
 ⁹ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software applicating of the system configuration, software application, driver, and document complexity.
 ¹⁰ eMMC is non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk.
 ¹¹ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies
 ¹² 1 GB "Slim DIMM" G6W84A

To learn more, visit http://www.hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. Published in APJ 4AA6-9440EEP, August 2020

