

Product datasheet

Specifications



APC Symmetra RM 2-6kVA Power Module (2kVA)

SYPM2KU

EAN Code: 0731304016885

Overview

Presentation High density, double-conversion on-line power protection with scalable runtime.

Main

Main Input Voltage 200 V
208 V

Product or component type Power module

Main Output Voltage 200 V
208 V
230 V

Rated power in W 1400 W

rated power in VA 2000 VA

Number of rack unit 0U

Number of cables 1

Provided equipment Installation guide

Range of product Symmetra Power Module

Batteries & Runtime

Number of battery filled slots 0

Number of battery free slots 0

Physical

Height 82.6 mm

Width 215.9 mm

Depth 546.1 mm

Product weight 7.73 kg

Mounting location Front

Mounting preference No preference

Mounting mode Not rack-mountable

USB compatible No

Input

Network frequency 50/60 Hz +/- 5 Hz auto-sensing

Input voltage limits 155...276 V

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Output

Maximum configurable power in W 1400 W

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 24.77 cm

Package 1 Width 35.56 cm

Package 1 Length 66.04 cm

Package 1 Weight 9.071 kg

Contractual warranty

Warranty (in months) 24



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	17 391 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	97 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	7 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	17 319 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	8 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	8c493f2b-82c6-495f-a54a-f7d594e2b537
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	27
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

