
SAMSUNG HOSPITALITY DISPLAYS HE590

HIGHLIGHTS


- Elevate content with Direct LED picture quality
- Add ambience to functionality through a slim and stylish design
- Streamline display management with LYNK REACH 4.0 server
- Showcase personal device content via wireless connectivity





CENTRALIZED DISPLAY MANAGEMENT

Hotels can leverage the centralized LYNK REACH 4.0 platform to manage content across multiple HE590 displays. This includes providing a range of IP- and RF-based channels to expand guests' available content viewing options.



LOW-MAINTENANCE CONNECTIVITY

Through expansive connectivity, guests can transform the HE590 into a station for work or play. An integrated Ethernet bridge establishes a secure, IP-compliant work station. When the work day concludes, guests can stream TV content without interruption.




SECURE NETWORK PROTECTION

The HE590 display uses LYNK DRM technology as a safe, cost-efficient alternative to hardware-based content protection systems. As a result, encrypted live channel and VoD content can securely pass through the network and ultimately reach the in-room display.



PERSONALIZED IN-ROOM SERVICE

The LYNK REACH 4.0 platform empowers hotels to engage in personalized two-way communication with guests. Whether receiving a customized welcome message, navigating through on-site amenities or checking out, guests can enjoy a differentiated and tailored experience.



IP-BASED WEB SOLUTIONS

The embedded H.Browser open platform delivers superior in-room entertainment and customized content management without requiring a VoD set-top box. System integrators instead can establish IP-based web browsers to deliver premium interactive services without complication.



EXTENSIVE MOBILE COMPATIBILITY

Integrated Software Access Point connectivity synchronizes the HE590 with up to four mobile devices for seamless content streaming. With screen mirroring feature, personal pictures, music and videos appear clearly on the larger screen, creating a more personalized in-room feel.












DVB-T2/C

SPECIFICATIONS


| | MODEL | 32EE590 HG32EE590FK | 40EE590 HG40EE590SK | 49EE590 HG49EE590HK |
|---------------------|---|------------------------|------------------------|------------------------|
| Display | Inch (Actual Inch) | 32 (31.5) | 40 (39.5) | 49 (48.5) |
| | Resolution | 1,366 x 768 | 1920 x 1080 | 1920 x 1080 |
| Audio | Dolby Digital Plus | Yes | Yes | Yes |
| | Sound Output (RMS) | 10W(L:5W, R:5W) | 20W(L:10W, R:10W) | 20W(L:10W, R:10W) |
| SMARTTV | Smart TV Type | Smart | Smart | Smart |
| | Apps Panel | Yes | Yes | Yes |
| | Web Browser | Yes | Yes | Yes |
| /ESA Standard | VESA Mount (mm) | 100 x 100 | 200x200 | 200x200 |
| Convergence | Mobile to TV - Mirroring, DLNA | Yes | Yes | Yes |
| onvergence | Samsung SMART View | Yes | Yes | Yes |
| Hospitality Feature | Samsung LYNK™ SINC Compatibility | Yes | Yes | Yes |
| | Samsung LYNK™ HMS Compatibility | N/A | N/A | N/A |
| | H.Browser | Yes | Yes | Yes |
| | Samsung LYNK™ REACH (IP) | REACH4.0 | REACH 4.0 | REACH4.0 |
| | Samsung LYNK™ REACH (RF) | REACH4.0 | REACH 4.0 | REACH4.0 |
| | Samsung LYNK™ REACH RF Modulator Compatibility | Yes | Yes | Yes |
| | Hospitality Home Menu | Home Menu 2015 | Home Menu 2015 | Home Menu 2015 |
| | Bluetooth Music Player (Mobile → TV) | N/A | N/A | N/A |
| | Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog) | Yes | Yes | Yes |
| | Welcome Message | Yes | Yes | Yes |
| | RJ12/IR pass through | Yes | Yes | Yes |
| | External Clock Compatibility | N/A | N/A | N/A |
| | USB Cloning | Yes | Yes | Yes |
| Input & Output | USB | 1/0 | 1/0 | 1/0 |
| | Component In (Y/Pb/Pr) | N/A | N/A | N/A |
| | Composite In (AV) | 0/1 | 1/0 | 0/1 |
| | Ethernet (LAN) | 0/1 | 1/0 | 0/1 |
| | Variable Audio Out | N/A | N/A | N/A |
| | RJ12 | 0/1 | 0/1 | 0/1 |
| | RJP(For Remote Jackpack) | 0/1 | 0/1 | 0/1 |
| | Headphone ID | 0/1 | 0/1 | 0/1 |
| | PC In (D-sub) | N/A | N/A | N/A |
| | PC/DVI Audio In (Mini Jack) | N/A | N/A | N/A |
| | Ethernet Bridge (LAN-Out) | N/A | N/A | N/A |
| | Swivel (Left/Right) | 90/90 | 90/90 | 90/90 |
| co | Energy Efficiency Class | A+ | А | A+ |
| Dimension | Set Size without Stand - Speaker Side (WxHxD)(mm) | 745.4 x 442.2 x 69.0 | 922.7*522.7*72.2 | 1118.8 x 650.0 x 74.2 |
| | Set Size with Stand (WxHxD)(mm) | 745.4 x 484.2 x 192.6 | 922.7*581.8*226.5 | 1118.8 x 700.1 x 226.5 |
| | Package Size (WxHxD)(mm) | 923.0 x 539.0 x 142.0 | 1133 * 617 * 134 | 1336.0 x 757.0 x 171.0 |

SPECIFICATIONS

HG32EE590FK




HG40EE590SK




SPECIFICATIONS


HG49EE590HK











CONNECTORS

- 1. HDMI IN2
- 2. USB (HDD1.0A/CLONING)
- 3. HDMI IN1
- 4. COMMON INTERFACE
- 5. ANTIN (ARC/CABLE)
- 6. LAN
- 7. DIGITAL AUDIO OUT(OPTICAL)
- 8. DATA
- 9. RJP
- 10. AVIN
- 11. HP-ID

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit Samsung Newsroom at http://news.samsung.com

Hospitality Display

For more information about Samsung Hospitality Displays, visit www.samsung.com/business or www.samsung.com/displaysolutions

Copyright © 2017 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd. 416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea

2018-01