

# BK750 IPS Multi-tasking Monitor

## ▶ 27BK750Y-B

27" class (27" diag)

## ▶ 24BK750Y-B

24" class (23.8" diag)



## FEATURES

### FLICKER SAFE

- Flicker Safe reduces on-screen flickers, which helps minimize eye strain and eye fatigue. By combining Flicker Safe with the proven picture quality of IPS technology, users can comfortably work throughout the day.

### READER MODE

- With a touch of a button, Reader Mode allows the reduction of blue light emissions that can be harmful to the eyes.

### SMART ENERGY SAVING

- LG's Smart Energy Saving Mode reduces power consumption without lowering the brightness of the monitor.

### COLOR CALIBRATED

- Experts have conducted color calibration tests at the production line for accurate color.

## SPECIFICATIONS

**Native Display Resolution:** 1920 x 1080

**Contrast Ratio:** 1000:1

**5MS (G to G) Response Time**

**Vesa™ Compliant Wall Mountable**

**3-Year Limited Warranty:** Parts/Labor/Backlight

## FULL HD IPS DISPLAY

Designed for professionals, this Full HD display with IPS technology minimizes color shifts and provides outstanding picture quality from virtually any viewing angle.



## A NEW SENSE OF IMMERSION WITH BORDERLESS DESIGN

The three-side borderless screen minimizes the bezel so the display blends seamlessly into any workspace. It enhances the sense of immersion and adds aesthetic appeal.



## PERSONALIZED VIEWING ANGLES AND EASY ASSEMBLY

The monitors provide comfortable viewing with versatile screen height/tilt/pivot/swivel adjustments. You can customize the display condition to create a more personal, comfortable workstation. The monitor can be easily assembled without any tools, and is also able to be wall-mounted\*.

\* Wall mount sold separately



## EASY TO DUPLICATE AND EXTEND SCREEN WITH DAISY CHAIN

The Daisy Chain lets you connect up to four monitors with duplication and extension functions. This setup creates synergy, allowing efficient resource-sharing throughout an organization.



# BK750Y

## IPS Multi-tasking Monitor


▶ 27BK750Y-B

27" class (27" diag)


▶ 24BK750Y-B

24" class (23.8" diag)

27BK750Y



24BK750Y



PANEL	MODEL	27BK750Y-B	24BK750Y-B
	Size	27" Class (27" diag)	24" Class (23.8" diag)
	Panel Type	IPS	
	Color Gamut (CIE1976)	72%	
	Color Depth (Number of Colors)	16.7M	
	Pixel Pitch (mm)	0.3114 x 0.3114	0.2745 x 0.2745
	Aspect Ratio	16:9	
	Resolution	1920 x 1080	
	Brightness(Typ.)	250 cd/m2	
	Contrast Ratio(Original) (DFC)	1000 : 1	
	Response Time (GTG)	5ms	
	Viewing Angle (CR≥10)	178 / 178	
	Surface treatment (Glare/Non Glare)	Anti Glare ,3H	
SIGNAL (INPUT)	DVI	Yes	
	DisplayPort	Yes (1.2)	
	HDMI	Yes (1.4)	
	[ Jack Location ]	Vertical	
	DisplayPort Out	Yes	
	PC Audio In	Yes	
	[ Jack Location ]	Vertical	
	Headphone Out	Yes	
	[ Jack Location ]	Vertical	
	USB	USB 3.0 (1 up 4 down, one for quick charging)	
	Speaker	Type 2ch Stereo	
Audio output (watt)	1.2W x 2		
POWER	Type	Built-in	
	Input	100-240V (50/60Hz)	
	Output	52W	
	Normal On (EPA)	20.3W	17.1W
	Normal On (typ. / outgoing)	28W	23W
	Sleep Mode (Max)	0.5W	
	DC Off (Max)	0.003W	

FREQUENCY	MODEL	27BK750Y-B	24BK750Y-B
	H-Frequency (DVI-D)	30-83kHz	
	V-Frequency (DVI-D)	56-75Hz	
	H-Frequency (HDMI)	30-83kHz	
	V-Frequency (HDMI)	PC: 56-75Hz, AV: 50-61Hz	
	H-Frequency (Display Port)	30-83kHz	
	V-Frequency (Display Port)	56-75Hz	
	DVI-D	1920 x 1080	
	DisplayPort	1920 x 1080	
	HDMI	1920 x 1080	
	DisplayPort Out	Dependent on connected display resolution	
CONTROL KEY	Key Number	7	
	Key Description	MENU OK/INPUT, POWER	
	Key Type	Tact	
	LED Color (On Mode)	White	
	LED Color (Power Save Mode)	LED OFF	
	[ Key Location ]	Front	
	LANGUAGE	Country	English, Germanic, French, Spanish, Italian, Swedish, Finnish, Portuguese, Polish, Russian, Greek, Chinese, Japanese, Korean, Ukrainian, Portuguese (Brazil), Hindi, Traditional Chinese
Number of Language		18	
SPECIAL FEATURE	Picture Mode	Yes	
	Ratio	Yes	
	Reader Mode	Yes	
	DDC/CI	Yes	
	HDCP	Yes (1.4)	
	Key Lock	Yes	
	Plug & Play	Yes	
	Response Time	Yes	
	Color Calibrated	Yes	
	Dual Control	Yes	
	Flicker Safe	Yes	
	Off Timer	Yes	
	SIX Axis Control	Yes	
	Smart Energy Saving	Yes (Conserve energy by using luminance compensation algorithm)	
Super Resolution+	Yes		
OSC (On Screen Control / Screen Split)	Yes		
Power Charge	Yes		
COLOR	Front / Back Cover / Stand / Base	Black (Texture)	
	STAND	Base Detachable	Yes
Tilt (Angle)		-5° - 25°	
Swivel (Angle)		Yes (±45°)	
Height Range (mm)		150mm	
Down Height (mm)		50mm	70mm
Pivot		Yes (Bi-directional, 90°)	
CABINET	W x D x H (With Stand)	24.1" x 10.9" x 21.4"	21.2" x 10.9" x 20.6"
	W x D x H (Without Stand)	24.1" x 2.3" x 14.5"	21.2" x 2.3" x 12.9"
	Box	27.2" x 20.9" x 6.8"	24.2" x 19.4" x 6.8"
	VESA / Wall Mount	100mm x 100mm (Wall mount)	
	Weight (With Stand)	16.8 lbs	13.7 lbs
	Weight (Without Stand)	10.8 lbs	7.5 lbs
STANDARD	Box	21.2 lbs	18.1 lbs
	TCO (Ver)	Yes (7.0)	
	UL(cUL)	Yes	
	TUV-GS	Yes	
	TUV-Ergo	Yes	
	CB	Yes	
	FCC-B	Yes	
	CE	Yes	
	EPA	Yes (7.0)	
	ISO 9241-307	Yes	
	EPEAT	Yes (Gold)	
	Windows	Win 10	
	ROHS, REACH	Yes	
	PVC-Free	Yes	
ACCESSORIES	Power Cord	Yes	
	DisplayPort	Yes	
	HDMI	Yes	
	CD (Manual / Software)	Yes (Manual, Driver)	
OTHER	UPC	7 19192 60908 2	7 19192 60909 9
	Warranty	3-Year Limited Warranty (Parts/Labor/Backlight)	



LG Electronics U.S.A., Inc.  
HE B2B Division  
2000 Millbrook Drive  
Lincolnshire, IL 60069

All screen images are simulated. Dimensions and weights are approximate. Design, specifications, and features subject to change without notice.

© Copyright 2017 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp.

ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. In Plane Switching is a trademark of LG Philips LCD Ltd. VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

All other product and brand names are trademarks or registered trademarks of their respective companies.

LGsolutions.com



Contact your LG Regional Sales Representative:  
Channel: 800.897.8871  
Hospitality: 800.228.1236  
E-mail: info@LGsolutions.com

SPEC\_BK750\_021705\_PR