Fujitsu recommends Windows 10 Pro.



# Data Sheet FUJITSU Notebook LIFEBOOK S937

# Your Stylish and Durable Business Partner

The FUJITSU Notebook LIFEBOOK S937 is a touch-enabled notebook for frequent travelers with highest demands. Lightweight from 1.19 kg (2.62 lbs), with a battery runtime up to 21 hours, a crystal clear 33.8 cm (13.3-inch) WQHD or FHD anti-glare display option and unique palm vein sensor option empower you to work with confidence wherever you are.

# Flexible functionality

Choose and exchange your desired modular bay element

■ Extend battery runtime up to 24 hours with a second battery option and primary battery, further options are a second hard disk drive, Blu-ray Disc™ or DVD Super Multi drive

# Superb flexibility and mobility

Work and be online anywhere with confidence and ease II

- Exceptionally lightweight starting from 1.19 kg (2.62 lbs), with a sturdy magnesium housing and aluminum palm rest, optional 4G/LTE connectivity and NFC
- Latest processor and DDR4 memory technology up to 24 GB RAM

# Ultimate security

Protect your notebook and company data against unauthorized access

■ Embedded palm vein sensor or fingerprint sensor option, integrated SmartCard reader, encrypted disk, ATP, TPM option

## Best-in-class ergonomics

Enjoy comfortable viewing and touch panel options

 A crystal clear resolution WQHD (2560x1440) or FHD (1920 x 1080) IGZO display with anti-glare, non-touch or glare, touch option, backlit keyboard













Page 1 / 7 www.fujitsu.com/fts/mobile

# Components

Operating systems	
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro.
Operating system notes	MS OS support information: Systems with 7th generation Intel processor receive support from Microsoft with Windows 10 Home / Windows 10 Pro only. For more information, please see MS Support Lifecycle.
Processor	Intel® Core™ i7-7600U processor (2.8 GHz, up to 3.9 GHz, 4 MB)
	Intel® Core™ i5-7300U processor (2.6 GHz, up to 3.5 GHz, 3 MB)
	Intel® Core™ i5-7200U processor (2.5 GHz, up to 3.1 GHz, 3 MB) *
	*Processor only for retail, SMB, education and government
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,133 MHz, SO DIMM
	8 GB (1 module(s) 8 GB) DDR4, 2,133 MHz, SO DIMM
	16 GB (1 module(s) 16 GB) DDR4, 2,133 MHz, SO DIMM
Hard disk drives (internal)	SSD SATA III, 512 GB, M.2 module
	SSD SATA III, 256 GB, M.2 module
	SSD SATA III, 128 GB, M.2 module
	SATA, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5,400 rpm, 1 TB, 2.5-inch, S.M.A.R.T.
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III (6GBit/s)
Modular bay options	2nd battery
	Blu-ray Disc™ Triple Writer
	DVD Super Multi
	Weight saver
Interface add on cards/components (optional)	
3G/4G (optional)	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Dual Band Wireless-AC8265 11ac with integrated Bluetooth 4.2
Display	33.8 cm (13.3-inch),LED backlight,(WQHD),Glare IGZO touch display,magnesium,2,560 x 1,440 pixel,350 cd/m²
	$33.8\mathrm{cm}$ ( $13.3$ -inch),LED backlight,(WQHD),Anti-glare IGZO non-touch display,magnesium,2,560 x 1,440 pixel,350 cd m²
	33.8 cm (13.3-inch),LED backlight,(Full HD),Glare IGZO touch display,magnesium,1,920 x 1,080 pixel,330 cd/m²
	33.8  cm (13.3-inch), LED backlight, (Full HD), Anti-glare IGZO non-touch display, magnesium, 1,920 x 1,080 pixel, 330 cd/m <sup>2</sup>
Multimedia	
Camera	Built-in webcam (HD) with Status LED

# Base unit

General system information	
Chipset	Integrated
Supported capacity RAM (max.)	24 GB

Page 2 / 7 www.fujitsu.com/fts/mobile

TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name intel® HD of Graphics features 3 Display Supplies notes  DC-in 1 Audio: line-out / headphone 1 (comboous line-in / microphone 1 (combous line-in / microphone 1 (combou	p only) ator supports 0-Watts functionality  lation keyboard  f keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.2 mm  ure touchpad with integrated mouse button functionality
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name intel® HD of Graphics features 3 Display Subard metal interfaces  DC-in 1 Audio: line-out / headphone 1 (combood line-in / microphone 1 (combod line-in / mi	support (2 external, 1 internal) support with Audio line-in) port with Audio line-in) port with Audio line-out)  Anytime USB Charge functionality)  Do 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0  models with integrated 4G/LTE module)  1096 x 2160) 1000 1000 1000 1000 1000 1000 1000
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD Graphics features 3 Display Starding for a Display Port Starding for a Displ	support (2 external, 1 internal) semony depending on main memory size and operating system  port with Audio line-in) port with Audio line-out)  Anytime USB Charge functionality)  po 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0  models with integrated 4G/LTE module)  po 2 × 2160) po 20 × 1200) po 1000) po nly) ator supports 0-Watts functionality  lation keyboard is keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.2 mm ure touchpad with integrated mouse button functionality
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD Graphics features 3 Display Scaphics notes  Interfaces  DC-in 1 Audio: line-out / headphone 1 (combo Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with AUGA) HDMI 1 Ethernet (R]-45) 1 Memory card slots 1 (SD up to SmartCard slot 1 (only for Port Replicator interfaces (optional) DC-in 1 (up to 40 DisplayPort 1 (up to 40 DVGA 1 (up to 19 DVI 1 (up to 19 Ethernet (R]-45) 1 (up to 19 DVI 1 (up to 19 Ethernet (R]-45) 1 (10/100/ Kensington Lock support 1x (Port replications) Number of Multi gestic EcoButton	support (2 external, 1 internal) semony depending on main memory size and operating system  port with Audio line-in) port with Audio line-out)  Anytime USB Charge functionality)  po 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0  models with integrated 4G/LTE module)  po 2 × 2160) po 20 × 1200) po 1000) po nly) ator supports 0-Watts functionality  lation keyboard is keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.2 mm ure touchpad with integrated mouse button functionality
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD of Graphics features 3 Display Stard metal Interfaces  DC-in 1 Audio: line-out / headphone 1 (combood Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with Audio Stard slot 1 (SD up to Stard slot 1 (SD) up to Stard slot 1 (SD)  Ethernet (RJ-45) 1 (only for Port Replicator interfaces (optional)  DC-in 1 (up to 19 DVI 1 (up to 19 Ethernet (RJ-45) 1 (10/1000  Kensington Lock support 1x (Port replicator	support (2 external, 1 internal)  smory depending on main memory size and operating system  port with Audio line-in)  port with Audio line-out)  Anytime USB Charge functionality)  o 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0  models with integrated 4G/LTE module)  296 x 2160) 2920 x 1200) 2920 x 1200) 2930 x 1200) 2940 x 1200) 2950 y 1200 y 1200) 2950 y 1200 y
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD (Graphics features 3 Display Surphics notes Shared metal) Interfaces  DC-in 1 Audio: line-out / headphone 1 (comboout line-in / microphone 1 (comboout line-in / microphone 1 (combout line-i	Support (2 external, 1 internal)  smory depending on main memory size and operating system  port with Audio line-in)  port with Audio line-out)  Anytime USB Charge functionality)  2 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0  models with integrated 4G/LTE module)  2096 × 2160) 200 × 1200) 200 × 1200) 21000) 21000) 21000) 21000) 21000) 21010000 21010000 21010000 21010000 2101000000 210100000000
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator)  Graphics brand name Intel® HD of Graphics features 3 Display Subject on Port Replicator on Port Interfaces  DC-in 1  Audio: line-out / headphone 1 (comboout of line-in / microphone 1 (comboout of line-in / microphone 1 (combout of lin	Support (2 external, 1 internal)  smory depending on main memory size and operating system  port with Audio line-in)  port with Audio line-out)  Anytime USB Charge functionality)  o 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0  models with integrated 4G/LTE module)  operating system  anytime USB Charge functionality)  operating system  anytime USB Charge functionality)  operating system  anythine USB Charge functionality  operating system  anythine US
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator)  Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes  DC-in 1  Audio: line-out / headphone 1 (combo Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with A DISPLAY S Memory card slots 1 (SD up to S MartCard slot 1 (only for Port Replicator interfaces (optional) DC-in 1 (19V) Power on switch 1 (up to 40 DISPLAY S Memory Card S MartCard MartCard MartCard S MartCard MartCard MartCard S MartCard Mart	Support (2 external, 1 internal)  Semory depending on main memory size and operating system  Sport with Audio line-in)  Sport with Audio line-out)  Anytime USB Charge functionality)  Sport Sport of Spo
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD of Graphics features 3 Display Soft Graphics notes  Interfaces  DC-in 1 Audio: line-out / headphone 1 (combood Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with Audion Internal Modernal Mod	Support (2 external, 1 internal)  Semory depending on main memory size and operating system  Sport with Audio line-in)  Sport with Audio line-out)  Anytime USB Charge functionality)  Sport Sport of Spo
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes  Interfaces  DC-in 1  Audio: line-out / headphone 1 (combo Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with A VGA 1  HDMI 1  Ethernet (RJ-45) 1  Memory card slots 1 (SD up to SmartCard slot 1  SIM card slot 1 (usb 3.0) total 4  DisplayPort 1 (up to 40  DVGA 1 (up to 19  DVI 1 (up to 19  Ethernet (RJ-45) 1 (up to 19  DVI 1 (up to 19  Ethernet (RJ-45) 1 (up to 19  DVI 1 (up to 19  Ethernet (RJ-45) 1 (up	support (2 external, 1 internal)  smory depending on main memory size and operating system  port with Audio line-in)  port with Audio line-out)  Anytime USB Charge functionality)  po 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0  models with integrated 4G/LTE module)  2096 x 2160) 200 x 1200) 200 x 1200) 21000)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes  Interfaces  DC-in 1 Audio: line-out / headphone 1 (combo Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with A VGA 1 HDMI 1 Ethernet (RJ-45) 1 Memory card slots 1 (SD up to SmartCard slot 1 (only for Port Replicator interfaces (optional) DC-in 1 (19V) Power on switch 1 USB 3.1 Gen1 (USB 3.0) total 4 DisplayPort 1 (up to 46 VGA 1 (up to 19	Support (2 external, 1 internal)  Smory depending on main memory size and operating system  port with Audio line-in)  port with Audio line-out)  Anytime USB Charge functionality)  Depart of 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0  models with integrated 4G/LTE module)  1096 × 2160) 1090 × 2160) 1090 × 2100) 1090 × 1200)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD of Graphics features 3 Display Soft Graphics notes  Interfaces  DC-in 1 Audio: line-out / headphone 1 (combood Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with Audiod Internal Modern	Support (2 external, 1 internal)  Emory depending on main memory size and operating system  port with Audio line-in)  port with Audio line-out)  Anytime USB Charge functionality)  Do 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0  models with integrated 4G/LTE module)  296 × 2160) 200 × 1200)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD of Graphics features 3 Display Substitution (DisplayPort on Port Replicator)  Graphics features 3 Display Substitution 1 Comboo Interfaces  DC-in 1 Audio: line-out / headphone 1 (comboo Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with Audio Internation of I	Support (2 external, 1 internal)  smory depending on main memory size and operating system  port with Audio line-in)  port with Audio line-out)  Anytime USB Charge functionality)  D 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0  models with integrated 4G/LTE module)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes  Interfaces  DC-in 1 Audio: line-out / headphone 1 (combood Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with A DWGA 1 HDMI 1 Ethernet (RJ-45) 1 Memory card slots 1 (SD up to SmartCard slot 1 (only for Port Replicator interfaces (optional) DC-in 1 (19V) Power on switch 1 USB 3.1 Gen1 (USB 3.0) total 4	Support (2 external, 1 internal)  emory depending on main memory size and operating system  port with Audio line-in)  port with Audio line-out)  Anytime USB Charge functionality)  50 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0  models with integrated 4G/LTE module)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD of Graphics features 3 Display Soft Graphics notes  Interfaces  DC-in 1 Audio: line-out / headphone 1 (combood Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with Audion Internal Microphone 1 (sombood Internal Microphone Inte	Support (2 external, 1 internal) Emory depending on main memory size and operating system  port with Audio line-in) Port with Audio line-out)  Anytime USB Charge functionality)  50 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes  Interfaces  DC-in 1 Audio: line-out / headphone 1 (combo Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with A VGA 1 HDMI 1 Ethernet (RJ-45) 1 Memory card slots 1 (SD up to SmartCard slot 1 (only for Port Replicator interfaces (optional) DC-in 1 (19V)	Support (2 external, 1 internal) Emory depending on main memory size and operating system  port with Audio line-in) Port with Audio line-out)  Anytime USB Charge functionality)  50 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes  Interfaces  DC-in 1 Audio: line-out / headphone 1 (combo Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with A VGA 1 HDMI 1 Ethernet (RJ-45) 1 Memory card slots 1 (SD up to SmartCard slot 1 (only for Port Replicator interfaces (optional)	Support (2 external, 1 internal) Emory depending on main memory size and operating system  port with Audio line-in) Port with Audio line-out)  Anytime USB Charge functionality)  50 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display Some Shared means of the state of th	Support (2 external, 1 internal) Emory depending on main memory size and operating system  port with Audio line-in) Port with Audio line-out)  Anytime USB Charge functionality)  50 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes  Interfaces  DC-in 1 Audio: line-out / headphone 1 (combo Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with A VGA 1 HDMI 1 Ethernet (RJ-45) 1 Memory card slots 1 (SD up to 5 SmartCard slot 1	Support (2 external, 1 internal) Emory depending on main memory size and operating system  port with Audio line-in) Port with Audio line-out)  Anytime USB Charge functionality)  50 2GB, SDHC up to 32GB, SDXC up to 128GB) SD4.0
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display Soft frame Interfaces DC-in 1 Audio: line-out / headphone 1 (combood Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with Audio VGA 1 HDMI 1 Ethernet (RJ-45) 1 Memory card slots 1 (SD up total)	Support (2 external, 1 internal) Emory depending on main memory size and operating system  port with Audio line-in) port with Audio line-out)  Anytime USB Charge functionality)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes  Interfaces DC-in 1 Audio: line-out / headphone 1 (combo Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with A VGA 1 HDMI 1 Ethernet (RJ-45) 1	Support (2 external, 1 internal) Emory depending on main memory size and operating system  port with Audio line-in) port with Audio line-out)  Anytime USB Charge functionality)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes  Interfaces DC-in 1 Audio: line-out / headphone 1 (combo Audio: line-in / microphone 1 (combo Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with Audio VGA 1 HDMI 1	port with Audio line-out)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display Soft Graphics notes Interfaces DC-in 1 Audio: line-out / headphone 1 (combool line-in / microphone 1 (combool line-in / microphone 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with Audio VGA)	port with Audio line-out)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes  Interfaces DC-in 1 Audio: line-out / headphone 1 (combo Audio: line-in / microphone 1 (combo Internal microphones 2 (digital) USB 3.1 Gen1 (USB 3.0) total 3 (1 with August 1992)	port with Audio line-out)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display Signaphics notes Interfaces DC-in 1 Audio: line-out / headphone 1 (combo Audio: line-in / microphone 1 (combo Internal microphones 2 (digital)	port with Audio line-out)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display Signaphics notes Interfaces DC-in 1 Audio: line-out / headphone 1 (combo Audio: line-in / microphone 1 (combo	Support (2 external, 1 internal) emory depending on main memory size and operating system  port with Audio line-in)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes  Interfaces DC-in 1 Audio: line-out / headphone 1 (combo	Support (2 external, 1 internal) emory depending on main memory size and operating system  port with Audio line-in)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display Sofraphics notes Interfaces DC-in 1	Support (2 external, 1 internal) emory depending on main memory size and operating system
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD (Graphics features 3 Display S Graphics notes Shared meaning the state of the st	Support (2 external, 1 internal)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S Graphics notes Shared me	Support (2 external, 1 internal)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port Replicator) up to 4096 Replicator) Graphics brand name Intel® HD of Graphics features 3 Display S	Support (2 external, 1 internal)
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator) Graphics brand name Intel® HD	-
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096 Replicator)	Graphics 620
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92 TFT resolution (DisplayPort on Port up to 4096	
TFT resolution (VGA) up to 1,92 TFT resolution (DVI on Port Replicator) up to 1,92	
<b>TFT resolution (VGA)</b> up to 1,92	
	5 x 2160 @ 60Hz
Graphics	
Display notes ISO 9241-3	807 - Pixel class II
Display	
<b>Audio features</b> Stereo spe	akers
Audio codec Realtek AL	
Audio type On board	
BIOS features InsydeH20	Bios
LAN Built-in 10	/100/1,000 MBit/s Intel® I219LM
Memory notes DDR4 - 21.	
Memory slots 1 DIMM (D	DDR4)
General system information	

Page 3 / 7 www.fujitsu.com/fts/mobile

Wireless technologies	
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
NFC	optional
WiDi support	Yes (with Intel W-LAN)
Power supply	
Notes	65W AC Adapter for usage with system/ min. 80W AC Adapter for usage with Port Replicator
1st battery options	Li-lon battery 4-cell, 3,550 mAh, 51 Wh
	Li-lon battery 4-cell, 7,100 mAh, 77 Wh
2nd battery (optional)	Li-lon battery 6-cell, 2,600, mAh, 28 Wh
Runtime 1st battery	up to 15 h
Runtime 1st + 2nd battery	up to 21 h
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details.  The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Noise emission	
Noise emission	Please refer to the Eco Declaration
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	316 x 214 x 28.9 mm
Dimensions (W X D X II)	12.44 x 8.43 x 1.13 inch
Weight	1.19 kg with non-touch display, 1.32 kg with touch display
Weight (lbs)	2.62 lbs with non-touch display, with touch display 2.91 lbs
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	20 - 85 %
Compliance	
<u> </u>	CE
Еигоре	CB
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.1 EPEAT® in progress (dedicated regions)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Security software	
Additional software (optional)	LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS) Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®
 Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 11.6 (depending on processor)
Manageability software	DeskView Client DeskView Instant BIOS Management

Page 4 / 7 www.fujitsu.com/fts/mobile

Manageability	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) WBEM (Web Based Enterprise Management) CIM (Common Information Model) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
User Security	Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution) Embedded fingerprint sensor (optional) Embedded palm vein sensor (optional) Smartcard reader (integrated) SystemLock 3 SmartCard Security (optional): BIOS based pre-boot/ two-factor authentication for high level of access protection

Warranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Product Related Services - the perfe	ct extension
Recommended Service	X - 9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	htttp://ts.fujitsu.com/Supportservice

# Recommended Accessories

MicroSaver Slim 2.0



The new Fujitsu Kensington MicroSaver 2.0 slim features the patented T-Bar Order Code: locking mechanism with carbon tempered steel core cable and an external S26361-F1650-L202 braided steel sheath. The MicroSaver slim 2.0 is available with Kensington Master Access. This security solution allows you to manage and maintain a limitless number of locks with a master key.

Dicota TopTraveler Base 13-14



The Decota Top Traveler Base 13-14 protects notebooks with up to 14-inch screens. A padded top-loading notebook compartment ensures added protection. It is equipped with a front compartment for storage of power adapters, office supplies or personal items. It's lightweight design ensures flexibility in the office or at home.

Order Code: S26391-F1193-L120

Sneaker Sleeve 14



The Sneaker Sleeve 14 protects notebooks with up to 14-inch screens. The Order Code: front half of the bag has dedicated compartments for your notebook, power S26391-F1194-L401 cord, office supplies and personal items. The back half of the bag has an expanding, divided compartment for your files.

Page 5 / 7 www.fujitsu.com/fts/mobile

## Wireless Mouse WI200



The Wireless Mouse WI200 uses the latest wireless 2.4 GHz technology, and a high-resolution 1000 dpi optical sensor to give you the precision and S26381-K462-L100 reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or left handed.

Order Code:

## **UC&C USB Value Headset**



The FUJITSU UC&C USB Value Headset is a lightweight bi-aural full-size stereo headset with high wearing comfort. This Lync-tested USB-Headset has an appropriate Inline-Controller which supports easy call management. A noise cancelling microphone facilitates undisturbing clear phone calls.

Order Code: S26391-F7139-L20

# Wireless Keyboard Set LX901



The Wireless Keyboard LX901 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption.

S26381-K565-L4\*\* (\*\*: Country specific variation)

Page 6 / 7 www.fujitsu.com/fts/mobile

# More information

#### Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK S937, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

## Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

# **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

# More information

Learn more about FUJITSU Notebook LIFEBOOK S937, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



# Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

© 2017 Fujitsu Technology Solutions GmbH

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

## CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2017-12-01 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2017 Fujitsu Technology Solutions GmbH