



FUJITSU Accessories General and Product Specific

- FUJITSU Accessories for efficient working and seamless interaction between IT systems and users
- Comprehensive range of intuitive, useful accessories covering human input, storage, connectivity, carrying cases, system related accessories, port replicators and multimedia.
- Mirroring Fujitsu's overall design language
- Maximum compatibility across Fujitsu's systems
- Enabling "one-stop shopping", saving you time and money



→ www.fujitsu.com/fts/accessories

Accessories

Keyboards

Wireless



FUJITSU Accessories	Keyboard LX390	Wireless Keyboard Set LX901
	Ultra-precise sensor with human-centric design	Excellent set with 128 AES encryption and high-precision LED mouse
Height Adjustment	1.5° and 6°	1.5° and 5.5°
Interface	USB	USB
Mouse resolution	1000 dpi	800 dpi, 1600 dpi
Weight	930 g	1500 g
Keyboard dimension (WxDxH)	452 x 123 x 20 mm	465 x 179 x 20 mm
Mouse dimension (WxDxH)	100 x 59 x 38 mm	73 x 125.5 x 45.5 mm
Special features	Plug and Play Mouse 1000 dpi Keyboard set with ultra space saving design	128 AES encryption RF Mouse with 10 buttons all programmable 12 quick touch multimedia panel USB Mini Receiver 2.4 GHz reliable, flawless usage without lag or interference
Order code	S26381-K590-L4xx	S26381-K565-L4xx

xx: Country codes for keyboard language layouts		
AR / FR	Arabia / France	41
AR / GB	Arabia / UK	66
BE	Belgium	30
BG / US	Bulgaria / US English	09
CA / FR	Canada / France	39
CH	Switzerland	70
CN	China incl. Taiwan	78
CZ / SK	Czech Republic / Slovakia	04
CZ / US	Czech Republic / US English	34
DE	Germany	20
DE / US	Germany / International	22
DK	Denmark	50
EE	Slovenia / Croatia	12
ES	Spain	80
EST	Estonia	46
FR	France	40
GB	Great Britain	65
GB / TM	Great Britain / Turkmenistan	97
GR / US	Greece / US English	91
HU	Hungary	11
IL	Israel	88
IS	Iceland	51
IT	Italy	85
JP	Japan	74
JP / US	Japan / US English	76
KZ	Kazakhstan	95
LATAM	Latin-America	81
LT / US	Lithuania / US English	48
LV / US	Latvia / US English	47
MT	Malta	63
NL	The Netherlands	31
NO	Norway	45
NORD	Sweden / Finland / Denmark / Estonia	54
PL	Poland	16
PT	Portugal	75
PT / BR	Portugal / Brazil	82
RO	Romania	32
RO / US	Romania / US English	33
RU / DE	Russia / Germany	96
RU / US	Russia / US English	15
RU / US	Russia / US English	19
SE / FI	Sweden / Finland	55
TH	Thailand	77
TR / F	Turkey / F (sign)	90
TR / Q	Turkey / Q (sign)	89
UA	Ukraine	94
US	International / US English	02
US	US English	10

Not every language layout is available for every keyboard.

Accessories
Keyboards
Wired



FUJITSU Accessories	Keyboard KBPC E USB	Keyboard KB915 Backlight
	Best ergonomics a keyboard can offer	Spill-resistant protection
Height Adjustment	6° and 12°	3° and 8°
Interface	USB	USB
Weight	approx. 1.3 kg	520 g
Dimensions (WxDxH)	383x256x42 mm	143x414x23 mm
Special features	Three levels of angle adjustment: Angle of split between alpha keypad segments 0° – 30° (in 5° stages) lateral inclination 0°, 10°, 16° frontal inclination 6° and 12° Customer-specific laser inscription possible	LED Backlight dimmable in 3 steps On/Off power switch for LED backlight 15 multifunction keys Modern isolation keys and compact design Abrasion proof laser marked keys Smooth and silent keyboard stroke
Order code	S26381-K261-L7xx	S26381-K563-L4xx



Keyboard KBPC PXECO
Professional keyboard based on renewable raw materials
6° and 12°
USB (cable included)
1325 g
474x175x37 mm
For professional data-input soft pressure point power-on button non-abrasive laser inscription removable palmrest 5 additional function keys ECO made of 45 % renewable material which is 100 % biodegradable Remarkable reduction of the CO footprint! Sound power level LWA acc. to DIN EN ISO7779: 69.1 dB
S26381-K341-L1xx



FUJITSU Accessories	Keyboard KB521	Keyboard KB950 Phone
	Ergonomic and Comfortable	Skype for Business optimized
Height Adjustment	2° and 6°	2° and 7°
Interface	USB	USB
Weight	700 g	850 g
Dimensions (WxDxH)	462x167x24 mm	465x179x20 mm
Special features	Intuitive 12 function keys for fast access Spill-resistant design for liquid spill-over ACPI key (function depending on ACPI configuration of the operating system) Defined pressure point Non-abrasive laser inscription Windows® Keys	Slim USB keyboard with phone features: - Display - 3 telefon key take call/end call/mute - 4 pole headset socket - Headset included
Order code	S26381-K521-L1xx	S26381-K950-L4**



Keyboard KB410 USB	Keyboard KB410 PS/2	KB900 Slim Keyboard Black
High quality functionality for office tasks	High quality functionality for office tasks	Spill-resistant protection
2° and 6°	2° and 6°	1.7 and 6.7
USB	PS/2	USB
553 g	553 g	850 g
452 x 158 x 23.5 mm	452 x 158 x 23.5 mm	465 x 179 x 20 mm
Blue LED	Blue LED	Spill proof keyboard Stylish hotkey function panel Soft and exact keystroke Extra flat - only 2 cm
S26381-K511-L4xx	S26381-K515-L4xx	S26381-K560-L4xx

Accessories

Mice

Wireless



FUJITSU Accessories	Wireless Mouse Touch WI910
	Touch responsiveness
Interface	USB
Mouse resolution	1000/1500/2000 dpi
Weight	71 g (without battery)
Dimension (WxDxH)	68.3x105.2x38.4 mm
Special features	Mode button (G button), resolution switch button, software for mouse programming and task bar access, Eco mode LED indicator, gaming mode LED indicator
Order code	S26381-K465-L100

Wireless Notebook Mouse WI610
Wireless midsize mouse
USB
1000/1500/2000 dpi
85 g
97x61x34 mm
Mobile RF mouse (2.4 GHz) in midi size with stow-able mini USB receiver retail packed 8 buttons (5 programmable) and Tilt-Wheel
S26381-K460-L100

Wireless Notebook Mouse WI410
Compact wireless travel mouse
USB
1000 dpi
35 g
51x85x29 mm
Two buttons and scroll wheel, which can also be used as a button Suitable for both right and left-handers Ease of use via USB 2.4 GHz nano receiver Just plug & play
S26381-K464-L100



FUJITSU Accessories	Wireless Mouse WI200
	Cost efficient wireless mouse
Interface	USB
Mouse resolution	1000 dpi
Weight	52.6 g
Dimension (WxDxH)	99.8x59x38.1 mm
Special features	Ambidextrous design for right and left handers For SMB or enterprise needs
Order code	S26381-K462-L100

Wireless Presenter R400
An intuitive and professional aid to your presentation
USB
-
41 g (w.o. battery)
40x25x115 mm
Battery status LED ON/OFF switch Presentation button (F5) Black screen button (B) Laser pointer Page up/Page down button
TAV-LTC-R400

Accessories

Mice

Wired



FUJITSU Accessories	Blue LED Mouse GL9000	Mouse MC200
	LED sensor tracking on any surface	Cost efficient wired mouse
Interface	USB	USB
Mouse resolution	1000, 1500 and 2000 dpi	1000 dpi
Weight	350 g	85 g
Dimension (WxDxH)	240x180x60 mm	103x61x36 mm
Special features	Free programmable mouse buttons Adjustable resolution 1,000 dpi, 1,500 dpi, 2,000 dpi 10 button blue LED mouse	Ambidextrous design for right and left handers For SMB or enterprise needs
Order code	S26381-K438-L100	S26381-K463-L100

Mouse M530 (black and grey)
Mouse for two types of interface – USB and PS/2
USB or PS2
1200 dpi
84 g
61.3x109.6x38.5 mm
PS/2 able USB Mouse with PS/2 adapter 1,200 dpi 2 buttons and 4-way scroll wheel (tilt wheel technology) with button function
S26381-K468-L100 (black) S26381-K468-L101 (grey)

Mice

Wired Optical



FUJITSU Accessories	Mouse M440 ECO BL	Mouse M520 (black and grey)
	Worldwide leading mouse with 100% bio material	Optical mouse with scroll wheel
Interface	USB	USB
Mouse resolution	1000 dpi	1000 dpi
Weight	102 g	89 g
Dimension (WxDxH)	109x61x36 mm	110x60x39 mm
Special features	2 button-wheel mouse optimized for right and left hand use Perfect with Keyboard KBPC PXECO	2 buttons and 1 scroll wheel with button function optimized for right and left hand use
Order code	S26381-K450-L200	S26381-K467-L100 black S26381-K467-L101 grey

Mouse M410NB	SpaceMouse™ Pro
Super compact travel mouse	The capable 3D mouse
USB	USB
1000 dpi	-
51 g	593 g
51x85x29 mm	204x142x58 mm
Super compact design Two buttons and scroll wheel, which can also be used as a button Suitable for both right and left-handers Ease of use via USB Just plug & play	Six degrees of freedom for 3D navigation
S26381-K453-L100	S26381-K459-L100

Accessories

Data Storage



FUJITSU Storage	CELVIN NAS QE807	CELVIN NAS QE707
Type	Hot swappable 4-bay system	Hot swappable 2-bay system
Hard disk capacity	Up to 4 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD	Up to 4 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD
Gigabit Ethernet Port	2 x	2 x
SSD caching	-	-
Max. Device Capacity	24 TB	12 TB
Memory	1 GB	1 GB
Data Interface	Ethernet/USB 3.0	Ethernet/USB 3.0
LCD-Displays Instant Setup	-	-
Virtualization and Clustering	yes	yes
iSCSI Target/Initiator	yes	yes
VMWare/Citrix/HyperV	-	-
Virtualization Station	-	-
Thin Provisioning	yes	yes
VPN (SSL) Server/Client	yes	yes
User Authentication Windows Active Directory Service/LDAP Radius Server	yes	yes
Failover/Load Balancing	yes	yes
Raid Level	0/1/5/6/10/JBOD	0/1/JBOD
One-button back up + Client back up software	yes	yes
Remote Replication	yes	yes
LUN Backup and One-time Snapshot	yes	yes
FTP, File Server and WEB Server	yes	yes
Private Cloud	yes	yes
Printer Server	yes	yes
SQL Server	yes	yes
Remote Access and System Management	yes	yes
APP-Center for software add-ons	yes	yes
Surveillance Station / free channels	2	2
Storage Pooling	yes	yes
Order codes ¹	Order codes depending on configuration	Order codes depending on configuration

CELVIN NAS Q90S	CELVIN NAS Q80S
Hot swappable 6-bay system	Hot swappable 4-bay system
Up to 6x 2.5-inch or 3.5-inch SATA I /II/SATA 6 GB/s HDD	Up to 4x 2.5-inch or 3.5-inch SATA I /II/SATA 6 GB/s HDD
4 x	4 x
yes	yes
36 TB	24 TB
2 GB	2 GB
Ethernet / USB 2.0 /USB 3.0	Ethernet / USB 2.0/USB 3.0
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
O/1/5/5+HS/6/6+HS/10/10+HS/ JBOD	O/1/5/5+HS/6/10/JBOD
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
yes	yes
2	2
yes	yes
Order codes depending on configuration	Order codes depending on configuration

Warranty period and Warranty type: 2 years Bring-In / Send-In Service (depending on country)

¹⁾ International power cord versions available

Accessories

Data Storage



FUJITSU Storage	CELVIN NAS QR806	CELVIN NAS QR1006
Type	Hot-swappable 4-bay system Rackmount 1U	Hot-swappable 8-bay system Rackmount 2U
Hard disk capacity	Up to 4 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD/SSD	Up to 8 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD/SSD
Gigabit Ethernet Port	4	4
10Gb Ethernet	1	1
SSD caching	yes	yes
Max. Device Capacity	32 GB	64 GB
Memory	4 GB	4 GB
Data Interface	Ethernet/USB 2.0/USB 3.0	Ethernet/USB 2.0/USB 3.0
LCD-Displays Instant Setup	-	-
Virtualization and Clustering	yes	yes
iSCSI Target/Initiator	yes	yes
VMWare/Citrix/HyperV	yes	yes
Virtualization Station	yes	yes
Thin Provisioning	yes	yes
VPN (SSL) Server/Client	yes	yes
User Authentication Windows Active Directory Service/LDAP Radius Server	yes	yes
Failover/Load Balancing	yes	yes
Raid Level	0/1/5/5+HS/6/10/JBOD	0/1/5/5+HS/6/6+HS/10/10+HS/ JBOD
One-button back up + Client back up software	yes	yes
Remote Replication	yes	yes
LUN Backup and One-time Snapshot	yes	yes
FTP, File Server and WEB Server	yes	yes
Private Cloud	yes	yes
Printer Server	yes	yes
SQL Server	yes	yes
Remote Access and System Management	yes	yes
APP-Center for software add-ons	yes	yes
Surveillance Station/ free channels	4	4
Storage Pooling	yes	yes
Order codes ¹⁾	Order codes depending on configuration	Order codes depending on configuration

Configurations with SSD on request

Warranty period and Warranty type: 2 years Bring-In/Send-In Service (depending on country)
¹⁾ International power cord versions available


Accessories

Data Storage



FUJITSU Accessories	ADATA NH13 portable HDD	A-Data DashDrive Elite HE720
Type	Value Product	Value Product
Hard disk capacity	2 TB	1 TB
USB Powered	yes	yes
External AC Adapter	-	-
Energy Saving Mode	yes	yes
Size	2.5-inch	2.5-inch
USB 2.0 total	-	-
USB 3.0 total	1	1
Order code	S26391-F6048-L420	S26391-F6048-L410, 1 TB

A-DATA USB3.0 Flash Stick UE 700
MCL Flash Drive
32 GB – 64 GB
yes
-
-
-
-
1
S26391-F6048-L364, 64 GB
S26391-F6048-L332, 32 GB



FUJITSU Accessories	Ultra Slim Portable DVD Writer GP60NB60
Type	DVD-R, DVD-RW, DVD-ROM, DVD-RAM, DVD-R DL, DVD+R, DVD+R DL, DVD+RW, DVD-Video (CSS, SL, DL), CD-R, CD-RW, CD-ROM, CD-DA (DAE)
USB Powered	yes
Bootable	-
USB	USB 2.0
Transfer rate	Optical drive write speed: DVD - R 8x/CD - R 24x DVD - R DL 6x DVD - RW 6x / CD - RW 24x DVD - RAM 5x DVD + R 8x DVD + R DL 6x DVD + RW 8x M-DISC 4x Optical drive read speed DVD - R 8x/CD - R 24x DVD - R DL 8x DVD - RW 8x/CD - RW 24x DVD - ROM 8x/CD - ROM 24x DVD - RAM 6x DVD + RW 8x DVD + R DL 8x DVD + RW 8x M-DISC 8x
HD Playback Software	-
Order code	S26341-F103-L142

Accessories

Connectivity

USB Port

Replicators



FUJITSU Accessories	USB Port Replicator PR09	USB Type-C Port Replicator for dedicated FJ-clients
Power LED	1 x	1 x
DC-in	1 x 20V DC at 6 A	1 x (19 V/90 V)
USB	3 x C 3.1 Gen2, 4 x A 3.0	3 x USB 3.0
USB-PD	3.0 (60 W)	2.0 (60 W)
HDMI	1 x	1 x
VGA	-	1 x
DisplayPort	2 x (DP1.2a)	1 x
DVI	-	-
LAN	Gigabit LAN (based on Realtek RTL8211F)	10 / 100 / 1000 LAN
Audio	SPDIF	1x combo jack
Kensington Lock	yes	-
Weight	325 g	0.195 kg
Dimensions (HxWxD)	200x100x29 mm	219x75x26 mm
Order code	S26391-F6007-L500	S26391-F1667-L100



FUJITSU Accessories	USB Port Replicator PR7.1	USB Port Replicator PR8.1
Power LED	1 x	1 x
DC-in	1 x (5 V)	1 x (5 V)
USB	2 x USB 3.0	3 x USB 3.0
HDMI	1 x or DVI	1 x or DisplayPort
VGA	-	possible
DisplayPort	-	1 x or HDMI
DVI	1 x or HDMI	1 x
LAN	10 / 100 / 1000 LAN	10 / 100 / 1000 LAN
Audio	-	Headphone and microphone
Kensington Lock	-	-
Weight	0.12 kg	0.195 kg
Dimensions (HxWxD)	146x65x26 mm	189x75x26 mm
Order code	S26391-F6007-L310	S26391-F6007-L410



USB 3.0 Port Replicator PR08	USB 3.0 HUB 4 PORTS
1 x	4 x
1 x (5 V)	1 x (5 V)
2 x USB 3.0, 2 x USB 2.0, 1 x USB for port replicator connection	In: USB Type B Out: 4 x USB 3.0 Type A
-	-
via included adapter	-
1 x	-
1 x	-
10 / 100 / 1000 LAN	-
Headphone and microphone	-
1 x	-
0.35 kg	0.07 kg
190x78x40 mm	100x62.5x23 mm
S26391-F6007-L400	S26391-F6099-L304

Accessories

Connectivity



FUJITSU Accessories	USB to UHD DP Adapter	USB 3.0 Gigabit LAN Adapter
Data Rates	5 Gbit/s	1 Gbit/s
Power supply	Bus-powered	Bus-powered
Resolution (Pixel)	3840x2160 on DisplayPort	-
Required interface	USB 3.0 Type A	USB 3.0 Type A
DisplayLink	yes	-
VGA Adapter	possible	-
Cable length	-	190 mm
Dimensions (HxWxD)	44 x 75 x 14 mm	74.4 x 21 x 16 mm
Weight	0.03 kg	42 g
Order code	S26391-F6099-L500	S26391-F6055-L520



FUJITSU Accessories	Workplace Connect Kit 1.0
Package content	USB 3.0 Port Replicator PR08, Workplace Connect Gate 2.0, Notebook AC Adapter, 19 V 80 W (0 W), Dual USB Quick Charge Adapter
Order code	S26391-F6055-L710

Cables and Adapters			
HDMI			
HDMI to HDMI Cable, 180 cm	S26391-F6055-L230		
HDMI to DVI-D Cable, 180 cm	S26391-F6055-L250		
HDMI to VGA Cable	S26391-F938-L900		
DisplayPort			
DisplayPort to VGA Adapter	S26391-F6055-L280		
DP1.2 to HDMI2.0 Adapter	S26391-F6055-L212		
DisplayPort to DisplayPort Cable, 180 cm	S26391-F6055-L220		
DisplayPort to DVI Cable (40 cm)	S26391-F6055-L270		
Mini-DP to DP cable	S26391-F6055-L221		
DVI			
DVI-D to DVI-D Cable, 180 cm	S26391-F6055-L240		
DVI to VGA Adapter, 44 mm	S26391-F6055-L260		
VGA			
VGA to VGA cable 180 cm	S26391-F6055-L261		
USB Type-C			
USB Type-C to VGA Adapter	S26391-F6058-L203		
USB Type-C to DP Adapter	S26391-F6058-L201		
USB Type-C to HDMI Adapter	S26391-F6058-L202		
USB Type-C to USB Type-A Adapter	S26391-F6058-L100		
USB Type-C Cable 5A Gen2	S26391-F6058-L101		
USB Type-C to Gb-LAN Adapter	S26391-F6058-L301		
Other			
Micro-USB B Charging Cable	S26381-F6007-L900		
USB to Serial Adapter Cable, 85 cm	S26391-F6055-L570		
USB 3.0 certified cable	S26391-F6055-L320		

Accessories

Power



FUJITSU Accessories

Power supply

Required interface

Plugs

Order code

Car/Air DC Mini Adapter 80

12 V - 15 V 9 A Max,
DC-In, 19 V/68 W + USB

Carplug 12 V/EmPower

2x 19 V

S26391-F2613-L616

Car/Truck Power Adapter 90

11-32 V DC-In, 12 V - 19 V/
20 V/85 W and USB 5 W

Car plug 12/24 V

2x 19 V, 1x 12 V

S26391-F2613-L610



Dual USB Quick Charge Adapter

100/240 V AC / 2x 2.1 A

-

EU, UK, US, CN, AUS/NZ

S26391-F2613-L620

Accessories

Headsets and Speakers



FUJITSU Accessories	SOUNDSYSTEM DS E2000 Air
Type	Air-compressed woofer box
Watt (RMS)	2.4 W
Woofer design	1.5 full range driver
Audio Surround	2.0 channel with volume control
Wired Control	yes
Required interface	3.5 mm audio jack
Microphone	-
Power supply	USB bus-powered
Order code	S26391-F7128-L600



FUJITSU Accessories	Communicator Headset	UC&C USB Value Headset
Type	Voice over IP	Lightweight stereo headset Lync compatible
Watt (RMS)	80 mW	-
Woofer design	40 mm speaker/driver	-
Audio Surround	Stereo	Stereo
Wired Control	-	yes
Headphone Jack	yes	-
Required interface	3.5 mm audio jack	USB
Mute	-	yes
Noise Reduction	yes	yes
Microphone	yes	yes
Power supply	line-in powered	USB
Order code	S26391-F7139-L51	S26391-F7139-L20



UC&C USB Headset Stereo H650E
Premium UC&C Headset Lync certified
-
Super-aural 35 mm speaker
Stereo
yes
-
USB
yes
yes
yes
USB
S26391-F7139-L10

Accessories

Carrying Case



FUJITSU Accessories

Maximum notebook size	Up to 34 cm / 13.3-inch or 320x240x40 mm
Material	Nylon
Color	Black/red
Compartment	3
Trolley Belt	yes
Order code	S26391-F1192-L151

Casual Eve Case

Maximum notebook size	Up to 33.7 cm / 13.3 inch
Material	Nylon
Color	Black
Compartment	2
Trolley Belt	-
Order code	S26391-F1192-L70



Prestige Pro Case Midi 14

Maximum notebook size	Up to 35.5 cm / 14-inch
Material	1680D black nylon / grey micro fiber, leather
Color	Black
Compartment	3
Trolley Belt	yes
Order code	S26391-F1191-L80

DICOTA Top Traveler Base 13-14"

Maximum notebook size	Up to 33.5 cm / 14-inch
Material	Polyester
Color	Black
Compartment	2
Trolley Belt	yes
Order code	S26391-F1193-L120

Top Case 14

Maximum notebook size	Up to 35.5 cm / 14-inch
Material	Polyester
Color	Black
Compartment	1
Trolley Belt	-
Order code	S26391-F1194-L120



FUJITSU Accessories

Maximum notebook size	Up to 35.5 cm / 14-inch
Material	Recycled PET/PU leather
Color	Black
Compartment	3
Trolley Belt	yes
Order code	S26391-F1194-L80

Pro Green Backpack 14

Maximum notebook size	Up to 35.5 cm / 14-inch
Material	Recycled PET/PU leather
Color	Black
Compartment	3
Trolley Belt	-
Order code	S26391-F1194-L82



Prestige Case 15

Maximum notebook size	Up to 15.6-inch
Material	Polyester
Color	Black
Compartment	3
Trolley Belt	yes
Order code	S26391-F1194-L60

Prestige Top Case 15

Maximum notebook size	Up to 15.6-inch
Material	Polyester
Color	Black
Compartment	2
Trolley Belt	yes
Order code	S26391-F1194-L50

Prestige Case 16

Maximum notebook size	Up to 42x30x3.5 cm / 17.3-inch
Material	Polyester
Color	Black/red
Compartment	4
Trolley Belt	yes
Order code	S26391-F1194-L61



FUJITSU Accessories

Maximum notebook size	Up to 39.6 cm / 15.6-inch or 400x290x38 mm
Material	Nylon
Color	Black with red details
Compartment	1
Trolley Belt	-
Order code	S26391-F1191-L107

Casual Entry Case 16

Maximum notebook size	Up to 39.6 cm / 15.6-inch or 377x252x35 mm
Material	Real leather
Color	Black
Compartment	2
Trolley Belt	yes
Order code	S26391-F1192-L900



Sportive Backpack 15

Maximum notebook size	Up to 38.5x26.5x4 cm / 15.6-inch
Material	Polyester
Color	Black / red
Compartment	2
Trolley Belt	-
Order code	S26391-F1194-L136

Casual Backpack 16

Maximum notebook size	Up to 40.6 cm / 16-inch
Material	Nylon
Color	Black/grey
Compartment	2
Trolley Belt	-
Order code	S26391-F1192-L167

Prestige Backpack 17

Maximum notebook size	Up to 42x30x3.5 cm / 17.3-inch
Material	Polyester
Color	Black / red
Compartment	3
Trolley Belt	-
Order code	S26391-F1194-L135

Warranty period and Warranty type: 2 years Bring-In/Send-In Service (depending on country)

Accessories

Carrying Case



FUJITSU Accessories	Prestige Trolley 17	Sneaker Sleeves 12.5", 14", 15.6"
Maximum notebook size	Up to 42x30x3.5 cm / 17.3-inch	Up to 12.5/14/15.6-inch
Material	Nylon	PU Leather
Color	Black	Black
Compartment	4	2
Trolley Belt	-	-
Order code	S26391-F1194-L130	S26391-F1194-L201 12.5-inch S26391-F1194-L401 14-inch S26391-F1194-L501 15.6-inch

Sleeve Case M	DICOTA Perfect Skin 15 - 15.6
Up to 33.5x23.5x3 cm / 15.6-inch	Up to 15.6-inch
Twill PU / Micro suede	Neoprene
Dark grey / red	Black
1	1
-	-
S26391-F1192-L312	S26391-F1193-L100

Accessories

Product-related

Tablet PC



FUJITSU Accessories	Flip Case STYLISTIC R Brown real leather	Flip Case STYLISTIC R Brown real leather adhesive
Color	brown	brown
Weight	450 g	450 g
Dimensions	323x221x21 mm	323x221x21 mm
Material	Real Leather	Real Leather
Miscellaneous	NFC card slot Pen holder Please note: The bag has a frame, but can therefore not be used with cradle	For usage with cradle Pen holder Adhesive stripe Please note: The bag has no frame
Order code	S26391-F1194-L10	S26391-F1194-L20

Accessories

Port Replicators

Tablets

Fujitsu recommends Windows 10 Pro.



FUJITSU Accessories	Cradle STYLISTIC R726	Magnetic Keyboard STYLISTIC R726
Power on switch	-	-
DC-in	1	-
0-watt compatibility	-	-
USB 2.0 total	-	-
USB 3.0 total	-	-
VGA	2	-
HDMI	1	-
DisplayPort	-	-
DVI	-	-
LAN/Ethernet (RJ45)	1	-
Audio: line-in/microphone	1	-
Audio: line-out/headphone	1	-
Kensington Lock support	1	-
Weight	0.405 kg	0.345 kg
Dimensions	250x108x65 mm	319x201.3x15 mm
Warranty period	1 year (depending on country)	1 year (depending on country)
Warranty type	Bring-In/Send-In Service (depending on country)	Bring-In/Send-In Service (depending on country)
Order code	S26391-F2167-L100	S26391-F2114-L2xx



FUJITSU Accessories	USB Type-C Port Replicator for LIFEBOOK P728, P727, T938, T937
Power on switch	1
DC-in	1 (19V)
0-watt compatibility	no
USB 2.0 total	3
USB 3.0 total	1
VGA	1 (up to 1920x1200)
HDMI	1 (1920x1200)
DisplayPort	1 (up to 3840x2160)
DVI	-
LAN/Ethernet (RJ45)	1
Audio: line-in/microphone	1 combo jack
Audio: line-out/headphone	-
Kensington Lock support	-
Key Lock support	-
Weight	0,340 kg
Dimensions	219x75x22.9-26.0 mm
Warranty period	2 years (depending on country)
Warranty type	Bring-In/Send-In Service (depending on country)
Order code	S26391-F1667-L100

Warranty period and Warranty type: 2 years Bring-In/Send-In Service (depending on country)

For "xx" see country code list on page 133.

Accessories

Port Replicators

Notebooks



FUJITSU Accessories	Port Replicator for LIFEBOOK (E7x6, E5x7) and CELSIUS H770	Port Replicator for LIFEBOOK S937
Power on switch	1	1
DC-in	1 (19 V)	1 (19 V)
0-watt compatibility	yes	yes
USB 3.1 (Gen. 1) Typ-A	4	4
USB 3.1 (Gen. 1) Typ-G	-	-
VGA	1 (up to 1920x1200)	1 (up to 1920x1200)
HDMI	-	-
DisplayPort ¹	2 (up to 2560x1600) – 1 DP shared with DVI, works exclusive with DVI	1 (up to 2560x1600)
DVI ¹	1 (up to 1920x1200) – shared with 1 of the display ports – works exclusive with DP	1 (up to 1920x1200)
LAN/Ethernet (RJ45)	1	1
Audio: line-in/microphone	1	-
Audio: line-out/headphone	1	-
Kensington Lock support	2 (1 x Port Rep only, 1 x PR & System)	1 (Port Rep only)
Key Lock support	-	-
Weight	0.540 kg	0.650 kg
Dimensions	394x108x27 mm	343x150x30 mm
Warranty period	2 years (depending on country)	2 years (depending on country)
Warranty type	Bring-In/Send-In Service (depending on country)	Bring-In/Send-In Service (depending on country)
Order code	S26391-F1337-L109	S26391-F1557-L100

Fujitsu recommends Windows 10 Pro.



Port Replicator for LIFEBOOK U7 and E5x8 Series	USB Type-C Port Replicator for LIFEBOOK U7 and LIFEBOOK U937
1	1
1 (19 V)	1 (19 V)
no	no
4	3
2	1
1 (up to 1920x1200)	1 (up to 1920x1200)
-	1 (1920x1200)
2 (up to 4096x2160)	1 (up to 3840x2160)
1 (up to 1920x1200)	-
1	1
1	1 combo jack
1	-
1	-
0,520 kg	0,340 kg
350x97x29 mm	219x75x22.9-26.0 mm
2 years (depending on country)	2 years (depending on country)
Bring-In/Send-In Service (depending on country)	Bring-In/Send-In Service (depending on country)
S26391-F1607-L109	S26391-F1667-L100
S26391-F1607-L209 (with key lock)	

Accessories

Miscellaneous



For protection and privacy	
Privacy filter 33.8 cm (13.3-inch), 16:9	S26391-F6097-L134
Privacy filter 35.6 cm (14.0-inch), 16:9	S26391-F6097-L115
Privacy filter 39.6 cm (15.6-inch), 16:9	S26391-F6097-L317
Privacy filter 55.9 cm (22 inch), 16:10, for external display	S26391-F6097-L321
Privacy filter 61 cm (24 inch), 16:10, for external display	S26391-F6097-L322
Privacy filter 13.3 inch/16:9 for LIFEBOOK S936 touch and S935 touch	S26391-F6097-L361
Anti-Glare foil 2.1 cm (8.3 inch), 16:10	S26391-F6097-L362
Privacy Filter 12.5 inch, 16:9	S26391-F6097-L363

Warranty period and Warranty type: 2 years Bring-In/Send-In Service (depending on country)
¹ Please note either DisplayPort or DVI work. In case where both are connected, DisplayPort has higher priority.