WorkForce Pro WF-C5710DWF





DATASHEET / BROCHURE

























Cut your environmental impact and business printing costs, all while increasing productivity with less intervention and enhanced security.

This small, 4-in-1 workgroup multifunction device is perfect for the business environment, from small offices to large corporates who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime. This is while also cutting their business' environmental impact and improving their CSR reputation.

Save money

It can help businesses save at least 50% on their colour CPP (cost per page) versus comparable laser models¹. Designed for workgroups, your business can avoid the hidden employee productivity costs associated with centralised printing. Further lower costs by changing consumables less with its innovative ink supply system.

High productivity and low intervention

Delivering the Fastest First Page Out Time (FPOT) in its segment for both colour (5.3 seconds) and mono (4.8 seconds) prints against comparable lasers, it also has the fastest colour scan speed in the segment at 24ipm². Print up to 5,000 pages in monochrome and colour without changing supplies³. Largest standard paper capacity of 330 sheets in this market segment⁴.

Reduce your impact

Benefit from low-power consumption without compromising on an ultra-sharp output, with at least 90% less energy used than comparable laser models⁵.

Built for business

A range of software and tools provide secure print options, efficient scanning and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. And with its smartphone inspired user interface and touchscreen, it's intuitive to operate. Available through Epson's Print365 managed print service.

KEY FEATURES

- Largest ink yield in its segment Print up to 5,000 pages without replacing the ink³
- Ecological
 Uses up to 90 percent less power than competitive colour lasers⁵
- Save money
 Save at least 50% on colour CPP versus comparable laser models¹
- Save time
 Automatic double-sided printing, scanning, copying and faxing
- Built for business
 DuraBrite Ultra pigment inks



PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method PrecisionCore™ Print Head

Nozzle Configuration 800 Nozzles black, 800 Nozzles per colour Minimum Droplet Size 3,8 pl, With Variable-Sized Droplet Technology

Ink Technology DURABrite™ Ultra

Application Office Workgroup

All-in-One Functions Print, Scan, Copy, Fax

PRINT

First Page Out Monochrome 5 Seconds, Colour 6 Seconds
Printing Speed ISO/IEC 24734 24 pages/min Monochrome, 24 pages/min Colour
Duplex Printing Speed 15 A4 pages/min Monochrome, 15 A4 pages/min Colour

ISO/IEC 24734

Maximum Printing Speed 34 pages/min Monochrome (plain paper), 34 pages/min Colour (plain paper)

Printing Resolution 4.800 x 1.200 dpi

Max Duty cycle 45.000 pages per month

Recommended Duty Cycle 250 - 2.500 pages per month

Colours Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit http://www.epson.eu/testing.

SCAN

Single-sided scan speed (A4 1.200 dpi 2.400 dpi (with ADF); , 24 ipm with ADF scan 200 dpi (flatbed) 5 sec. with flatbed scan

black)

Doubled-sided scan speed 1.200 dpi 2.400 dpi (with ADF); , 8 ipm with ADF scan 200 dpi (flatbed)

(A4 black)

Single-sided scan speed (A4 1.200 dpi 2.400 dpi (with ADF); , 24 ipm with ADF scan 200 dpi (flatbed) 5 sec. with flatbed scan

colour)

Doubled-sided scan speed 1.200 dpi 2.400 dpi (with ADF); , 8 ipm with ADF scan 200 dpi (flatbed)

(A4 colour)

Scanning Speed (new) 24 ipm (Monochrome, Single-sided, 200 dpi, ADF); 24 ipm (Colour, Single-sided, 200 dpi,

ADF); 8 ipm (Monochrome, Double-sided, 200 dpi, ADF); 8 ipm (Colour, Double-sided, 200 dpi, ADF); 5 sec/page (Monochrome, 200 dpi, Flatbed); 5 sec/page (Colour, 200 dpi, Flatbed)

);

Scanning Resolution 1.200 dpi x 2.400 dpi (Horizontal x Vertical)

Optical Resolution (ADF) 1.200 dpi (Horizontal x Vertical)

Advanced document E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), USB Memory Device

integration

Output formats JPEG, TIFF, PDF

Scanner type Contact image sensor (CIS)

FAX

Type of fax Walk-up black and white and colour fax capability

Fax Transmission Speed Up to 33.6kbps / Approx. 3 sec/page

Error correction mode CCITU/ITU Group3 fax with Error Correction Mode

Fax speed dials (max) 200 names and numbers

Page memory Up to 550 pages/ 6MB (ITU-T No. 1 chart)

Fax Functions PC Fax, Fax to E-mail, Fax to Folder, Address Book, Delay Send, Broadcast Fax

WorkForce Pro WF-C5710DWF

WHAT'S IN THE BOX

- Individual Ink Cartridges
- Power cable
- Driver and utilities (CD)
- Setup guide
- User manual (CD)



PRODUCT SPECIFICATIONS

WorkForce Pro WF-C5710DWF

COPY

Copy Speed up to 22 ipm Black, up to 22 ipm Colour

*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)

Copy resolution (dpi) 600 x 1200 Reduction / Enlargement 25 % - 400 % Maximum number of copies 999 Maximum Copy Size A4

CONNECTIVITY

Network Printing Protocols Network Management

LPR, FTP, IPP, LPD, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP

2.0c, SNMP 3.0, SNMP Trap

Network Scanning Protocols NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP

Interfaces

Protocols

Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 1.1 Type A (2x), Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Near

Field Communication (NFC)

WLAN Security WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES) TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS **Network Protocols**

PAPER / MEDIA HANDLING

C4 (Envelope), Legal, A6, A5, B5, Letter, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, A4, B6, C5 Paper Formats

(Envelope), No. 10 (Envelope), User defined, C6 (Envelope), DL (Envelope)

Automatic Document Feeder 50 pages

Compatible Paper Weight 64 g/m² - 256 g/m²

Duplex Yes

Standard Paper input 250 Sheets Standard, 80 Sheets MP tray, 500 Sheets paper tray

Output Tray Capacity

80-Sheet Multi-Purpose Tray, 250-sheet paper tray Standard paper tray(s)

500-Sheet paper tray Optional paper tray(s)

830 Maximum paper input Yes

Rear paper path (special

media)

Number of paper trays

PAPER FEED RASE

Paper Input Name RASF

Paper Formats A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal

Custom sizes Min 64x 127 mm to Max 216x 60,000 mm

Compatible paper weight 64 g/m² - 256 g/m²

80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Paper Capacity 1 Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

PAPER FEED C1

Paper Input Name

A4, A5, A6, Letter Paper Formats

Custom sizes Min 89x 127 mm to Max 216x 356 mm

64 g/m² - 160 g/m² Compatible paper weight

Paper Capacity 1 250 Sheets of Plain Paper, Envelopes, 80gsm Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED C2

Paper Input Name Paper Formats A4. Letter

Min 100x 148 mm to Max 216x 356 mm Custom sizes

Compatible paper weight 64 g/m² - 160 g/m²

Paper Capacity 1 500 Sheets of Plain Paper, 80gsm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead



PRODUCT SPECIFICATIONS

PAPER FEED DUPLEX

Paper Input Name Duplex

Paper Formats A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive Custom sizes Min 148x 210 mm to Max 216x 297 mm

Compatible paper weight 64 g/m² - 160 g/m²

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

GENERAL

Energy Use 23 W (standalone copying, ISO/IEC 24712 pattern), 1,5 W (sleep mode), 10 W (Ready), 0,2 W

(Power off), ENERGY STAR® qualified, TEC 0,2 kWh/week

Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz

Product dimensions 425 x 535 x 357 mm (Width x Depth x Height)

Product weight 18,4 kg

Compatible Operating Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X

Systems 10.11.x, Mac O

10.11.x, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.6.8, Microsoft Windows Vista (32/64 bit), Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows

server 2003 R2, XP Professional x64 Edition, XP Professional x64 Edition SP2

Included Software Epson Document Capture Pro (Windows only)

Sound Power Operation: 6,6 B (A)
Sound Pressure Operation: 54 dB (A)

Mobile and Cloud printing Apple AirPrint, Google Cloud Print, Epson Connect (iPrint, Email Print, Remote Print Driver,

ervices Scan-to-Cloud, Facebook print)

 Noise Level
 Operation: 54 dB (A)

 Power Supply
 100V, 110V, 220V, 240V

ADDITIONAL FEATURES

Features Touchscreen, Direct Print, Direct scan-to-print without PC, Direct print from USB

LCD screen Type: Colour, Touchscreen, Diagonal: 10,9 cm

Media Handling ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape

printing, Thick Media Support

Security Functions Limit access function with Epson Web Config, Secure confidential printing with PIN code

release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin

Mode

OTHER FEATURES

Emulations ESC/P-R

OTHER

Warranty 12 months Carry in

Optional warranty extension available

SUPPLIES

WF-C5xxx Series Ink Cartridge L Black	C13T944140	, 0
WF-C5xxx Series Ink Cartridge L Cyan	C13T944240	3.000 pages
WF-C5xxx Series Ink Cartridge L Magenta	C13T944340	3.000 pages
WF-C5xxx Series Ink Cartridge L Yellow WF-C5xxx Series Ink Cartridge XI Plants		, 0
WF-C5xxx Series Ink Cartridge XL Black WF-C5xxx Series Ink Cartridge XL Cycle WF-C5xxx Series Ink Cartridge XL Black	C13T945140	, 0
WF-C5xxx Series Ink Cartridge XL Cyan WF-C5xxx Series Ink Cartridge XL Magenta	C13T945240 C13T945340	5.000 pages 5.000 pages
WF-C5xxx Series Ink Cartridge XL Yellow	C13T945340	5.000 pages 5.000 pages
WF-C5xxx/M52xx/M57xx Maintenance Box WF-C5xxx/M52xx/M57xx Maintenance Box	C13T671600	o.ooo pages

OPTIONAL ACCESSORIES


 Optional Cassette Unit WFC52XX/C57XX C12C932871

LOGISTICS INFORMATION

SKU	C11CG03401
EAN code	8715946634135
Dimensions Single Carton	538 x 552 x 537 mm
Carton Weight	23 Kg
Pallet Size Euro	16 Units (4 x 4)

WorkForce Pro WF-C5710DWF

INK YIELD DATA



* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield











Epson Deutschland GmbH Otto-Hahn-Str. 4 D-40670 Meerbusch Info-Line: 02159 92 79 500 Telefax: +49 (0) 2159/538-3000 www.epson.de

Epson in Österreich Info-Line: 01 253 49 78 333 www.epson.at Epson in der Schweiz Info-Line: 022 592 7923 www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

- 1. Comparison made against the top 10 best selling colour laser printers, with a print speed between 1 and 30 pages per minute, in Western Europe and Central and Eastern
 Europe as defined by IDC in the 12 months up to June 2017.
 CPP data taken from GAP intelligence report for August
 2017 and is an average of pricing seen in DE, FR and UK (with value in Euros as quoted by GAP). Epson values based on RRP of XXL ink packs (5,000 pages yield according to IEEE/ISO 24711/24712). Pricing for competitor models was the lowest CPP available.
- 2. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to September 2017. Data taken from BLI.
- Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information
- visit www.epson.eu/pageyield.

 4. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to September 2017. Data taken from BLI.
- 5. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to June 2017. Data taken from BLI.

