

PHILIPS

AVENT



DECT baby monitor

100% private, no interference

Crystal clear sound

Night time friendly mode

Starry night light projector



SCD733

The most reliable connection to your baby

100% private, with zero interference

SCD733 DECT baby monitor provides complete comfort and reassurance at all times thanks to its crystal clear sound and variety of soothing and reassurance features. Your baby will love the starry night light projector!

Freedom and flexibility

- Docking station for convenient charging
- Excellent operating time for overnight monitoring
- Night time friendly mode to dim display and sound
- Range up to 330 metres*

Reliable connection and constant reassurance

- DECT technology guarantees zero interference and 100% privacy
- Crystal clear sound thanks to DECT technology
- Know you are connected with LED alerts
- Energy-saving Smart ECO mode for minimal transmission
- Monitor the temperature in your baby's room and set alerts

Soothing and sleep

- Sooth your baby with the starry night light projector
- Comforting night light and lullabies to calm your little one
- Talk to your baby remotely

Highlights

100% private, no interference



DECT technology provides a secure and private connection, so you can be sure that you are the only one listening in. It guarantees zero interference from any other transmitting devices, like other baby monitors, cordless phones and mobile phones.

Crystal clear sound

DECT technology provides crystal clear sound, so you can hear every tiny giggle, gurgle and hiccup with perfect clarity.

Smart ECO mode



The unique Smart ECO mode automatically minimises the audio transmission and increases your battery time. The closer you are to your baby, the less power is needed for a perfect connection.

Range up to 330 metres*



*Indoor range up to 50 m, outdoor range up to 330 m.

Excellent operating time



The convenient rechargeable parent unit will give you the freedom of cordless monitoring for up to 18 hours per charge.

Know you are connected



5 sound level lights indicate the level of sound in your baby's room even when the parent unit is muted. With the link indication you always know when your monitor is in range and connected. The parent unit will alert you when your monitor is out of range or when the power is low, helping you to make sure that you are always connected to your baby.

Starry night light projector



Help soothe and calm your baby to sleep with the starry night light projection. Conveniently activated from the parent or baby unit.

Night time friendly mode



Personalise your alert settings and get notified by the silent and subtle vibration mode. Easily switch to night mode at the press of a button to dim the lights, display and sound.

Night light and 5 lullabies



There is nothing like a gentle lullaby and the warm, tranquil glow of a night light to calm a restless baby. Play one of 5 relaxing tunes and switch on the night light from any room in the house. Help your baby to drift effortlessly back to sleep in no time.

Highlights

Convenient charging stand

Conveniently recharge your parent unit on the docking station. Place it in your bedroom for easy charging at night, or use it as a stand during the day.

Talk to your baby remotely



Sometimes all your baby needs is the soothing sound of your voice. With one click, this essential feature allows you to talk to your baby from anywhere in the house.

Temperature sensor and alerts



As babies are not yet able to regulate their body temperature as well as you can, a slight fluctuation in climate can make them restless. The temperature sensor allows you to monitor the climate in your baby's room and set a customised alert if the temperature changes.

Specifications

Included

Baby unit
Batteries: 2x AA Batteries
Batteries for baby unit: No
Belt clip
Parent unit
Charging stand
Power adapter: 2 x

Transmission

Automatic channel selection
Frequency band: DECT

Convenience

Microphone sensitivity control

Power

Charging time (parent unit): Up to 10 hours
Operating time (parent unit): Up to 18 hours

Technical specifications

Operating temperature range: 0-40 °C

Features

Outdoor range up to: 330 m
Temperature sensor
Soothing lullabies

Logistic data

F-box dimensions (W x H x D): 220 x 156 x 94 mm

