

Product data sheet

Specifications

SYMMETRA XR BATT COMM Card



SYXRCC

Overview

Presentation	Accessory solutions to tailor the Symmetra to meet your specific needs
Lead time	Usually in Stock

Main

Main Input Voltage	48 V DC
Product or Component Type	Accessory
Main Output Voltage	48 V DC
Range of Product	Symmetra Accessories

Batteries & Runtime

Included Battery Modules	0
Battery Slots Empty	0

Physical

Height	1.5 in (3.8 cm)
Width	4.3 in (10.8 cm)
Depth	10.7 in (27.3 cm)
Net Weight	0.35 lb(US) (0.16 kg)
mounting location	Front
Mounting preference	No preference
USB compatible	No

Ordering and shipping details

GTIN	731304007593
Country of origin	PH

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.5 in (11.4 cm)
Package 1 Width	12.8 in (32.4 cm)
Package 1 Length	8.5 in (21.6 cm)
Package 1 Weight	1.26 lb(US) (0.57 kg)

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty	1 year repair or replace
----------	--------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)

Well-being performance

 Rohs Exemption Information

Yes

Eu Rohs Directive

Compliant with Exemptions

China Rohs Regulation

[China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information.