Fujitsu recommends Windows 10 Pro.

Data Sheet FUJITSU Notebook LIFEBOOK E558

Your Powerful And Modern Business Device

The FUJITSU Notebook LIFEBOOK E558 is exclusively designed for office workers needing a powerful, fully-equipped notebook. Thanks to the latest Intel processor and a shared port replicator concept with the LIFEBOOK U7 family you can work efficiently wherever you are. Enjoy a new textured design with advanced security features to protect your business data against unauthorized access.

Modern and robust design

Reliable mobility, ease of use and modern good looks for everyday business demands

- Slim 23.9 mm entry notebook starting at 2.04 kg with a robust and new cross wave 3D textured design
- Enjoy an ergonomic viewing experience with an anti-glare 14.0-inch or 15.6-inch HD or FHD display

Reliable and secure performance

Protect your business data from unauthorized access at all times

New integrated area fingerprint sensor, SmartCard reader and TPM 2.0

Best in class connectivity

Be flexible and stay productive anywhere, anytime

- Full set of ports with a full-sized HDMI, VGA, LAN connector, Display Port and USB Type-C
- Based on the latest QuadCore Intel processor, enabling data to be processed faster

Convenient serviceability and upgradeability

Easy access to key components reduces upgrade time and costs

Battery, memory, internal storage and connectivity components (LTE & WLAN) can be changed with ease

Shared port replicator concept

Protect your investments and be ready for shared desk concepts

Shared family port replicator with the LIFEBOOK U7 family ensures ultimate flexibility and workplace sharing









Components

Base unit	LIFEBOOK E558
Operating systems	
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home
Operating system notes	Certified for SUSE Enterprise Desktop Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support.ts.fujitsu.com.
Processor	Intel® Core™ i7-8650U processor (1.9 GHz, up to 4.2 GHz, 8 MB)
	Intel® Core™ i7-8550U processor (1.8 GHz, up to 4.0 GHz, 8 MB) *
	Intel® Core™ i5-8350U processor (1.7 GHz, up to 3.6 GHz, 6 MB)
	Intel® Core™ i5-8250U processor (1.6 GHz, up to 3.4 GHz, 6 MB) *
	Intel® Core™ i5-7300U processor (2.6 GHz, up to 3.5 GHz, 3 MB)
	Intel® Core™ i5-7200U processor (2.5 GHz, up to 3.1 GHz, 3 MB) *
	Intel® Core™ i3-7130U processor (2.7 GHz, 3 MB) *
	Intel® Core™ i3-7020U processor (2.3 GHz, 3 MB) *
	Intel® Celeron® processor 3965U (2.2 GHz, 2 MB)
	*Processor only for retail, SMB, education and government
Memory modules	4 GB (1 module(s) 4 GB) DDR4, , SO DIMM
	8 GB (1 module(s) 8 GB) DDR4, , SO DIMM
	16 GB (1 module(s) 16 GB) DDR4, , SO DIMM
Hard disk drives (internal)	SSD SATA III, 512 GB M.2 module, OPAL capable
	SSD SATA III, 256 GB M.2 module, OPAL capable
	SSD SATA III, 256 GB M.2 module
	SSD SATA III, 1 TB M.2 module, OPAL capable
	PCIe-SSD, 512 GB M.2 NVMe module, SED
	PCIe-SSD, 256 GB M.2 NVMe module, SED
	HDD SATA III, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	HDD SATA III, 5,400 rpm, 1 TB, 2.5-inch, S.M.A.R.T.
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III or PCIe
	If configured with an HDD, the drive has an integrated shock sensor.
Interface add on cards/components (optional)	
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Dual Band Wireless-AC8265 11ac with integrated Bluetooth 4.2
Multimedia	
Camera	Built-in webcam (HD) with Status LED
Camera notes	720p, 1 megapixels, 1280 x 720
Microphone	dual digital array microphone

Base unit

Daca upit	
Base unit	LIFEBOOK E558
General system information	
Chipset	Integrated
Chipset notes	Supports iAMT 11.6 Intel® vPro™ technology dependent on processor type
Supported capacity RAM (max.)	32 GB
Memory slots	2 SO DIMM (DDR4, 2400 MHz)
LAN	10/100/1,000 MBit/s Intel® I219LM
BIOS version	UEFI Specification 2.5
BIOS features	InsydeH20 Bios
Audio type	On board
Audio codec	Realtek ALC255 with MaxxAudio
Audio features	2x built-in speakers (stereo)
MIL-STD tested	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Product design	
Color	Black
Display	
Display notes	ISO 9241-307 - Pixel class II
	HD - Viewing angle: Left/Right 40°, Top 10°, Bottom 30°; Color Gamut: 45%, response time 25 ms FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gamut: 45%, response time 25 ms
Brightness - typical	HD - 220 cd/m ² , FHD 250 cd/m ²
Contrast - typical	HD - 500:1, FHD - 700:1
Base unit	LIFEBOOK E558
TFT resolution (DisplayPort)	up to 4,096 x 2,160 @ 60Hz
TFT resolution (HDMI)	up to 3,840 x 2,160 @ 30 Hz
TFT resolution (VGA)	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200
TFT resolution (DisplayPort on Port Replicator)	up to 4,096 x 2,160 @ 60Hz
Graphics brand name	Intel® HD Graphics 620, Intel® UHD Graphics 620
Graphics features	3 Display Support
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	
DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2x digital array microphones (optional)
USB 3.1 Gen1 (USB 3.0) total	2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality)
USB Type-C	1
VGA	1
DisplayPort	1 v1.2 (exclusive with HDMI)
HDMI	1 v1.4 (exclusive with DP);
Ethernet (RJ-45)	1 (with status LED)
1	· · ·

Interfaces	
Memory card slots	1 - SD/microSD card : 2GB - SDHC/microSDHC card : 32GB
	- SDXC card : 512GB
	- microSDXC card : 200GB (or 128GB)
	Speed Class: up to UHS-I
SmartCard slot	1 (optional)
SIM card slot	1 (Micro-SIM, only for models with integrated 4G/LTE module)
Port Replicator interfaces (optional)	
	Model: NPR46
DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 3.1 Gen1 (USB 3.0) total	4х Туре-А 2х Туре-С
DisplayPort	2
VGA	1
DVI	1
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)
Keyboard and pointing devices	
	Keyboard w/o touchstick (spill-resistant), Keyboard w/ touchstick, Backlight keyboard w/o touchstick (spill-resistant)
	Number of keyboard keys: 106, Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm
	Multi gesture touchpad with two mouse buttons
	Status LED Power Button
Martin a traba da star	
Wireless technologies	
Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional
Bluetooth	V4.2
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
GPS	Embedded in 3G/4G module if configured with WWAN
Power supply	
AC Adapter	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) standard AC-Adapter
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
Notes	65WAC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator
1st battery options	Lithium polymer battery 4-cell, 50 Wh
1st battery	
Battery features	Quick Charge: 80% in 1h
Runtime 1st battery	up to 12 h
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details.
	The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between
	manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary
	depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Noise emission	
Noise emission	Please refer to the Eco Declaration
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	379 x 256 x 23.9 mm
	14.92 x 10.08 x 0.94 inch

 Dimensions / Weight / Environmental	
Weight	from 2.04 kg
Weight (lbs)	from 4,49 lbs
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	20 - 80 %
Compliance	
Product	LIFEBOOK E558
Model	ME15A
Germany	GS (Full HD Display only)
Europe	CE CB
USA/Canada	FCC (depending on configuration)
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 7.0
China	000
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)
Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) iAMT 11.6 (depending on processor) Intel® vPro™ technology
Manageability software	DeskView Client DeskView Instant BIOS Management
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability

Security	
System and BIOS Security	Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional) Credential Guard Ready and Device Guard Capable (Windows 10, v. 1809; requires 8 GB or more system RAM and SSD PCIe NVME)
User Security	Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)

Warranty	
Warranty period	1 year (for countries in EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Product Support Services - the perfe	ct extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

The FUJITSU USB Type-C Portreplicator is the perfect solution for connecting FUJITSU mobile clients with a single USB Type-C plug. It allows you to charge and transfer data at the same time via only one cable in order to support your first steps towards a clean desk environment. High speed data transfer through USB 3.1 and Gigabit LAN make it possible to be more flexible and	
 Work faster. Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options. 	Order Code: S26391-F1607-L109
Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.	Order Code: S26391-F1607-L219
The 4 cell 50 Wh battery requires a voltage of 14.4 V and has a capacity of 3490 mAh. The weight of the battery is 300 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.	Order Code: S26391-F1616-L100
The Wireless Mouse WI200 uses wireless 2.4 GHz technology, and a high- resolution 1000 dpi optical sensor to give you the precision and reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or loft banded	Order Code: S26381-K462-L100
	 FUJITSU mobile clients with a single USB Type-C plug.It allows you to charge and transfer data at the same time via only one cable in order to support your first steps towards a clean desk environment. High speed data transfer through USB 3.1 and Gigabit LAN make it possible to be more flexible and work faster. Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options. Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options. Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options. The 4 cell 50 Wh battery requires a voltage of 14.4 V and has a capacity of 3490 mAh. The weight of the battery is 300 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge. The Wireless Mouse WI200 uses wireless 2.4 GHz technology, and a high-resolution 1000 dpi optical sensor to give you the precision and reliability you need. Sporting a compact design with a stylish black finish, the WI200

UC&C USB Value Headset



The FUJITSU UC&C USB Value Headset is a lightweight bi-aural full-size Or stereo headset with high wearing comfort. This Lync-tested USB-Headset has an appropriate Inline-Controller which supports easy call management. A noise cancelling microphone facilitates undisturbing clear phone calls.

Order Code: S26391-F7139-L20

Order Code:

S26361-K1642-V140

Prestige Top Case 15



The Prestige Top Case 15 protects notebooks with up to 15.6-inch screens. A Order Code: padded top-loading notebook compartment made of shock-absorbing foam S26391-F1194-L50 ensures additional protection. It's front pouch is ideal for storing of power adaptors, office supplies or personal items. It is the perfect business case in a practical design.

Display B34-9 UE



The FUJITSU Display B34-9 UE is an ultrawide curved display with 3440 x 1440 resolution with a thin bezel housing. The monitor has a 1900R curvature and a wide viewing angle that delivers consistent picture quality, DisplayView[™] software and a range of connectivity options ideal for medium- and large-sized businesses.

More information

Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK E558, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK E558, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/ pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http:// www.fujitsu.com/emeia/resources/navigation/ terms-of-use.html

Copyright 2020 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2020-02-25 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html Copyright 2020 Fujitsu Technology Solutions GmbH