

ThinkCentre M710 Tower 10M9004M++

| | |
|--------------------------------------|-------------------|
| Region | Dust Filter |
| EMEA | None |
| Machine Type | Keyboard / Mouse |
| 10M9 | USB / USB |
| TopSeller | Power Supply |
| TopSeller | 180W 85% |
| Processor | Operating System |
| Core i5-7400 (4C, 3.0 / 3.5GHz, 6MB) | Windows 10 Pro 64 |
| vPro | Warranty |
| No | 3-year, Onsite |
| Graphics | Global |
| Integrated Intel HD Graphics 630 | No |
| Monitor Cable | End of Support |
| None | May 11, 2023 |
| Memory | Ann Date (mm/yy) |
| 4GBx1 | 04/17 |
| Storage | |
| 256GB SSD M.2 PCIe NVMe Opal | |
| Optical | |
| DVD±RW | |
| Media Reader | |
| 7-in-1 | |
| WLAN + Bluetooth | |
| Intel 3165 ac, 1x1 + BT4.1 | |
| Optional Front Ports | |
| None | |
| Optional Rear Ports | |
| Parallel | |
| Chassis Intrusion Switch | |
| Chassis Intrusion Switch | |
| Cable Lock | |
| None | |
| Speaker | |
| 1.5Wx1 | |

| | |
|------------------|-------------------|
| Dust Filter | None |
| Keyboard / Mouse | USB / USB |
| Power Supply | 180W 85% |
| Operating System | Windows 10 Pro 64 |
| Warranty | 3-year, Onsite |
| Global | No |
| End of Support | May 11, 2023 |
| Ann Date (mm/yy) | 04/17 |

Note:

Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "***" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries



This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<http://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2018. All rights reserved.



ThinkCentre M710 Tower Platform Specifications

Product Specifications Reference (PSREF)

| | | | | | | |
|-------------------------------|---|-----------------|-------------------------|-------|------------------------|---------------------|
| Processor | Intel® Celeron®, Intel Pentium®, or 6/7th Generation Intel Core™ i3 / i5 / i7 Processor | | | | | |
| | Processor | Cores / Threads | Frequency Base/Max(GHz) | Cache | Memory Support (Up to) | Integrated Graphics |
| | Pentium G4400 | 2 / 2 | 3.3G | 3 MB | DDR4-2133 | HD 510 |
| | Pentium G4560 | 2 / 4 | 3.5G | 3 MB | DDR4-2400 | HD 610 |
| | Pentium G4600 | 2 / 4 | 3.6G | 3 MB | DDR4-2400 | HD 630 |
| | Core i3-6100 | 2 / 4 | 3.7G | 3 MB | DDR4-2133 | HD 530 |
| | Core i5-6500 | 4 / 4 | 3.2G / 3.6G | 6 MB | DDR4-2133 | HD 530 |
| | Core i7-6700 | 4 / 8 | 3.4G / 4.0G | 8 MB | DDR4-2133 | HD 530 |
| | Core i3-7100 | 2 / 4 | 3.9G | 3 MB | DDR4-2400 | HD 630 |
| | Core i5-7400 | 4 / 4 | 3.0G / 3.5G | 6 MB | DDR4-2400 | HD 630 |
| | Core i5-7500 | 4 / 4 | 3.4G / 3.8G | 6 MB | DDR4-2400 | HD 630 |
| | Core i5-7600 | 4 / 4 | 3.5G / 4.1G | 6 MB | DDR4-2400 | HD 630 |
| | Core i7-7700 | 4 / 8 | 3.6G / 4.2G | 8 MB | DDR4-2400 | HD 630 |
| Memory | 64GB max, UDIMM, DDR4-2400*, four 288-pin DIMM sockets, non-ECC, dual-channel capable * System automatically clocks down for the processors with lower memory controller | | | | | |
| Storage | Some: Hard Drive / SATA 6.0Gb/s, 2.5" or 3.5", 5400 rpm or 7200 rpm Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" Some: M.2 Solid State Drive (SSD) / PCIe NVMe, PCIe 3.0 x 4, 32Gb/s Some: Intel Optane™ Memory (models with 7th gen Core processor), M.2 Some: DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm) Some: DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm) | | | | | |
| Optical | Three onboard SATA 6.0Gb/s connectors Optional 7-in-1 media reader | | | | | |
| Onboard SATA Media reader | | | | | | |
| Graphics | Intel HD Graphics 510/530/610/630 in processor, uses main memory, DirectX® 12, one VGA, two DisplayPort™, supports 3 independent displays, works along with discrete graphics to support more displays; Max resolution: 4096x2304 (DP)@60Hz; 2048x1536 (VGA)@50Hz Some: NVIDIA® GeForce® GT 730, DirectX 12, 2GB, PCIe 2.0 x8 adapter, two DisplayPort, 35 watts; Max resolution: 3840x2160 (DisplayPort)@60Hz; Some: AMD Radeon™ R7 350, DirectX 11, 2GB, PCIe 3.0 x8 adapter, one VGA, one HDMI, 75 watts, occupies two slots; Max resolution: 4096x2160 (HDMI)@24Hz; 2048x1536 (VGA)@85Hz | | | | | |
| Monitor Cable | Optional DP to VGA, DP to DVI-D (single link), DP to dual DP, or DP to HDMI 1.4 | | | | | |
| Chipset | Intel B250 Chipset | | | | | |
| Front ports | Four USB 3.1 Gen1, optional two USB 3.1 Type-C Gen 2 (only available via special bid), microphone (3.5mm), headphone (3.5mm) | | | | | |
| Rear ports | Two USB 3.1 Gen1, two USB 2.0, optional two USB 2.0, serial (9-pin), optional 2nd serial (9-pin), optional parallel (25-pin), ethernet (RJ-45), one VGA, two DisplayPort, two PS/2 ports (keyboard/mouse); additional VGA, DisplayPort, or HDMI on optional graphics on some models | | | | | |
| Rear audio ports IEEE 1394 | Line-in (3.5mm), line-out (3.5mm), microphone-in (3.5mm) None | | | | | |
| Audio support | High Definition (HD) Audio, Realtek ALC662 / optional internal speaker (1.5 watt) | | | | | |
| WLAN ¹³ | Some: 11ac wireless, M.2 Card, Qualcomm Atheros QCA9377A (dual band), Wi-Fi + Bluetooth 4.1 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Qualcomm Atheros QCA6174A (dual band), Wi-Fi + Bluetooth 4.1 combo adapter, 2x2 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.1 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.1 combo adapter, 2x2 | | | | | |
| Bluetooth™ | Some: Bluetooth 4.1 wireless, integrated in Wi-Fi + BT combo adapter | | | | | |
| Ethernet Modem | Gigabit ethernet, Realtek RTL8111GN, Wake on LAN® None | | | | | |
| Manageability | None | | | | | |
| Security chip | TPM (Trusted Platform Module) 2.0, TCG Certified * Downgrade to TPM1.2 for the models with Win10 DG Win7 32 OS | | | | | |
| Security features | <ul style="list-style-type: none"> Security slot (in rear for optional Kensington® MicroSaver® cable) Padlock loop Smart USB protection, allows keyboard/mouse only, blocks all storage devices Optional cable lock to physically lock both keyboard and mouse Power-on password Administrator password Hard disk password Boot sequence control Boot without keyboard and mouse Individual USB port disablement Optional chassis intrusion switch | | | | | |
| Keyboard | Some: Lenovo Calliope Keyboard (USB connector), black Some: Lenovo Traditional Keyboard (USB connector), black | | | | | |
| Mouse | Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black Some: Lenovo Calliope Mouse (USB connector), black Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black | | | | | |
| Mechanical | <ul style="list-style-type: none"> Tower (15L), black color, metal case (WxDxH) 5.7" X 11.5" X 14.4"; 145mm X 292.7mm X 366mm Approx. 14.3 lb (6.5 kg), weight may vary by configuration Optional dust filter | | | | | |
| | <ul style="list-style-type: none"> Bay 1: Slim external ODD bay Bay 2: 3.5", 1" high, internal, HDD/SSD Bay 3: 3.5", 1" high, internal, HDD/SSD Slot 1: half-length full-height (length < 189mm, height < 104mm), PCIe 3.0 x16* Slot 2: half-length full-height (length < 189mm, height < 104mm), PCIe 3.0 x1* Slot 3: half-length full-height (length < 189mm, height < 104mm), PCIe 3.0 x1* Slot 4: no slot, only bracket for optional port extension* M.2 card slots: Two (one for WLAN, one for SSD/Optane) * Optional 2 front USB3.1 Type-C ports module occupies PCIe x16 slot (x4 card), optional rear 2x USB2.0 / parallel occupies one expansion slot | | | | | |
| Power supply | <ul style="list-style-type: none"> Some: 180 watts, autosensing, 85% PSU Some: 210 watts, autosensing, 85% PSU Some: 210 watts, autosensing, 92% PSU (only available via special bid) | | | | | |
| Limited warranty ³ | <ul style="list-style-type: none"> Some: 1-year or 3-year, depot service / service upgrades available Some: 1-year or 3-year, limited onsite service / service upgrades available | | | | | |
| Preload | Preloaded operating system <ul style="list-style-type: none"> Some: Windows® 7 Professional 32/64 preinstalled through downgrade rights in Windows 10 Pro 64-bit (not available with 7th Gen Intel processor) Some: Windows 10 Pro 64-bit Some: Windows 10 Home 64-bit | | | | | |
| | Preloaded applications (only some listed) <ul style="list-style-type: none"> Microsoft Office preloaded; purchase a product key to activate Only for Window 10 Lenovo Companion Only for Window 7 Lenovo Solution Center Lenovo ThinkVantage Tools Create Recovery Media Adobe® Reader® Cyberlink PowerDVD Create (DVD±RW) | | | | | |
| Environment | ENERGY STAR® 6.1, EPEAT™ Gold rating (North America), ErP Lot 3, GREENGUARD®, RoHS-compliant, TUV low noise verified (on some models) | | | | | |
| Accessories | For compatible accessories, please go to http://www.lenovoquickpick.com | | | | | |

See footnotes for more detailed information

© Lenova

(M710 Tower-Spec) June 2017

ThinkCentre M710 Tower

Lenovo[™]

