# **HP PageWide Enterprise Color Flow** MFP 785z+



# The new printing paradigm

Modern business demands forward-thinking technology – it's why HP engineered the next generation of HP PageWide Enterprise to deliver a competitive edge from every angle: lowest colour cost, <sup>1</sup> maximum uptime and the industry's strongest security.<sup>2</sup>

The lowest cost for colour<sup>1</sup>





Get the quality you expect with HP PageWide Technology that delivers the lowest cost per

Print more pages and replace cartridges less often with optional high-yield cartridges.<sup>3</sup>

• Print even faster – and save even more per page – by setting this printer to General Office

Minimise interruptions with an HP PageWide device designed for the least maintenance in

Print speeds up to 50% faster than competitors – as fast as 75 ppm in colour and black-

Organise, staple, collate, and hole-punch with advanced external finishing that helps you

Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused. remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds







# The world's most secure printing<sup>2</sup>

ramp up production.

and-white.

folders

Minimal interruptions. Maximum uptime.

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.

Help keep energy costs down with the most efficient MFP in its class.<sup>5</sup>

Firmware is automatically checked during startup to determine if it's authentic code –

## Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-
- Load up to 200 pages into the automatic document feeder for fast, unattended scanning.

## Product walkaround

## HP PageWide Enterprise Color Flow MFP 785z+ shown

- 1. 20.3 cm (8.0 in) pivoting colour touchscreen
- 2. Hardware Integration Pocket
- 3. Easy-access USB printing port
- 4. Pull-out keyboard
- 5. Front door access to cartridges
- 6. 100 sheet multipurpose tray 1 supports media up to 305 x 457 mm (12 x 18 in)
- 7. 550 sheet tray 2 supports media up to  $297 \times 432 \text{ mm} (11.7 \times 17 \text{ in})$
- 8. Optional 3  $\times$  550 sheet paper tray and stand supports media up to 297  $\times$  432 mm (11.7
- x 17 in); One tray/stand accessory is required for the 785z+ model
- 9. 200 sheet ADF with single-pass, two-sided scanning with HP EveryPage  $\,$
- 10. Fax (standard)
- 11. Flatbed scanner handles up to 297 x 432 mm (11.7 x 17 in)
- 12. Upper bin of external finisher supports up to 250 sheets
- $13.\,\mathrm{Lower}\,\mathrm{bin}$  of external finisher supports up to 3,000 sheets; Staple, collate, and optional hole punch
- 14. Automatic two-sided printing
- 15. Host USB port, Ethernet network port, Hi-Speed USB 2.0 printing port



# Accessories, Supplies and Support

Supplies	T0B27A HP 982X High Yield Cyan Original PageWide Cartridge (~16,000 pages)
	TOB30A HP 982X High Yield Black Original PageWide Cartridge (~20,000 pages)
	TOB28A HP 982X High Yield Magenta Original PageWide Cartridge (~16,000 pages)
	TOB29A HP 982X High Yield Yellow Original PageWide Cartridge (~16,000 pages)
Accessories	<b>2EH31A</b> HP MFP Analog Fax Accessory 700
	9UW01A HP PageWide 550 sheet Paper Tray/Stand
	9UW02A HP PageWide 3x550 sheet Paper Tray/Stand
	9UW03A HP PageWide 4K Sheet HC Paper Tray/Stand
	9UW04A HP PageWide External Stapler Stacker
	A7W99A HP PageWide 550-sheet Paper Tray
	B5L28A HP Internal USB Ports
	B5L31A HP Foreign Interface Harness
	E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
	P1V16A HP PageWide 550-sheet Paper Tray
	P1V17A HP PageWide 550-sheet Paper Tray and Cabinet
	P1V18A HP PageWide 3x550 sheet Paper Tray and Stand
	P1V19A HP PageWide 4000 sheet High-capacity Paper Tray and Stand
	Y1G11A HP LaserJet Hole Punch 2/4 Accessory
	Y1G12A HP LaserJet Hole Punch Swedish Accessory
	Y1G14A HP LaserJet Stapler/Stacker Finisher Staples
	W1B43A HP PageWide Printhead Wiper Kit
	W1B45A HP PageWide Roller Kit
	W1B44A HP PageWide Service Fluid Container
	J8030A HP Jetdirect 3000w NFC/Wireless Accessory
Service and Support	U9RJ6E HP 3 year Next Business Day Service with Defective Media Retention for PageWide Colour 78x U9RJ7E HP 4 year Next Business Day Service with Defective Media Retention for PageWide Colour 78x U9RJ8E HP 5 year Next Business Day Service with Defective Media Retention for PageWide Colour 78x U9RKSPE HP 1 year Post Warranty Next Business Day Service with Defective Media Retention for PageWide Colour 78x U9RK6PE HP 2 year Post Warranty Next Business Day Service with Defective Media Retention for PageWide Colour 78x

# **Technical specifications**

Model	HP PageWide Enterprise Color Flow MFP 785z+
Product number	ZSG75A
Functions	Print, copy, scan, fax
Control panel	20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed
·	2.0 port; Hardware Integration Pocket
Print	Luca vivi e v
Print technology	HP PageWide Technology
Print speed <sup>1</sup>	Black (A4, normal) Up to 55 ppm; Colour (A4, normal): Up to 55 ppm; Black (A4, duplex): Up to 38 ppm; Colour (A4, duplex): Up to 38 ppm; Colour (A4, duplex): Up to 38 ppm; Black (General Office): Up to 75 ppm; Colour (General Office): Up to 75 ppm;
First page out <sup>2</sup>	Black (A4, ready): As fast as 10.5 sec; Colour (A4, ready): As fast as 10.4 sec; Black (A4, sleep): As fast as 26.6 sec; Colour (A4, sleep): As fast as 26.6 sec;
Print resolution	Black (best): Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Colour (best): Up to 2400 x 1200 optimised dpi from 600 x 600 input dpi (on HP Advanced Photo Papers); Technology: HP PageWide Technology up to 1200 x 1200 optimised dpi from 600 x 600 input dpi;
Monthly duty cycle	Up to 125,000 pages A4; <b>Recommended monthly page volume</b> : 2,500 to 25,000
Printer smart software features	HP SureStart; Run-time Intrusion detection; Whitelisting; HP Trusted Platform Module; HP JetAdvantage Security Manager; HP Web Jetadmin; Open Extensibility Platform; FutureSmart Firmware; HP ePrint; Apple AirPrint™; HP Auto-Onfluto-Off technology; HP Colour Access Control; HP EasyColour; Front-facing USB printing; Store print jobs; Print preview; Automatic two-sided printing; Print multiple pages pleat (2, 4, 6, 9, 16); Cd, 4, 6, 9, 16); Cover pages; Tray selection; Scaling; Portrait/l/landscape orientation; High Quality Grayscale and Black Ink Only; General Office/Professional/Presentation dpi print modes; Optional: HP and third party extensibility solutions; Wireless
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation; PDF 1.7
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL; 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Print area	Print margins Top: 4.23 mm (Default), 2 mm (Edge-to-Edge mode), Bottom: 4.23 mm (Default), 2 mm (Edge-to-Edge mode), Left: 4.23 mm (Default), 2 mm (Edge-to-Edge mode), Right: 4.23 mm (Default), 2 mm (Edge-to-Edge mode);
Print cartridges number	4 (1 each black, cyan, magenta, yellow)
Multitasking supported	Yes
Memory card compatibility	144-pin DDR3 DIMM
Duplex printing	Automatic (standard)
Сору	
Copy speed	<b>Black (A4, ISO)</b> : Up to 55 cpm; <b>Colour (A4, ISO)</b> : Up to 55 cpm
Copier specifications	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage; Maximum number of copies: Up to 9999 copies; Copy resolution: Up to 600 x 600 dpi; Reduce/Enlarge: 25 to 400%;
Copier smart software features	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto colour detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build
Scan	
Scan speed	Normal (AA): Up to 120 ppm (black and white); Up to 120 ppm (colour); Duplex (AA): Up to 120 ppm (black and white); Up to 120 ppm (colour)
Scan file format	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pd, .cht)
Scanner specifications	Scanner type Flatbed, ADF; Scan technology: Charge Coupled Device (CCD) & Contact Image Sensor (CIS); Scan input modes Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; Twain version: Version 2.1; Duplex ADF scanning: Yes, single-pass duplexing ADF; Scan size maximum (flatbed, ADF): 297 x 432 mm; Optical scan resolution: Up to 600 ppi
Scanner advanced features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone
Recommended monthly scan volume	2,000 to 75,000
Scannable area	Maximum media size (flatbed): 297 x 432 mm; Minimum media size (ADF): 68 x 148 mm Maximum media size (ADF): 297 x 432 mm; Up to 297 x 1000 mm when "long scan size" selected
Bit depth/ Grey scale levels	24-bit / 256
Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF
Fax	
Fax <sup>3</sup>	Optional, 33.6 kbps
Fax specifications	Fax memory: Up to 500 pages; Fax resolution: Standard: 204 x 98 dpi; Fine: 204 x 196 dpi; Quick dialing: Up to 1000 numbers (each with 210 destinations); Telecom compliance: ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Processor speed	1.2 GHz
Connectivity	
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000TX network; 1 Wireless 802.11b/g/n; 1 Bluetooth Low Energy; 1 RJ-11 modem port/phone line

Model	HP PageWide Enterprise Color Flow MFP 785z+
Product number	ZSG75A
Optional	HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A
Wireless	Yes, built-in Wi-Fi 802.11b/g/n
Mobile printing capability	HP ePrint, Apple AirPrint™, Google Cloud Print
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, B00TP/DHCP, WINS, IP Direct Mode, WS Print
Network capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)
Hard disk	500 GB High-Performance Secure Hard Disk (AES 256 hardware encryption or greater; Secure erase capabilities: Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
Memory	Standard: 5632 MB; Maximum: 5632 MB
Paper handling	
Number of paper trays	Standard: 2 (additional required purchase of the HP PageWide 550 sheet Paper Tray and Cabinet P1V17A, HP PageWide 3 x 550 sheet Paper Tray and Stand P1V18A or HP PageWide 4,000 sheet High-capacity Paper Tray and Stand P1V19A); Maximum
Media types	Plain paper, HP EcoFFICIENT, HP Premium Presentation Matte 120g, HP Brochure Matte 180g, HP Brochure Glossy, HP Advanced Photo Papers, Light 60-74g, Intermediate 85-95g, Mid-Weight 96-110g, Heavy 111-130g, Extra Heavy 131-175g, Cardstock 176-220g, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Coloured, Bond, Recycled, Rough
Media size	Custom (metrid: Tray 1: 99.1 x 127 to 304.8 x 457.2 mm; Trays 2-5: 210.1 x 148.1 to 304.8 x 457.2 mm; HCI Trays 3 & 4: A4 Only Supported (metrid: Tray 1: RA3, A3, BK, B4 (JIS), SRA4, RA4, A4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6; Trays 2-5: A3, BK, B4 (JIS), SRA4, RA4, A4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6; Trays 2-5: A3, BK, B4 (JIS), SRA4, RA4, A4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6; Trays 2-5: A3, BK, B4 (JIS), SRA4, RA4, A4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6; Trays 2-5: A3, BK, B4 (JIS), SRA4, RA4, A4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6; Trays 2-5: A3, BK, B4 (JIS), SRA4, RA4, A4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6; Trays 2-5: A3, BK, B4 (JIS), SRA4, RA4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6; Trays 2-5: A3, BK, B4 (JIS), SRA4, RA4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6; Trays 2-5: A3, BK, B4 (JIS), SRA4, RA4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6; Trays 2-5: A3, BK, B4 (JIS), SRA4, RA4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), A6; Trays 2-5: A3, BK, B4 (JIS), SRA4, B4-R, A4-R,
Media handling	Standard input: 100-sheet multipurpose tray, 550-sheet input tray Standard output: 3,000 sheet lower bin Optional input: 1 x 550/stand (A3/A4); 3 x 550/stand (A3/A4); HCl (2 x 2,000 sheet A4) ADF: Standard, 200 sheets
Media weight	Tray 1: 60-220 g/m², 300 g/m² Photo Paper Only; Trays 2-5: 60-220 g/m²; HCl trays 3-4: 60-220 g/m²
Input capacity	Tray 3: Up to 1,650 sheets in 3 x 550; Up to 2 x 2,000 sheets in HCI  Maximum: Up to 4,650 sheets  ADF: Standard, 200 sheets
Output capacity	Standard: Up to 3,000 sheets (80 g/m²)           Maximum: Up to 3,250 sheets (80 g/m²)
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS mac, OS 10.12 Sierra, OS X 10.11 El Capitan, OS X 10.10 Yosemite, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/2008 R2/SP1, Citrix on Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services, 32/64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2012 and 2012 R2 Terminal Services, 40-bit), Novell NetWare 6.5/SP8 Novell Clients http://www.novell.com/iprint, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers http://www.novell.com/iprint), Windows Server 2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 Server 2012/2012 R2 Server 2016/64-bit Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 Server 2016/64-bit Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2016/64-bit Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2016/64-bit Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2016/64-bit Standard/Enterprise (+ Cluster & Terminal Services), Windows
Minimum system requirements	Windows: 2 GB available hard disk space; For OS hardware requirements see http://www.microsoft.com  Mac 1.3 GB available hard disk space; Internet; For OS hardware requirements see http://www.apple.com for more info
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (directs users to http://www.123.hp.com or OS App Source for printer software), online user manuals
Security management	Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug in, 802.1X authentication (EAP-PEAP, EAP-TLS), SMMPV3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TIPM) comes standard; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions, 18 Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks), HP Sure Start Secure Boot (80S integrity checking with self-healing capability), Whitelisting (loads only known good code (DLLs, EXEs, etc.); Security Management: Compatible with HP JetAdvantage Security Manager, 21 Device Security Syslog Messages processed and accessible in ArcSight and Splunk SIEMs; For more security settings go to http://h10032.www1.hp.com/ctg/Manual/c03602120
Printer management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum 1245 x 693 x 1222 mm; Maximum 2495 x 1175 x 1535 mm (with all doors and trays open, and document feeder lifted);
Package dimensions (W x D x H)	790 x 760 x 1027 mm
Printer weight	109.4 kg
Package weight	171.0 kg
Operating environment	Temperature: 15 to 30°C Humidity: 30 to 70% RH

Model	HP PageWide Enterprise Color Flow MFP 785z+
Product number	Z5G75A
Storage conditions	Temperature: Before initial setup (non-purged): -40 to 60°C; After initial setup (purged): 0 to 60°C. If stored below the lowest specified operating temperature, unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating temperature prior to using the printer).  Humidity: 10 to 80% RH
Power <sup>4</sup>	Requirements. Input voltage: 220 to 240 VAC, 50/60 Hz; Consumption: 740 watts (max. printing), 570 watts (printing), 50 watts (ready), 1.3 watts (sleep), 0.2 watts (auto-off), 0.2 watts (off); Typical Electricity Consumption (TEO <sup>5</sup> : Blue Angel: 4.287 kWh/Week; Energy Star 3.0: 1.164 kWh/Week; Power supply type: Internal (Built-in) power supply;
Energy savings feature technology	HP Auto-on/Auto-off Technology
Certifications	CISPR 22:2008 Class A, CISPR 32:2012 Class A, EN 55032:2012 Class A, EN 61000-3-3:2013, EN 61000-3-2:2014 ENERGY STAR® qualified; EPEAT® Silver
Sustainable impact specifications	ES 203 021-2 v2.1.2
Country of origin	Made in Netherlands
What's in the box	HP PageWide Enterprise Color Flow MFP 785z+; HP Setup Ink Cartridges (yield after setup 8,000 pages CMY and 10,000 Black); Installation guide; Support flyer; Documentation on CD-ROM; Power cord
Warranty	1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

#### Footnotes

1 Lowest cost per colour page claim applies to devices that are not sold under contract: Comparison of HP PageWide A3 devices with the majority of in-class colour ink/laser MFPs (€2,820-€7,049) and colour ink/laser single function printers (€1,410-80). €2,819) as of January/February 2017; market share as reported by IDC as of Q4 2016. Cost per page (CPP) reported by gap intelligence Pricing & Promotions Report January/February 2017; comparisons for devices/supplies not sold under contract are based on published specifications of the manufacturers' highest-capacity cartridges, inclusive of long life consumables and page yield. Average HP yield based on SO/IEC 24711 and continuous printing in default mode. Actual yield varies based on content of printed pages and other factors. For more information, see http://www.hp.com/go/learnaboutsupplies and hp.com/go/PageWideClaims

or printer pages and outre factors. Por information in security features of competitive in-class printers. Only PPP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validates oftware integrity in a reboot. For a list of printers, visit http://www.hp.com/go/Printers ThatProtect. For more information: http://www.hp.com/go/Printers Purchase are not included in printer purchase; purchase separately. Learn more at http://www.hp.com/go/learnaboutsupplies.

4 Comparison based on printing in Professional Mode.

5 Energy claim based on TEC data reported on energystar.gov as of February 2018. Data normalised to determine energy efficiency of in-class colour laser printers and MFPs with print speeds between 20-80 ppm as of February 2018. Subject to device settings. Actual results may vary.

6 Fewer service parts claim based on BLI analysis of leading in-class A3 MFPs as of August 2016; calculations use publicly available and *b*r published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60%

black/40% colour ratio); market shareas reported by DC as of Q3 2016. Learn more at http://www.hp.com/go/learna/boutsupplies.

7 Comparison of HP PageWide A3 devices with the majority of in-class colour ink/laser MFPs (€2,820-€7,049) and colour ink/laser single function printers (€1,410-€2,819) as of April 2017; market share as reported by DC as of Q4 2016, excluding other

HP PageWideproducts. HP PageWidespeeds based on General Office mode and exclude first page. Learn more at http://www.HP.com/go/printerspeeds.

<sup>8</sup> Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.connected.com

9 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

#### Technical specifications disclaimers

 $^{1} \hbox{\sc is O speeds measured using is O/EC 24734. Excludes first page or first set of is O test pages. For details see http://www.hp.com/go/printerclaims.}$ 

<sup>2</sup> Exact speed varies depending on the system configuration, software application, driver and document complexity

Based on standard ITU-T test image at standard resolution and MMR encoding, the HIP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17.

<sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power Consumption and Energy Star TEC values typically based on measurement of 115V device.

Shormalized TEC (watthours per page) BlueAngel: 0.257 Wh/page, EnergyStar: 0.269 Wh/page.















### http://www.hp.com/uk

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



