## ideacentre AIO 520 (24") Intel F0D200C4IX

Region WE

Country Italy

Machine Type F0D2

Processor

Core i3-7020U (2C, 2.3GHz, 3MB)

Graphics

Integrated Intel HD Graphics 620

Chipset

Intel SoC Platform

Memory

8GBx1 DDR4-2400

Storage

1TB 7200rpm + 16GB Optane Memory

Optical None

Media Reader

3-in-1

Display

23.8" FHD (1920x1080) IPS

Multi-touch

None

Camera

720p

Microphone Dual Array

HDMI HDMI-in

WLAN + Bluetooth 11ac, 1x1 + BT4.0

Keyboard / Mouse USB Silver / USB Silver

Power Supply 90W Adapter

Operating System
Windows 10 Home 64

Warranty 2-year, Depot

Ann Date (mm/yy) 05/18

#### Note:

\* Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "\*\*" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries



## WWW.LENOVO.COM

This publication was developed for products and services oered in the United States and E.M.E.A countries. Lenovo may not oer the products, services or features discussed in this document in other countries. Lenovo may withdraw an oering at any time. Information is subject to change without notice. Consult your local representative for information on oerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.



### http://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2017. All rights reserved.

# ideacentre AIO 520 (24") Intel Platform Specifications

Processor	24IKL: Intel® Celeron® Processor, Intel Pentium® Processor or 6th / 7th Generation Intel® Core® i3 / i5 / i7 Processors						Ports	F	HDMI-out, USB 3.1 Gen1 x 1 (for 24IKU / 24IKL).	
	Processor	Cores Thread		Cach	Memory Types	Integrated Graphics	TV tuner	Bottom: h	JSB 3.1 Gen2 x 1 (only for 24ICB), optional HDMI-in leadphone / microphone combo jack (3.5mm) x 1, media card reader JSB 3.1 Gen1 x 1	
	Celeron G3930		2.7 GHz	2 ME	DDR4-2133	Intel HD		Right: U None	3.3.1 Gent x i	
	Pentium G4560	_		3 MB 3 MB	_	Graphics 610	Audio support	HD Audio, s	stereo speakers with Dolby® Audio™ certification,	
	Core i3-7100T	2/4			DDR4-2400	Intel HD		3W x 2, dual array microphone		
	Core i5-7400T	74001   4 / 4   2.4 GHz / 3.0 GHz   6 MB   Gra		Graphics 630	Display	23.8" (604.5mm) FHD (1920x1080) color, WVA, LED backlight, anti-glare, frameless 16:9 aspect ratio, 250 nits, IPS, borderless				
	Core i7-7700T   4 / 8   2.9 GHz / 3.8 GHz   8 MB   24lKU: Intel Pentium Processor or						Multi-touch (opt)	Support 10-point touch None Power button, optical drive eject button, cable clip, camera eject button		
	6th / 7th / 8th Generation Intel Core i3 / i5 Processors						Light sensor Controls			
	Processor	Cores / Threads	Frequency (Base/Max)	Cache	Memory Types	Integrated Graphics	WLAN	11ac wireless, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1, M.2 card		
	Pentium 4415U	2/4	2.3 GHz	2 MB		Intel HD Graphics 610	Bluetooth™ Ethernet	rnet Gigabit Ethernet connection		
	Core i3-6006U	Core i3-6006U 2 / 4 2.0 GHz	-	DDR4-2133	Intel HD Graphics 520	Remote control Security	None Power-on password, administrator password, security slot			
	Core i3-7020U	2/4	2.3 GHz	3 MB		Intel HD	Security chip  Mechanical	None  • black or silver color		
	Core i5-7200U	2/4	2.5 GHz / 3.1 GHz			Graphics 620		• black of s	Dimensions (WxDxH)   Max weight (lb / kg)   Adjustments	
	Core i5-8250U	4/8	1.6 GHz / 3.4 GHz	6 MB		Intel UHD Graphics 620		Without sta	21 31 X 2 24 X 13 62 (inch):	
	24ICB: Intel Pentium Gold Processor or 8th Generation Intel Core i3 / i5 /i7 Processors							With star	21.31 X 8.34 X 16.39 (inch); 13.6 / 6.17 Tilt: 25° back,	
	Processor	Cores / Threads	Frequency (Base/Max)	Cache	Cache Memory Types	Integrated Graphics			541.2 x 212 x 410.0 (IIIII)   -5 IOIWalu	
	Pentium Gold		,	4.45		Intel UHD	Power adapter	Some: 90 watts PSU, 100V-240V Some: 120 watts PSU, 100V-240V		
	G5400T	2/4	3.1 GHz	4 MB	DDR4-2400	Graphics 610	- Camera	Some: 720n HD, fixed focus		
	Core i3-8100T	4/4	3.1 GHz	6 MB		Intel UHD		Some: IR c	amera, 1080p, (support Windows Hello) ovo Calliope Keyboard (USB connector), black or silver	
	Core i5-8400T Core i7-8700T	6/6	1.7 GHz / 3.3 GHz		DDR4-2666	Graphics 630	Keyboard (opt)	Some: Lenovo Calliope Keyboard (USB connector), black or silver Some: Lenovo Calliope Wireless Keyboard, black or silver Some: Lenovo Calliope Mouse (USB connector), black or silver		
Ohinaat							Mouse (opt)	Some: Lenovo Calliope Mouse (USB connector), black or silver Some: Lenovo Calliope Wireless Mouse, black or silver		
Chipset	24IKL: Intel B250 platform 24IKU: Intel SoC (System on Chip) platform						Limited warranty	Some: 1-year, limited mail-in service / service upgrades available		
Mamari	24ICB: Intel B360 platform						Limited warranty	Some: 1-year or 2-year, depot repair service / service upgrades available		
Memory	24IKL: 12GB max / 2400MHz DDR4, two SO-DIMM sockets 24IKU: 8GB max / 2400MHz DDR4, two SO-DIMM sockets 24ICB: 16GB max / 2600MHz DDR4, two SO-DIMM sockets 5 Such automatically closes down for the presence with lower moment controller.						Preload	Some: Windows® 10 Home 64		
						a company a controllar		Some: Windows 10 Pro 64 Preinstalled software includes but not limited to the following:		
Graphics	* System automatically clocks down for the processors with lower memory controller Some: Intel HD Graphics 520 / 610 / 620 / 630 or						_	Lenovo® Companion 3.0     Lenovo ID     Lenovo Settings		
Graphics	Intel UHD Graphics 610 / 620 / 630 in processor									
	Some: AMD Radeon™ 530, 2GB GDDR5, DirectX® 12							Lenovo Rescue System 9.0		
Storage	Some: SATA 6.0Gb/s, 3.5" wide, 7200 rpm Some: M.2 SSD / PCIe NVMe, PCIe 3.0 x 4 (e.g. 256GB SSD M.2 PCIe NVMe)					PCIe NVMe)		• McAfee® LiveSafe <sup>fu</sup> (30-day trial)		
	Some: M.2 SSD / PCIe NVMe, PCIe 3.0 x 2 (e.g. 128GB SSD M.2 PCIe NVMe) Some: Intel Optane™ Memory, M.2						Environment	24ICB: ENERGY STAR® 7.0; ErP Lot 3; RoHS-compliant Others: GREENGUARD® certified; ErP Lot 3;		
SATA Controller									NERGY STAR 6.1 (will update to ENERY STAR 7.0 after November)	
Optical (opt)										
Media reader	3-in-1 reader (SI	J, SDHC	, SDXC) (bottom)						© Lenovo	
									© Leflovo	











