



# Product Compliance Datasheet

**MARKETING NAME.....: Vostro 15-7580**

**REGULATORY MODEL.....: P71F**

**REGULATORY TYPE.....: P71F002**

**EMC EMISSIONS CLASS.....: B**

**EFFECTIVE DATE.....: April 30, 2018**

## Table of contents

- I. Statement of Compliance .....2
- II. Global Environmental Information .....3
- III. Power Cords and User Documentation.....3
- IV. Trade (Import/Export) Compliance Data .....3
- V. Product Dimensions and Weight.....3
- VI. Performance Data .....3
- VII. Product Materials Information .....4
- VIII. Packaging.....6
- IX. Batteries .....6
- X. Design for Environment.....7
- XI. Recycling / End-of-Life Service Information .....7
- XII. Helpful Links .....7
- A Appendix A: ErP Lot 3 Product Energy Consumption Information.....8
- B Appendix B: ErP Lot 26 Network Standby Energy Consumption Information .....10



# I. Statement of Compliance

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Dell manufacturers and markets Multimedia Equipment (MME), Information Technology Equipment (ITE), Audio Visual Equipment (A/V), Industrial, Scientific, Medical Equipment (ISM) or combinations of these. Generally, products Electromagnetic Compatibility (EMC) and Product Safety compliance is based on International IEC and CISPR standards and their national equivalent along with national standards for Radio (wireless), Telecommunications (Modem) and Energy. Dell products have been verified to comply with the Restriction of Hazardous Substances (RoHS) Directive 2011/65/EU of the European Parliament and the Council. Dell product does not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B product is intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A product is intended for use in non-residential/non-domestic environments. Class A product may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product regulatory labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. Dell products with the CE marking have been verified to comply with Energy Related Products (ErP) Directive 2009/125/EC of the European Parliament and of the Council.. REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), Regulation (EC) 1907/2006 of the European Parliament and of the Council is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH regulation. For information on SVHC (Substances of Very High Concern), see [www.dell.com/REACH](http://www.dell.com/REACH). This products compliance documentation, such as this datasheet and the European Union Declaration of Conformity are available on the product support page, manuals tab <http://www.dell.com/support>. Additional compliance documentation for the product is available upon email request to [product\\_compliance@dell.com](mailto:product_compliance@dell.com). Please include product identifiers such as marketing name, regulatory model, regulatory type and country that compliance information is needed in the email request.



## II. Global Environmental Information

Environmental (Voluntary Marks)		
Country	Approval	Compliance
Global	ENERGY STAR (Configuration Dependent)	<i>Energy Star 6.1</i>
China	CECP	Yes
China	CEC	Yes
Japan	Green PC Label	Yes
Varies by Country See <a href="http://EPEAT.net">EPEAT.net</a>	EPEAT (Configuration Dependent)	Refer to EPEAT.net for specific registration levels and countries

## III. Power Cords and User Documentation

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: [www.dell.com/import\\_export\\_compliance](http://www.dell.com/import_export_compliance) or send request to [WW\\_Export\\_Compliance@dell.com](mailto:WW_Export_Compliance@dell.com).

## IV. Trade (Import/Export) Compliance Data

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: <http://www.dell.com/learn/us/en/uscorp1/import-export> or send email request to [WW\\_Export\\_Compliance@dell.com](mailto:WW_Export_Compliance@dell.com). Please include product identifiers such as marketing name, regulatory model, regulatory type and country that compliance information is needed in the email request.

## V. Product Dimensions and Weight

Depth, mm/cm	Width, mm/cm	Height, mm/cm	Weight, kg
270.0 mm	389.0 mm	Front 23.95 mm Back 24.95 mm	2.83 Kg (depending upon installed options)

For Display, Imaging products please refer to the user manual for weight and dimension information.

## VI. Performance Data

ErP Lot 3 & Lot 26 information is located in section XIV Appendix A and B

For additional information on ENERGY STAR models refer to the following databases:

<http://www.dell.com/learn/us/en/uscorp1/dell-environment-energy-efficiency?c=us&l=en&s=corp&cs=uscorp1>

USA: <https://www.energystar.gov/productfinder/>

## VII. Product Materials Information

Information on Dell's material use is available [here](#).

Dell's Restricted Material for Use guidance document is available [here](#).

- The case material is, cover: >PC-I-GF40-FR(40)<; bezel: >PC+ABS-FR(40)<; log low: >PC+ABS-TD15 FR(40)<; big door: >PC+ABS-I-(TD10+QD15)-FR(40)<; rear cover: >PC+ABS-TD15 FR(40)<
- This product contains 4.7% post-consumer recycled plastic/closed loop recycled plastics (Measured as a percentage of total amount of plastic (by weight) in the product as per guidance in EPEAT standard as applies to plastics parts)

Mechanical plastic parts <sup>1</sup> > 25 g are BFR/PVC free	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Marking of plastics parts greater than 25 grams is in accordance with ISO 11469 (see below)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Printed circuit boards (without components) >25g are BFR PVC free <sup>2</sup>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Insulation materials of external electrical cables are PVC free	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Insulation materials of internal electrical cables are PVC free	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Product is BFR/PVC Free (Accessories & Options may not be BFR/PVC-Free, refer to spec ENV0199)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

### Flame Retardants Used in Motherboard

Part	Flame Retardant
Motherboard	DOPO 1%-6% Phosphorous resin <15%

<sup>1</sup> Mechanical plastic part: plastic parts that do not internally carry an electrical signal such as housings, brackets, bezels, latches, etc. that form the basic structure of the product and/or have mechanical functions. Plastic parts such as fans, connectors, printer fuser assemblies, etc. are not considered "mechanical plastic parts" in the context of this specification. Plastics parts do not contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride (Per Dell Spec ENV0424)

<sup>2</sup> Dell will adopt the BFR/CFR/PVC-free definition as set forth in the "INEMI Position Statement on the Definition of 'Low-Halogen' Electronics (BFR/CFR/PVC-Free)." Plastic parts contain <1000 ppm (0.1 percent) of bromine (if the Br source is from BFRs) and <1000 ppm (0.1 percent) of chlorine if the Cl source is from CFRs, PVC or PVC copolymers. All printed circuit board (PCB) and substrate laminates contain bromine/chlorine totaling less than 1,500 ppm (0.15 percent), with maximum chlorine of 900 ppm (0.09 percent) and maximum bromine of 900 ppm (0.09 percent)



**Flame Retardants Used in Mechanical Plastic Parts > 25 grams**

Resin Material Name	Marking per ISO 11469:2016	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
LCD_COVER	>PC-I-GF40-FR(40)<	FR(40)	Organo Phosphate	NA
LCD_BEZEL	>PC+ABS-FR(40)<	FR(40)	Organo Phosphate	NA
LOG_LOW	>PC+ABS-TD15 FR(40)<	FR(40)	Organo Phosphate	NA
BIG_DOOR	>PC+ABS-I-(TD10+QD15)-FR(40)<	FR(40)	Organo Phosphate	NA
REAR_COVER	>PC+ABS-TD15 FR(40)<	FR(40)	Organo Phosphate	NA

**Mercury Information**

Number of bulbs	Average per bulb
0	NA

**Additional information:**

- RoHS and REACH declaration - see product material information section at: [www.dell.com/environmental\\_information](http://www.dell.com/environmental_information)
- Products MSDS (Material Safety Data Sheets):  
 Batteries: [Battery MSDS Documentation and Declaration](#)  
 Printer Toner and Ink: [MSDS Documentation](#)



## VIII. Packaging

Information on Dell's sustainable packaging effort available [here](#).

Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found [here](#).

Packaging Materials	Total Weight, (kg)	Sustainable Material Content <sup>3</sup> (e.g Recycled content *,bio-based, Sustainable Forested materials)	% Sustainable Material		
			APJ region	DAO region	EMEA region
Corrugated Fiberboard	0.5566	Recycled Content	Min 50%	Min 50%	Min 50%
LDPE (Including EPE Foam)	0	Recycled Content	0-80%	0-80%	0%
Molded paper pulp	0.190	Recycled content	100%	100%	100%
HDPE (including thermoformed) *	0.0171	Recycled Content	0-80%	0-80%	0%
Molded Bamboo	0	Non-wood, biobased material	100%	100%	100%
Wheat Straw	0	Non-wood, biobased material	100%	100%	100%
Mushroom	0	Non-wood, biobased material	100%	100%	100%
LDPE Bags		NA	0%	0%	0%
EPS	0	NA	0%	0%	0%
Other, please specify					

## IX. Batteries

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)
CR-2032 coin cell	Lithium	0.005 (max)
Rechargeable Battery 4 cell 56Wh	Lithium Ion	0.250 (max)

<sup>3</sup> Non-wood, biobased material may include, but is not limited to: bagasse, bamboo, mushroom, straw, agricultural waste or byproduct.

\* Recycled content in packaging material is supplier dependent.



## X. Design for Environment

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing.  
For more information on product Recyclability please visit [www.dell.com/environmental\\_information](http://www.dell.com/environmental_information)

## XI. Recycling / End-of-Life Service Information

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing.  
For more information on product Recyclability please visit [www.dell.com/environmental\\_information](http://www.dell.com/environmental_information)

## XII. Helpful Links

- **Environmental Policy**  
<http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf>
- **Environment Website**  
[www.dell.com/environmental\\_information](http://www.dell.com/environmental_information)
- **Corporate Sustainability Report**  
<http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true>
- **ISO 14001 Certification**  
<http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf>
- **Materials Restricted for Use**  
[http://www.dell.com/downloads/global/corporate/environ/restricted\\_materials\\_guid.pdf](http://www.dell.com/downloads/global/corporate/environ/restricted_materials_guid.pdf)
- **Chemical Use Policy**  
<http://i.dell.com/sites/docontent/corporate/environment/en/Documents/chemical-use-policy.pdf>
- **Product Carbon Footprint**  
[http://content.dell.com/us/en/corp/d/corp-comm/environment\\_carbon\\_footprint\\_products](http://content.dell.com/us/en/corp/d/corp-comm/environment_carbon_footprint_products)
- **RoHS Compliance**  
[www.dell.com/rohsinfo](http://www.dell.com/rohsinfo)
- **REACH Compliance**  
[www.dell.com/REACH](http://www.dell.com/REACH)
- **Recycling Information**  
[www.dell.com/recycling](http://www.dell.com/recycling)
- **Supplier Responsibility**  
<http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx>



# A Appendix A: ErP Lot 3 Product Energy Consumption Information

## European Union (EU) ErP Lot 3 (Commission Regulation (EC) No. 617/2013)

The ErP Lot 3 regulation includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops (All-in-One), Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers.

ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for products that are out of scope of ErP Lot 3 for informational purposes only.

Cut & Paste section below as a Picture into Dell P/N ENV0023 (EDS) at the bottom in section XIII. APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information

Processor Speed in GHz	2.2		
Number of Cores	6		
Total Installed System Memory in GB	32		
Graphics	G7	Select	Select
<b>Category</b>	<b>Category C</b>		
Total Installed Memory in GB	32		
Memory Adder	11.2		
<b>' Additional Internal Storage '</b> means any and all internal storage devices, including hard disk drives (HDD), solid state drives (SSD) and hybrid hard drives (HHD), included within a computer beyond the first;			
Additional Internal Storage?	Yes	Select	Select
Storage Adder	3.00		
1st Discrete Graphics Card?	G7	Select	Select
1st Discrete Graphics Adder	61.00		
2nd Discrete Graphics Card?	N/A	Select	Select
2nd Discrete Graphics Adder	0.00		
<b>' Television tuner '</b> means a discrete internal component that allows a computer to receive television signals;			
Discrete Television Tuner Card?	No	Select	Select
Discrete TV Tuner Card Adder	0.00		
<b>Category</b>	<b>Category C</b>		
Processor Speed in GHz	2.2		
Number of Cores	6		
Total Installed System Memory in GB	32		
Graphics	G7		
WOL enabled in "Sleep" Mode	No	No	No
WOL enabled in "Off" Mode	No	No	No
As Tested: Lowest Power State	0.26		
As Tested: Poff(W) WOL Disabled	0.28		
As Tested: Poff(W) WOL Enabled	0.26		
As Tested: Psleep(W) WOL Disabled	0.57		
As Tested: Psleep(W) WOL Enabled	0.63		
As Tested: Pidle(W)	8.41		
<b>Base TEC Limit (kWh)</b>	<b>60.50</b>	<b>0</b>	<b>0</b>
<b>TEC Adders Limit (kWh)</b>	<b>75.20</b>	<b>0.00</b>	<b>0.00</b>
<b>Base + Adders TEC Limit (kWh)</b>	<b>135.70</b>	<b>0.00</b>	<b>0.00</b>
<b>Results TEC</b>	<b>24.06</b>	<b>0.00</b>	<b>0.00</b>





Power Supply Model #	Internal or External	Link to efficiency report
LA130PM121	External	<a href="http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=14419074&amp;appliance=EPS&amp;nr=1">http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=14419074&amp;appliance=EPS&amp;nr=1</a>
DA130PE1-00	External	<a href="http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=5478056&amp;appliance=EPS&amp;nr=1">http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=5478056&amp;appliance=EPS&amp;nr=1</a>
HA130PM160	External	<a href="http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=16667999&amp;appliance=EPS&amp;nr=1">http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=16667999&amp;appliance=EPS&amp;nr=1</a>
DA180PM111	External	<a href="http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=5478058&amp;appliance=EPS&amp;nr=1">http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=5478058&amp;appliance=EPS&amp;nr=1</a>
FA180PM111	External	<a href="http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=17695560&amp;appliance=EPS&amp;nr=1">http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=17695560&amp;appliance=EPS&amp;nr=1</a>
HA180PM180	External	<a href="http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=20936597&amp;appliance=EPS&amp;nr=1">http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=20936597&amp;appliance=EPS&amp;nr=1</a>
LA180PM180	External	<a href="http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=20977060&amp;appliance=EPS&amp;nr=1">http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&amp;operation=details-details&amp;ref=20977060&amp;appliance=EPS&amp;nr=1</a>

\* **Energy Consumption** results are based solely upon the laboratory testing of the **System Configuration** listed above. Energy consumption is tested at 230 Volts / 50 Hz.

**Energy Consumption\***

Energy efficiency benefits the environment and lowers the total cost of product ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click [here](#) for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available [here](#)

\* This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

For more details visit [www.dell.com/environmental\\_information](http://www.dell.com/environmental_information)

**Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)  
Computers Category C:**

Service Level	Sound Power ( $L_{WAd}$ , bels) (1 bel=10 decibels, re $10^{-12}$ Watts)	Sound Pressure Bystander Position ( $L_{pAm}$ , decibels) (re $2 \times 10^{-5}$ Pa)
Hard Drive Accessing	2.9	16.4
Optical Drive Accessing	-	-
Idle	2.9	16.4



## B Appendix B: ErP Lot 26 Network Standby Energy Consumption Information

### European Union (EU) ErP Lot 26 (Commission Regulation (EC) No 801/2013)

The ErP Lot 26 regulation includes Network Standby power requirements to be provided by the manufacturer. This is applicable to multiple product categories. If no information is reported, it's assumed it is out of scope of ErP Lot 26.

Cut & Paste section below as a Picture into Dell P/N ENV0023 (EDS) in the bottom in section XIII. APPENDIX A: ErP Lot 3 & Lot 26 Product (Energy Consumption) Info unless information in User

Network Standby Classification	LoNA
Off/Standby - Watts	0.28
Network Standby - Watts	0.57
Number of Network Ports	1
Location of 'Physical' Network Ports	Side
Network Port Type	Ethernet - RJ45
Network Port(s) Activated or Deactivated	Network Port(s) "Activated"
Network Port Maximum Performance in GB/s	1000
Communication protocol used by equipment	Ethernet - TCPIP
Description of how to assert Network Standby Mode	Information available @ <a href="http://www.dell.com/regulatory_compliance">www.dell.com/regulatory_compliance</a> and/or <a href="http://www.dell.com/support">www.dell.com/support</a>
Sequence of events to trigger automatic assertion of Network Standby Mode	
Notes regarding operation of the equipment EX: how the user switches the equipment into network standby	
Default time for PM function to switch equipment into this mode	
Inactivity time required to enter Network Standby	
Re-activation trigger	
Measurement Method	

