

MARKETING NAME......XPS 12 9250
REGULATORY MODEL......T02H
REGULATORY TYPE......T02H001
EFFECTIVE DATE.....November 12, 2015
EMC EMISSIONS CLASS....B

Dell Inc. www.dell.com

TABLE OF CONTENTS

| I. | GLOBAL ENVIRONMENTAL INFORMATION | |
|-------|---|---|
| II. | POWER CORDS AND USER DOCUMENTATION | 2 |
| III. | DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS | 2 |
| IV. | TRADE (IMPORT/EXPORT) COMPLIANCE DATA | 2 |
| V. | SYSTEM DIMENSION AND WEIGHT | |
| VI. | PERFORMANCE DATA (ErP Lot 3 information is located in section XIII (Appendix A) | 2 |
| VII. | PRODUCT MATERIALS INFORMATION | |
| VIII. | PACKAGING | 4 |
| IX. | BATTERIES | 2 |
| X. | DESIGN FOR ENVIRONMENT | 4 |
| XI. | RECYCLING/ END-OF-LIFE SERVICE INFORMATION | 2 |
| XII. | HELPFUL LINKS | 2 |
| XIII. | APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information | 5 |
| XIV. | APPENDIX B: ErP Lot 26 Network Standby (Energy Consumption) Information | |

STATEMENT OF COMPLIANCE

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Generally, Information Technology Equipment (ITE) product compliance is based on IEC and CISPR standards and their national equivalent such as Product Safety, IEC 60950-1 and European Norm EN 60950-1 or EMC, CISPR 22/CISPR 24 and EN 55022/55024. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell products do not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B products are intended for use in residential/domestic environments but may also be used in non-residential/non-domestic environments.
- EMC Class A products are intended for use in non-residential/non-domestic environments. Class A products may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. ErP compliance is tied to the CE mark.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH.

Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to regulatory_compliance@dell.com. Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.



I. GLOBAL ENVIRONMENTAL INFORMATION

| Environmental (Voluntary Marks) | | | | | |
|-----------------------------------|---------------------------------------|-----------------|--|--|--|
| Country | Approval | Compliance | | | |
| Global | ENERGY STAR (Configuration Dependent) | Energy Star 6.1 | | | |
| Varies by country – see EPEAT.net | EPEAT (Configuration Dependent) | Gold | | | |
| China | CEL | Yes | | | |
| California | BCS | Yes | | | |
| South Korea | e-Standby | Yes | | | |
| Mexico | Mexico Energy Label | Yes | | | |
| Australia/New Zealand | Australia/NZ MEPS | Yes | | | |

II. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

III. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc.

Department: Global Regulations and Standards

MS: PS4-30

Round Rock, Texas 78682, USA Regulatory_Compliance@Dell.com

IV. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: www.dell.com/import_export_compliance or send request to www.dell.com/import_export_compliance or send request to

V. SYSTEM DIMENSION AND WEIGHT

| Depth, mm | Width, mm | Height, mm | Weight, kg |
|--------------|--------------|---------------|-----------------------|
| 291 | 193.1 | 8 | Tablet 0.68 Kg |
| 291 | 200.5 | 7 to 20 | Mobility Base 0.59 Kg |

VI. PERFORMANCE DATA (ErP Lot 3 information is located in section XIII (Appendix A)

VII. PRODUCT MATERIALS INFORMATION¹

Information on Dell's material use is available here.

To review Dell's Restricted Material Guidance document click here.

- The case material is, PC-GF50, CF and Aluminum
- This product contains 0% post-consumer recycled plastic
- Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)

Product is BFR/PVC Free ■ Yes □ No

Product Safety, EMC & Environmental Datasheet Revision A11

¹ **Waste Handling.** Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.



Flame Retardants Used in Motherboard

| Part | Flame Retardant |
|-------------|-----------------|
| Motherboard | DOPO |

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

| Resin Material Name | Marking per ISO 1146 9:2000, 11469:1996 | Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.) | Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.) | List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008 |
|---------------------------|--|---|--|--|
| D351 | >PC-GF30% FR(40)< | FR(40) | Organo Phosphate | N/A |

Mercury Information

| Number of bulbs | Average per bulb |
|-----------------|------------------|
| 0 | N/A |

India RoHS Declaration

DECLARATION OF CONFORMITY WITH GAZETTE OF INDIA: EXTRAORDINARY, E-WASTE (MANAGEMENT & HANDLING) RULES (INDIA ROHS)

Manufacturer Name and Address: Dell Inc. One Dell Way Round Rock, Texas, USA 78682

Dell Inc. declares that all Dell branded products have been designed and manufactured in compliance with E-Waste (Management & Handling) Rules² on the reduction in the use of hazardous materials in the manufacture of electrical and electronic equipment and their maximum allowed concentrations by weight in the homogenous material (except for the exemptions listed in schedule II).

| Substance | Concentration |
|---------------------------------------|---------------|
| Lead | 0.1% |
| Mercury | 0.1% |
| PBB (Polybrominated Biphenyls) | 0.1% |
| PBDE (Polybrominated Diphenyl Ethers) | 0.1% |
| Hexavalent Chromium | 0.1% |
| Cadmium | 0.01% |

Compliance has been verified via internal design controls, supplier declarations, and/or analytical test data. The undersigned below possesses the complete technical documentation relating to the declaration of compliance.

For additional information please visit:

- Restricted Material Compliance <u>www.dell.com/environmental_information</u>
- Products MSDS (Material Safety Data Sheets):

Batteries: Battery MSDS Documentation and Declaration

Printer Toner and Ink: MSDS Documentation

Product Safety, EMC & Environmental Datasheet Revision A11

² E-Waste (Management & Handling) Rules 2011, by the Ministry of Environment & Forests, Government of India dated May 12, 2011.



VIII. PACKAGING

Information on Dell's sustainable packaging effort available here.

Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found here.

| | Total Weight | % of Post-Consumer Recycled Content (PCR) | | |
|-----------------------|-----------------------------------|---|------------|-------------|
| Packaging Materials | of each Material type, (kg) | APJ region | DAO region | EMEA region |
| Corrugated Fiberboard | 0.385 | 99.50% | 99.50% | 99.50% |
| EPE | 0.0406 | NA | NA | NA |
| Chipboard | 0.397 | 80% | 80% | 80% |
| PET | 0.004 | NA | NA | NA |
| Molded Bamboo tray | 0.044 | 100% | 100% | 100% |
| OPP FILM | 0.0065 | NA | NA | NA |
| PP/LDPE(handle) | 0.0137 | NA | NA | NA |

IX. BATTERIES

Below is a listing of batteries that could be present in the product:

| Battery Description – Batteries | Battery Type | Battery Weight (kg) |
|-------------------------------------|---------------|---------------------|
| ML1220 coin cell | Lithium Metal | 0.00091 |
| Rechargeable Battery 2 cell / 30 Wh | Lithium Ion | MAX: 0.13 |

X. DESIGN FOR ENVIRONMENT

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit www.dell.com/environmental_information.

XI. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing recycling_emea@dell.com or visit www.dell.com/recyclingworldwide and select the relevant country.

XII. HELPFUL LINKS

• Environmental Policy

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf

• Environment Website

www.dell.com/earth

• Corporate Sustainability Report

http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true

ISO 14001 Certification

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf

Materials Restricted for Use

http://www.dell.com/downloads/global/corporate/environ/restricted_materials_guid.pdf

• Chemical Use Policy

http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf

Client Energy Calculator

 $\underline{http://www.dell.com/content/topics/topic.aspx/global/products/landing/en/client-energy-calculator?c=us\&l=energy-calculator.c=us\&l=energy-calcu$

Product Carbon Footprint

http://content.dell.com/us/en/corp/d/corp-comm/environment_carbon_footprint_products

RoHS Compliance

www.dell.com/rohsinfo

• REACH Compliance

www.dell.com/REACH



- Recycling Information www.dell.com/recycling
- Supplier Responsibility
 http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx

XIII. APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information

The ErP Lot 3 Standard includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops, Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers. ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for products that are out of scope of ErP Lot 3 for informational purposes only.

Notebooks w/ diagnol screen size less than 9" "OR" Idle less than 6W, out of scope of Lot 3 and fall into scope of Lot 26.

Complete Lot 3 & ErP Lot 26 tabs and insert both into EDS (ENV0023) secion XIII.

| Category | Category A | Category A | |
|-------------------------------------|------------|------------|--------|
| Processor Speed in GHz | 1.2 | 0.9 | 0 |
| Number of Cores | 1 | 1 | 0 |
| Total Installed System Memory in GB | 8 | 8 | 0 |
| Graphics | Integrated | Integrated | Select |
| WOL enabled in "Sleep" Mode | No | No | No |
| WOL enabled in "Off" Mode | No | No | No |
| As Tested: Lowest Power State | | | |
| As Tested: Poff(W) WOL Disabled | 0.43 | 0.42 | |
| As Tested: Poff(W) WOL Enabled | | | |
| As Tested: Psleep(W) WOL Disabled | 2.95 | 2.40 | |
| As Tested: Psleep(W) WOL Enabled | | | |
| As Tested: Pidle(W) | 3.77 | 3.18 | |
| Base TEC Limit (kWh) | 27 | 27 | 0 |
| TEC Adders Limit (kWh) | 1.60 | 1.60 | 0.00 |
| Base + Adders TEC Limit (kWh) | 28.60 | 28.60 | 0.00 |
| Results TEC | 14.75 | 12.67 | 0.00 |

| Power Supply Model # | Internal or External | Link to efficiency report |
|-------------------------|-------------------------|---|
| DA30NM150 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=14419064&appliance=EPS&nr=1 |
| HA30NM150 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=14105595&appliance=EPS&nr=1 |
| HKA30NM150 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=14642350&appliance=EPS&nr=1 |

^{*} Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click <u>here</u> for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available <u>here</u>



Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

Computers Category A:

| Service Level | Sound Power (L _{WAd} , bels) (1 bel=10 decibels, re 10 ⁻¹² Watts) | Sound Pressure Bystander Position (L _{pAm} , decibels) (re 2x10 ⁻⁵ Pa) |
|----------------------------|---|--|
| Hard Drive Accessing | N/A | N/A |
| Optical Drive Accessing | N/A | N/A |
| Idle | 2.6 | 14.4 |

XIV. APPENDIX B: ErP Lot 26 Network Standby (Energy Consumption) Information

The ErP Lot 26 Standard includes Network Standby power requirements to be provided by the manufacturer. This is applicable to multiple product categories. If no information is reported, it's assumed it is out of scope of ErP Lot 26.

| SECTION 1: ErP Lot 26 Scope Determination (Part 1) | | | | | | | | |
|--|-------------------------------------|--------|---------------------|--|--|--|--|--|
| NOTE: FCC Class A (EN55022) products are NOT in scope of Lot 26. | | | | | | | | |
| NOTE: Notebooks/Tablets/Slates with a low voltage EPS (i.e. Vo < 6V & Io ≥ 550mA) are NOT in scope of Lot 26 | | | | | | | | |
| EUC | Enterprise | | 9.82 | | | | | |
| Notebooks-Tablets-Slates WITHOUT (screen size greater than 9 inches and idle power more than 6W) | Select Product Type | | G.L., D. J., T. | | | | | |
| | Compliant with EN55022, Class B? | Select | Select Product Type | | | | | |
| In Scope, Continue to next section | | | | | | | | |

| SECTION 2: HINA or LONA Determination | | | | |
|--|---|--|--|--|
| Equipment with one or more of the following functionalities | Equipment with one of the following as secondary functions of the | | | |
| router, network switch, wireless network access point, hub, modem, VoIP telephone, video phone | router, network switch, wireless network access point or combination thereof included | | | |
| No | No | | | |
| Equipment Classification for this Spec. | | | | |
| LoNA | | | | |

^{*} This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit www.dell.com/environmental_information



| SECTION 3: ErP Lot 26 Scope Determination (Part 2) | | | | | | | | | |
|--|--|--|---|--------------------------------------|---|---------------------|--|--|--|
| Line of Business and/or Brand | | | | | | | | | |
| Latitude and XPS | | | | | | | | | |
| Marketing Model | | | | Regulatory Model Number | | | | | |
| Latitude 7275 and XPS 12-9250 | | | | T02H | | | | | |
| Lot 26 Scope Determination | | | | | | | | | |
| (See Definitions for clarification of terminology) | | | | | | | | | |
| Single Functional Unit & Indented for the end user (Notes 1 & 2) | Product is Qualified to FCC Part B _ITE Class B | Product Contains Network Port that is wake capable | Dependent upon Energy from the AC Mains | Nominal Voltage Less than 250V | Powered by low voltage power supply (<6v @ ≥ 0.55A) | Scope Determination | | | |
| Yes | Yes | No | Yes | Yes | No | Out of Scope, STOP | | | |