

Product Compliance Datasheet

MARKETING NAME.....Latitude 7390/Latitude 7390-01

REGULATORY MODEL.....P28S

REGULATORY TYPE.....P28S002

EMC EMISSIONS CLASS.....B

EFFECTIVE DATE.....December 17, 2017

Table of contents

| I. | Statement of Compliance | 2 |
|------|---|---|
| | Global Environmental Information | |
| | Power Cords and User Documentation | |
| | Trade (Import/Export) Compliance Data | |
| | Product Dimensions and Weight | |
| | Performance Data | |
| | Product Materials Information | |
| | Packaging | |
| | Batteries | |
| Χ. | Design for Environment | 6 |
| XI. | Recycling / End-of-Life Service Information | 6 |
| XII. | Helpful Links | 6 |
| | Appendix A: ErP Lot 3 Product Energy Consumption Information | |
| В | Appendix B: ErP Lot 26 Network Standby Energy Consumption Information | Ç |



I. Statement of Compliance

This equipment has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the equipment is marketed. The equipment is affixed with regulatory marking and text as necessary for the country/agency. Dell manufacturers and markets Multimedia Equipment (MME), Information Technology Equipment (ITE), Audio Visual Equipment (A/V), Industrial, Scientific, Medial Equipment (ISM) or combinations of these. Generally, equipment Safety and EMC compliance is based on International IEC and CISPR standards and their national equivalent along with national standards for Radio (wireless), and Energy. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell equipment does not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive. EMC Emissions Class refers to one of the following use environments:

- EMC Class B equipment is intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A equipment is intended for use in non-residential/non-domestic environments. Class A equipment may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Safety and EMC compliance, this equipment has been assigned a unique regulatory model and regulatory type that is imprinted on the equipment regulatory labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any equipment that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. ErP compliance is tied to the CE mark. REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH. Compliance documentation, such as certification or Declaration of Compliance for the equipment is available upon request to product_compliance@dell.com. Please include equipment identifiers such as marketing name, regulatory model, regulatory type and country that compliance information is needed in request.

II. Global Environmental Information

| Environmental (Voluntary Marks) | | | | |
|-----------------------------------|--------------------------------------|--------------|--|--|
| Country | Approval | Compliance | | |
| Global | ENERGY STAR (Configration Dependent) | Spec Version | | |
| Global | TCO Certified Notebook 5.0 | Yes | | |
| China | CECP | Yes | | |
| China | CEC | Yes | | |
| Taiwan | Greenmark | Yes | | |
| South Korea | Eco Label | Yes | | |
| Varies by Country – see EPEAT.net | EPEAT (Configuration Dependent) | Gold | | |
| Brazil | INMETRO | Yes | | |
| Japan | Green PC Label | Yes | | |



III. Power Cords and User Documentation

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

IV. Trade (Import/Export) Compliance Data

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: www.dell.com/import_export_compliance or send request to WW Export Compliance@dell.com.

V. Product Dimensions and Weight

| Depth, | Width, | Height, | Weight, kg |
|--------|----------|---------|---|
| mm/cm | mm/cm | mm/cm | |
| 208 mm | 304.8 mm | 23.9 mm | 1.56 Kg (depending upon installed options) |

For Display, Imaging products please refer to the user manual for weight and dimension information.

VI. Performance Data

ErP Lot 3 & Lot 26 information is located in section XIV Appendix A

For additional information on ENERGY STAR models refer to the following databases:

http://www.dell.com/en-us/work/learn/power-and-cooling-energy-star

USA: https://www.energystar.gov/productfinder/

EU: http://www.eu-energystar.org/db-currentlists.htm

The battery[ies] in this product cannot be easily replaced by users themselves.

VII. Product Materials Information

Information on Dell's material use is available here.

Dell's Restricted Material for Use guidance document is available here.

- The case material is, Log up: >PC-GF50FR(40)<,LCD cover: >PC-(CF+GF)64FR(40)<; >PC-GF50FR(40)<
- This product contains <u>14.7%</u> post-consumer recycled plastic/closed loop recycled plastics (Measured as a percentage of total amount of plastic (by weight) in the product as per guidance in EPEAT standard as applies to plastics parts)



| Mechanical plastic parts ¹ > 25 g are BFR/PVC free | ⊠ Yes □ No □ NA |
|--|-----------------|
| Marking of plastics parts greater than 25 grams is in accordance with ISO 11469 | ⊠ Yes □ No □ NA |
| (see below) | |
| Printed circuit boards (without components) >25g are BFR PVC free ² | ⊠Yes □ No □ NA |
| Insulation materials of external electrical cables are PVC free | ☐ Yes ☒ No ☐ NA |
| Insulation materials of internal electrical cables are PVC free | ⊠ Yes □ No □ NA |
| Product is BFR/PVC Free (Accessories & Options may not be BFR/PVC-Free, refer to spec ENV0199) | ⊠ Yes □ No |

Flame Retardants Used in Motherboard

| Part | Flame Retardant |
|-------------|---|
| Motherboard | 2.5-8% Phosphorous resin/Phosphoric flame retardants / DOPO |

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

| Resin Material Name | Marking per ISO 11469:2016 | Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.) | Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.) | List applicable R- Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008 |
|---------------------|-------------------------------|--|--|---|
| DAZ20_LOG_UP_US_SEC | >PC-GF50FR(40)< | FR(40) | Organo Phosphate | NA |
| | >PC-GF50FR(40)< | FR(40) | Organo Phosphate | NA |
| DAZ30_LCD_COVER_CF | >PC- (CF+GF)64FR(40)< | FR(40) | Organo Phosphate | NA |

Mercury Information

| Number of bulbs | Average per bulb |
|-----------------|------------------|
| 0 | N/A |

Additional information:

 RoHS and REACH declaration - see product material information section at: <u>www.dell.com/environmental_information</u>

• Products MSDS (Material Safety Data Sheets):

Batteries: Battery MSDS Documentation and Declaration

² Dell will adopt the BFR/CFR/PVC-free definition as set forth in the "iNEMI Position Statement on the Definition of 'Low-Halogen' Electronics (BFR/CFR/PVC-Free)." Plastic parts contain <1000 ppm (0.1 percent) of bromine (if the Br source is from BFRs) and <1000 ppm (0.1 percent) of chlorine if the Cl source is from CFRs, PVC or PVC copolymers. All printed circuit board (PCB) and substrate laminates contain bromine/chlorine totaling less than 1,500 ppm (0.15 percent), with maximum chlorine of 900 ppm (0.09 percent) and maximum bromine of 900 ppm (0.09 percent)



¹ Mechanical plastic part: plastic parts that do not internally carry an electrical signal such as housings, brackets, bezels, latches, etc. that form the basic structure of the product and/or have mechanical functions. Plastic parts such as fans, connectors, printer fuser assemblies, etc. are not considered "mechanical plastic parts" in the context of this specification. Plastics parts do not contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride (Per Dell Spec ENV0424)

Printer Toner and Ink: MSDS Documentation

VIII. Packaging

Information on Dell's sustainable packaging effort available here.

Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found here.

| Additional materials restricted | | Sustainable Material Content ³ | Jaidanio | acouniont | iodila <u>nere</u> . |
|---------------------------------|------------------|---|------------------------|------------|----------------------|
| Packaging Materials | Total Weight, | (e.g Recycled content *,bio- | % Sustainable Material | | |
| r ackaging Materials | (kg) | based, Sustainable Forested | APJ | DAO | EMEA |
| | (1.9) | materials) | region | region | region |
| Corrugated Fiberboard | 0.348 | Recycled Content | Min 50% | Min 50% | Min 50% |
| LDPE (Including EPE Foam) | 0.0018 | Recycled Content | 0-80% | 0-80% | 0% |
| Molded paper pulp | 0.149 | Recycled content | 100% | 100% | 100% |
| HDPE (including thermoformed) * | 0.011 | Recycled Content | 0-80% | 0-80% | 0% |
| Molded Bamboo | NA | Non-wood, biobased material | 100% | 100% | 100% |
| Wheat Straw | NA | Non-wood, biobased material | 100% | 100% | 100% |
| Mushroom | NA | Non-wood, biobased material | 100% | 100% | 100% |
| EPS | NA | NA | 0% | 0% | 0% |
| Other, please specify | NA | NA | | | |

IX. Batteries

Below is a listing of batteries that could be present in the product:

| Battery Description – Batteries | Battery Type | Battery Weight (kg) |
|---------------------------------|--------------|---------------------|
| CR-2032 coin cell | Lithium | 0.005 (max) |
| 3-cell 42 Wh | Lithium | 0.185 (max) |
| 4-cell 60 Wh | Lithium | 0.270 (max) |



³ Non-wood, biobased material may include, but is not limited to: bagasse, bamboo, mushroom, straw, agricultural waste or byproduct.

^{*} Recycled content in packaging material is supplier dependent.

X. Design for Environment

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit www.dell.com/environmental information

XI. Recycling / End-of-Life Service Information

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, please visit www.dell.com/recyclingworldwide and select the relevant country.

XII. Helpful Links

- Environmental Policy
 - http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf
- Environment Website
- www.dell.com/environmental_information
- Corporate Sustainability Report http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true
- ISO 14001 Certification
 - http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf
- Materials Restricted for Use
 - $\underline{\text{http://www.dell.com/downloads/global/corporate/environ/restricted} \underline{\text{materials}}\underline{\text{guid.pdf}}$
- Chemical Use Policy
 - http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf
- Product Carbon Footprint
 - http://content.dell.com/us/en/corp/d/corp-comm/environment carbon footprint products
- RoHS Compliance
 - www.dell.com/rohsinfo
- REACH Compliance
 - www.dell.com/REACH
 - Recycling Information www.dell.com/recycling
- Supplier Responsibility
 - http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx



Appendix A: ErP Lot 3 Product Energy Consumption Information

ErP Lot 3 (EU No 617/2013)

The ErP Lot 3 regulation includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops (All-in-One), Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers. ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle

mode. Product energy and acoustic information might be reported for products that are out of scope of ErP Lot 3 for informational purposes only.

| Processor Speed in GHz | 1.9 | dec imicia i Consumbuoni | HII OII MAAOII |
|-------------------------------------|--|--|---|
| Number of Coxes | 4 | | |
| Total Installed System Memory in GB | 16 | | |
| Graphics | Integrated | Select | Select |
| Category | Category A | | |
| Total Installed Memory in GB | 16 | | |
| Momory Adder | 4.8 | | |
| 'Additional Internal Storage' means | any and all internal storage devices, includ | ling hard disk drives (HDD), solid state drive | es (SSD) and hybrid hard drives (HHD), included |
| | within a compu | ter beyond the first; | |
| Additional Internal Storage? | No | Select | Select |
| Storage Adder | 0.00 | | |
| 1st Discrete Graphics Card? | Integrated | Select | Select |
| 1st Discrete Graphics Adder | 0.00 | | 11111 |
| 2nd Discrete Graphics Card? | N/A | Select | Select |
| 2nd Discrete Graphics Adder | 0.00 | | |
| Televisio | n tuncr' means a discrete internal comp | onent that allows a computer to receive tel | levision signals; |
| Discrete Television Turner Card? | No | Select | Select |
| Discrete TV Tumer Card Adder | 0.00 | | |
| Category | Category A | | |
| Processor Speed in GHz | 1.9 | | |
| Number of Cores | 4 | | |
| Total Installed System Memory in GB | 16 | | |
| Graphics | Integrated | | |
| WOL enabled in "Sleep" Mode | No | No | No |
| WOL enabled in "Off" Mode | No | No | No |
| As Tastad: Lowest Power State | 0.32 | | |
| As Tested: Poff(W) WOL Disabled | 0.32 | | |
| As Tosted: Poff(W) WOL Enabled | 0.31 | | |
| As Tastad: Psleep(W) WOL Disabled | 1.12 | | |
| As Tastad: Psleep(W) WOL Enabled | 1.11 | | |
| As Tastad: Pidle(W) | 3.65 | | |
| Base TEC Limit (kWh) | 27 | 0 | 0 |
| TEC Adders Limit (kWh) | 4.80 | 0.00 | 0.00 |
| Base + Adders TEC Limit (kWh) | 31.80 | 0.00 | 0.00 |
| Results TEC | 12.26 | 0.00 | 0.00 |

| Power Supply Model # | Internal or External | Link to efficiency report |
|-------------------------|-------------------------|--|
| DA65NM111-00 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=5478051&appliance=EPS&nr=1 |
| HA65NS5-00 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- |



| | | details&ref=5470487&appliance=EPS&nr=1 |
|---------------|--------------------|--|
| LA65NS2-01 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- |
| LAUSINGZ-UT | External | details&ref=5470487&appliance=EPS&nr=1 |
| HA65NM130 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- |
| TIAOSINIVITSO | External | details&ref=6448362&appliance=EPS&nr=1 |
| LA65NM130 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- |
| LAOSINIVITSU | External | details&ref=14644026&appliance=EPS&nr=1 |
| HK65NM130 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- |
| HICONIVITOU | External | details&ref=14082454&appliance=EPS&nr=1 |
| DA90PM130 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- |
| DASOPIVITSO | DA90PW130 External | details&ref=6448377&appliance=EPS&nr=1 |
| LA90PM130 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- |
| LASUPIVITSU | External | details&ref=8783126&appliance=EPS&nr=1 |
| EA00DM420 | External | http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- |
| FA90PM130 | | details&ref=8974774&appliance=EPS&nr=1 |

^{*} Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click here for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available here

For more details visit www.dell.com/environmental information

Computers Category A:

| Service Level | Sound Power (L _{WAd} , bels) (1 bel=10 decibels, re 10 ⁻¹² Watts) | Sound Pressure Bystander Position (L _{pAm} , decibels) (re 2x10 ⁻⁵ Pa) |
|-------------------------|---|--|
| Hard Drive Accessing | 2.5 | 14.6 |
| Optical Drive Accessing | - | - |
| Idle | 2.6 | 14.6 |



^{*} This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

B Appendix B: ErP Lot 26 Network Standby Energy Consumption Information

ErP Lot 26 (EU No 801/2013)

The ErP Lot 26 regulation includes Network Standby power requirements to be provided by the manufacturer. This is applicable to multiple product categories. If no information is reported, it's assumed it is out of scope of ErP Lot 26.

SECTION 7: Power Consumption Measurements

Cut & Paste section below as a Picture into Dell P/N ENV0023 (EDS) in the bottom in section

XIII. APPENDIX A: ErP Lot 3 & Lot 26 Product (Energy Consumption) Info unless information in User

| Network Standby Classification | LoNA |
|---|--|
| Off/Standby - Watts | 0.32 |
| Network Standby - Watts | 1.11 |
| Number of Network Ports | 1 |
| Location of 'Physical' Network Ports | Side |
| Network Port Type | Ethernet |
| Network Port(s) Activated or Deactivated | Network Port(s) "Activated" |
| Network Port Maximum Performance in GB/s | 1000 |
| Communication protocol used by equipment | Ethernet - TCPIP |
| Description of how to assert Network Standby Mode | Information available @ www.dell.com/regulatory_compliance and/or www.dell.com/support |
| Sequence of events to trigger automatic assertion of Network | |
| Standby Mode | |
| Notes regarding operation of the equipment EX: how the user | |
| switches the equipment into network standby | |
| Default time for PM function to switch equipment into this mode | |
| Inactivity time required to enter Network Standby | |
| Re-activation trigger | |
| Measurement Method | |

