



Écran d'analyse clinique HP Healthcare Edition HC241

A clinician companion for consistent images and clean workspaces.

Deploy a display optimized for patient rooms, nurses stations, medical carts, and public areas with the HP Healthcare Edition HC241. It is built for easy, repeatable sanitization¹ after every patient engagement and is DICOM Part 14 compliant² for accurate viewing of medical images.



Promote patient safety

- Be ready for the next patient or user with a display and optional stand³ that are sanitizable with germicidal wipes.¹ The display is IEC 60601-1-2: 2014 compliant² for use near patients and staff and the front is IP 32⁴ rated against water ingress.

Out-of-the box image accuracy

- Help ensure accurate, consistent image viewing between healthcare professionals and for patient consultations and image verification with a DICOM Part 14 compliant display.² See more and scroll less on the WUXGA 24-inch diagonal screen.


Create an efficient workspace for high-traffic areas

- Fixez⁵ des ordinateurs de bureau HP à l'arrière de l'écran pour une solution compacte et intégrée qui remplit parfaitement son rôle dans les espaces partagés à l'activité intense comme les postes de soins ou points de suivi. Montage⁵ possible sur un chariot médical, au mur ou sur un bras avec le modèle VESA.

Featuring

- Connect PCs and specialty devices with HDMI, DisplayPort™, VGA, and USB ports.
- Get the reassurance of a display that's built for a long life, rigorously tested, and backed by the stringent HP Zero Bright Dot Guarantee.
- Work comfortably with adjustable tilt, height, and swivel settings on the optional, sanitizable stand.
- Rest assured that your IT investment is supported by a three-year standard limited warranty, and optional HP Care service.

Écran d'analyse clinique HP Healthcare Edition HC241 Tableau de spécifications



Type d'écran	AHVA with LED backlight
Taille de l'écran (diagonale)	60.96 cm (24")
Angle de visualisation	178° horizontal; 178° vertical
Luminosité	270 cd/m ² ¹
Rapport de contraste	1000:1 static ¹
Taux de réponse	14 ms gray to gray ¹
Couleur du produit	White
Format de l'image	16:10 ¹
Résolution native	WUXGA (1920 x 1200 @ 60 Hz)
Résolutions prise en charge	1024 x 768; 1280 x 1024; 1280 x 720; 1280 x 768; 1280 x 800; 1440 x 900; 1600 x 1200; 1600 x 900; 1680 x 1050; 1920 x 1080; 1920 x 1200; 640 x 480; 720 x 400; 800 x 600
Fonctions d'affichage	Anti-glare; Language selection; On-screen controls; Plug and Play; User programmable
Commandes utilisateur	Brightness; Color control; Contrast; Image control; Information; Management; Menu; OK; Power; Volume -; Volume +; Power control; Input control; Menu control; Sanitization
Signal d'entrée	1 DisplayPort™ 1.2 in (with HDCP support); 1 HDMI 1.4 (with HDCP support); 1 VGA
Ports et connecteurs	3 USB 2.0 (2 downstream, 1 upstream)
Environnementale	Température de fonctionnement: 5 to 35°C Humidité en fonctionnement: 20 to 80% non-condensing
Alimentation	Input voltage 100 to 240 VAC
Consommation électrique	35 W (maximum), 25 W (typical), 0.3 W (standby)
Dimensions	56,39 x 4,91 x 38,39 cm
Grammage	4,75 kg
Fonctionnalités de sécurité physique	Security lock-ready ³
Certification et conformité	CB; CCC; DICOM Part14; FCC; Microsoft WHQL Certification (Windows 10); UL; WEEE; IEC 60950; IEC 62368; China Energy Label (CEL) Grade 3; IEC 60601-1-2; EN 60601-1-2; IP32 (front)
Spécifications d'environnement	Arsenic-free display glass; Low halogen; Mercury-free display backlights ²
Contenu de l'emballage	AC power cord; DisplayPort™ cable; Documentation; HDMI cable; USB cable; VGA cable

Écran d'analyse clinique HP Healthcare Edition HC241

Accessoires et services (non inclus)

Kit de verrouillage de sécurité pour ordinateur professionnel HP v3



Empêchez les intrusions dans le châssis et protégez à prix réduit votre ordinateur et votre écran dans les espaces de travail et les lieux publics avec le kit de verrouillage d'ordinateur professionnel HP v3.

Référence du produit: 3XJ17AA

Socle HP HC241



Déployez votre écran d'analyse clinique HP Healthcare Edition HC241 dans tout un éventail de positions avec le socle HP HC241 blanc, pouvant être désinfecté à l'aide de lingettes désinfectantes¹ pour garantir la sécurité du patient. Trouvez la position la plus confortable grâce à aux réglages de hauteur, d'inclinaison et de pivot et au mode portrait.

Référence du produit: 4BX37AA

HP Business PC Security Lock v2 Kit



Empêchez les modifications du châssis et protégez votre ordinateur et votre écran dans les espaces de travail et les espaces publics avec le HP Business PC Security Lock v2 Kit. Empêchez les modifications du châssis et protégez votre ordinateur et votre écran dans les espaces de travail et les espaces publics avec le HP Business PC Security Lock v2 Kit.

Référence du produit: N3R93AA

Support de montage pour écrans d'ordinateurs HP



Personnalisez une solution mieux adaptée grâce au support de montage pour écrans d'ordinateurs HP qui vous permet de fixer votre mini ordinateur de bureau ou votre HP Chromebox. Ou sélectionnez un client léger HP directement derrière certains modèles d'écrans HP Z et HP Elite. Personnalisez une solution mieux adaptée grâce au support de montage pour écrans d'ordinateurs HP qui vous permet de fixer votre mini ordinateur de bureau ou votre HP Chromebox. Ou sélectionnez un client léger HP directement derrière certains modèles d'écrans HP Z et HP Elite.

Référence du produit: N6N00AA

Barre de haut-parleurs pour écrans LCD HP



Se fixe sans problème au panneau avant de votre moniteur pour ajouter des fonctions complètes de prise en charge du multimédia, y compris des enceintes stéréo avec gamme sonore complète et une prise externe pour les écouteurs. Se fixe sans problème au panneau avant de votre moniteur pour ajouter des fonctions complètes de prise en charge du multimédia, y compris des enceintes stéréo avec gamme sonore complète et une prise externe pour les écouteurs.

Référence du produit: NQ576AA

Assistance matérielle HP pour écrans standard, échange jour ouvré suivant sur site, 3 ans



Bénéficiez pendant 3 ans d'une assistance matérielle sur site le jour ouvré suivant par un technicien HP qualifié pour votre matériel informatique, si le problème ne peut être résolu à distance.

Référence du produit: UD950E

Écran d'analyse clinique HP Healthcare Edition HC241

Notes sur la description marketing

¹ See user guide for cleaning instructions.

² The HP Healthcare Edition HC241 is a general-purpose computing device and is not intended for use in the diagnosis, cure, treatment or prevention of disease or other medical conditions.

³ HP HC241 Stand Kit sold separately.

⁴ IP 32 test results are not a guarantee of future performance under these test conditions. Damage under the test conditions or any accidental damage requires an optional HP Accidental Damage Protection Care Pack. See user guide for cleaning instructions.

⁵ Optional HC241 Stand Kit and HP PC Mounting Bracket for Monitors required to attach HP Desktop Mini, HP Elite Slice, HP Z2 Mini Workstation or HP Thin Client. Accessories and PCs sold separately. See Bracket QuickSpecs for exact compatibility. VESA mounting hardware for wall or arm mounting sold separately. Arm sold separately.

⁶ The HP Pixel Policy allows no bright sub-pixel defects for this display. For complete details, see <http://support.hp.com/us-en/document/c00288895>.

⁷ HP Care Packs are sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/pc. HP Services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

Notes sur les spécifications techniques

¹ All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

³ Lock is sold separately.

Inscrivez-vous pour les mises à jour hp.com/go/getupdated

EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. See HP's 3rd party option store for solar energy accessory at www.hp.com/go/options

DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. USB Type-C™ is a trademark of USB Implementers Forum.

Novembre 2018

--

