Product datasheet

Specifications



Wired, Sensor, NetBotz, Temperature, 13 ft

AP9335T

Overview

Presentation	Universal sensor that monitors temperature in your Data Center or Network Closet.

Main

Product or component type	Temperature sensor
Range of product	Netbotz
Number of rack unit	0U
Range compatibility	Easy UPS 3M Advanced Easy UPS 3-Phase Modular
Provided equipment	Installation guide Temperature sensor

Physical

Colour	Black
Height	0.5 cm
Width	0.5 cm
Depth	0.5 cm
Net weight	0.14 kg
Mounting location	Front Rear
Mounting preference	No preference
Mounting mode	Rack-mounted

Environmental

Ambient air temperature for operation	0…55 °C
Operating altitude	0...10000 ft
Relative humidity	0…95 %
Ambient air temperature for storage	-15…65 °C
Storage altitude	0…15240 m
Storage Relative Humidity	0…95 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.200 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	29.700 cm
Package 1 Length	39.700 cm
Package 1 Weight	227.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	12
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	2.984 kg
Unit Type of Package 3	P12
Number of Units in Package 3	192
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	59.744 kg

Logistical informations

Country of origin	IN

Contractual warranty

Warranty (in months)	24

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**188 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**2 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**186 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0 kg CO2 eq.**
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Free of Substances of Very High Concern above the threshold

Use Again

Repack and remanufacture

Recyclability potential, in %	**95**
End of life manual availability	End of Life Information
Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**