

# Product datasheet

Specifications



## APC Temperature & Humidity Sensor

AP9335TH



### Overview

|              |                                                                                                                                                                                            |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Presentation | This Temperature & Humidity Sensor is a Universal sensor that monitors temperature and humidity in your Data Center or Network Closet. IT has an RJ-45 connector. The cord length is 3.9m. |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Main

|                           |                                                             |
|---------------------------|-------------------------------------------------------------|
| Product or component type | Temperature and humidity sensor                             |
| Range of product          | Netbotz                                                     |
| Number of rack unit       | 0U                                                          |
| Provided equipment        | Humidity sensor<br>Installation guide<br>Temperature sensor |

### Physical

|                     |               |
|---------------------|---------------|
| Colour              | Black         |
| Height              | 0.6 cm        |
| Width               | 0.5 cm        |
| Depth               | 0.5 cm        |
| Product weight      | 0.18 kg       |
| Mounting preference | No preference |
| Mounting mode       | Rack-mounted  |

### Environmental

|                                       |              |
|---------------------------------------|--------------|
| Ambient air temperature for operation | 0...55 °C    |
| Operating altitude                    | 0...10000 ft |
| Relative humidity                     | 0...95 %     |
| Ambient air temperature for storage   | -15...65 °C  |
| Storage altitude                      | 0...15240 m  |
| Storage Relative Humidity             | 0...95 %     |

### Packing Units

|                              |         |
|------------------------------|---------|
| Unit Type of Package 1       | PCE     |
| Number of Units in Package 1 | 1       |
| Package 1 Height             | 1 cm    |
| Package 1 Width              | 25.4 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                  |          |
|------------------|----------|
| Package 1 Length | 15.2 cm  |
| Package 1 Weight | 0.279 kg |

## Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | IN |
|-------------------|----|

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 24 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 0.6 kg CO2 eq.                                |
| Carbon footprint of the manufacturing phase [A1 to A3] | 0.6 kg CO2 eq.                                |
| Carbon footprint of the distribution phase [A4]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the installation phase [A5]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 0 kg CO2 eq.                                  |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                          |
| Packaging without single use plastic   | No                                                                          |
| EU RoHS Directive                      | <a href="#">Compliant By Exemption</a>                                      |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a> |
| Halogen-free status                    | Product contains halogen above thresholds                                   |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                                                                                                                                                                                                 |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Recyclability potential, in %   | 95                                                                                                                                                                                                              |
| End of life manual availability | No need of specific recycling operations                                                                                                                                                                        |
| Take-back                       | No                                                                                                                                                                                                              |
| WEEE Label                      |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |