Yoga 530 (14") AMD 81H90032IX

Machine Type 81H9

Region WE

Country Italy

Processor AMD Ryzen 3 2200U (2C, 2.5 / 3.4GHz, 1MB)

Graphics Integrated AMD Radeon Vega 3 Graphics

Memory 4GBx2 DDR4-2400 DIMM

Display 14" HD (1366x768)

Multi-touch 10-point Multi-touch

Storage 256GB SSD M.2 PCIe NVMe

Optical None

Ethernet None

WLAN + Bluetooth 11ac, 1x1 + BT4.1

Color Onyx Black

Camera 720p

Microphone Dual Array

Keyboard Non-backlit

Fingerprint Reader Fingerprint Reader Pen Lenovo Active Pen 2 with Battery

Battery 45Wh

Power Adapter 65W

Operating System Windows 10 Home 64

Warranty 2-year, Depot

EAN / UPC 193268071018

Ann Date (mm/yy) 07/18

Note:

Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX -Hungary, CY - Cyprus, etc.), and "**" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries



This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.

http://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2018. All rights reserved.



YOGA 530 (14") AMD Platform Specifications

Product Specifications Reference (PSREF)

Number Cores Threads Frequency Cache Controller Processor Graphics Case color Case color Case material Only black Radeon Vega 3 2 4 2.5 GHz 3.4 GHz 11MB Radeon Vega 3 Graphics Pyzen 7 4 8 2.0 GHz 3.6 GHz 2MB DDR4-2400 Radeon Vega 8 Graphics Graphics AMD Radeon Vega 3, Vega 8, or RX Vega 10 Graphics in processor only: supports external digital monitor via HDMI; supports dual independent display; Max resolution: 4096x2160 @24Hz (HDMI) DDR4-2400 Radeon Vega 4 -720 PHD, 1.0MP resolution, fixed focus Chipset AMD Radeon Vega 3, Vega 8, or RX Vega 10 Graphics in processor only: supports external digital monitor via HDMI; supports dual independent display; Max resolution: 4096x2160 @24Hz (HDMI) Keyboard 6-row, multimedia Fn keys, optional LED backlight touchpad Mudio support Chipset AMD SoC (System on Chip) platform 16GB max / 2400MHz DDR4, dual-channel capable, two DDR4 SO-DIMM sockets 200 nis, 16:9 aspect ratio Security chip Security chip None Multi-touch OGGS/GFF, direct bonding, supports 10-finger gesture (battery need to be purchased separately for the models without battery (battery need to be purchased separately for the models without battery (battery need to be purchased sepa	Processor	AMD Ryzen [™] Mobile Processors with Radeon [™] Vega Graphics								Dimensions	<i>WxDxH:</i> 12.91" x 9.01" x 0.69"; 328mm x 229mm x 17.6mm
Internet Internet <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Processor Graphics</td><td></td><td></td></th<>									Processor Graphics		
Image: space of the system of the probability of the models2.0 GHz3.6 GHz2.0 Hz2.0 GHz2.0 GHz1.0 GraphicsGraphicsAMD Radeon Vega 3, Vega 8, or RX Vega 10 Graphics in processor only; supports dual independent display; Max resolution: 4096x2160@24Hz (HDMI)2.0 GHz2.0 GHz <t< td=""><td></td><td></td><td>2</td><td>4</td><td>2.5 GHz</td><td>3.4 GHz</td><td>1MB</td><td></td><td></td><td></td><td>Bottom: PC + 40%GF</td></t<>			2	4	2.5 GHz	3.4 GHz	1MB				Bottom: PC + 40%GF
Index				0	2.0 GHz	3.6 GHz	2MB	DDR4-2400			Two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C Gen 1,
Graphics AMD Hadeon Vega 8, or HX Vega 10 Graphics in processor only; supports external digital montor via HDMI; supports external digital montor via HDMI; supports dual independent display; Max resolution: 4096x2160 @24Hz (HDMI) dual array microphone, headphone / microphone combo jack Chipset AMD SoC (System on Chip) platform 16GB max / 2400MHz DDR4, dual-channel capable, two DDR4 SO-DIMM sockets Security chip Supervisor password, power-on password, hard-disk password, security s None Display Some: 14.0" (355mm) HD (1366x768), anti-glare, LED backlight, 220 nits, 16:9 aspect ratio Security chip Supervisor password, power-on password, hard-disk password, security s None Multi-touch OGS/GFF, firect bonding, supports 10-finger gesture 4 modes: notebook, tablet, stand and tent; 360° watchband hinge Pen (optional) None None Storage M.2 SSD / PCIe NVMe, PCIe 3.0 None Battery MobileMark [®] 2014: 8 hr Optical None Ac adapter 65W slimit ja AC adapter VLAN One of the following, configurable by model: • 11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card Preload Windows [®] 11 Bolts-compliant			4	0	2.2 GHz	3.8 GHz	2MB				720p HD, 1.0MP resolution, fixed focus
supports dual independent display; Max resolution: 4096x2160@24Hz (HDMI) Keyboard Touchpad 6-row, multimedia Fn keys, optional LED backlight buttonless Mylar surface multi-touch touchpad Chipset AMD SoC (System on Chip) platform 16GB max / 2400MHz DDR4, dual-channel capable, two DDR4 SO-DIMM sockets Security Security chip Fingerprint reader Supervisor password, power-on password, hard-disk password, security s None Display Some: 14.0" (355mm) HD (1366x768), anti-glare, LED backlight, 220 nits, 16:9 aspect ratio Security chip Fingerprint reader Supervisor password, power-on password, hard-disk password, security s Security chip Multi-touch OGS/GFF, direct bonding, supports 10-finger gesture Multi-mode None C-sensor Accelerometer TV tuner Pen (optional) Lenovo Active Pen 2, with replaceable battery or without battery (battery need to be purchased separately for the models without battery (battery need to be purchased separately for the models without battery) Battery AC adapter Integrated Li-lon 45Wh battery, supports Rapid Charge (charge up to 80% Max battery life Optical None Preload Windows ^a 10 Home 64 WLAN One of the following, configurable by model: • 11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card • 11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card Limited warranty • 12e, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card	Graphics	AMD Radeon Vega 3, Vega 8, or RX Vega 10 Graphics in processor only;							sor only;	Audio support	
Memory 16GB max / 2400MHz DDR4, dual-channel capable, two DDR4 SO-DIMM sockets Security chip None Optional: None Display Some: 14.0" (355mm) HD (1366x768), anti-glare, LED backlight, 220 nits, 16:9 aspect ratio Some: 14.0" (355mm) FHD (1920x1080), anti-glare, LED backlight, 1PS, 250 nits, 16:9 aspect ratio None Optional: touch style fingerprint reader None Multi-touch OGS/GFF, direct bonding, supports 10-finger gesture 4 modes: notebook, tablet, stand and tent; 360° watchband hinge E-Compass None None Pen (optional) Lenovo Active Pen 2, with replaceable battery or without battery Max battery life Max battery life Max battery life MobileMark® 2014: 8 hr Storage M.2 SSD / PCle NVMe, PCle 3.0 None Preload Windows® 10		supports dual independent display;									
Display Some: 14.0° (355mm) HD (1368/768), anti-glare, LED backlight, 220 nits, 16:9 aspect ratio Some: 14.0° (355mm) FHD (1920x1080), anti-glare, LED backlight, IPS, 250 nits, 16:9 aspect ratio Multi-touch OGS/GFF, direct bonding, supports 10-finger gesture Accelerometer Multi-mode 4 modes: notebook, tablet, stand and tent; 360° watchband hinge E-Compass Pen (optional) Lenovo Active Pen 2, with replaceable battery or without battery Integrated Li-Ion 45Wh battery, supports Rapid Charge (charge up to 80% Storage M.2 SSD / PCIe NVMe, PCIe 3.0 Ac adapter Optical None Ethernet None WLAN One of the following, configurable by model: • 11ac, 1x1, Wi-Fi + Bluetooth combo adapter, M.2 Card • 11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card Fnvironment FNBEGY SAB® 6 1: BoHS-compliant		AMD SoC (System on Chip) platform 16GB max / 2400MHz DDR4, dual-channel capable, two DDR4 SO-DIMM sockets							SO-DIMM sockets	Security chip	
Some: 14.0" (355mm) FHD (1920x1080), anti-glare, LED backlight, IPS, 250 nits, 16:9 aspect ratio G-sensor Accelerometer Multi-touch OGS/GFF, direct bonding, supports 10-finger gesture None Multi-mode 4 modes: notebook, tablet, stand and tent; 360° watchband hinge E-Compass None Pen (optional) 25D / PCIe NVMe, PCIe 3.0 None Battery Integrated Li-Ion 45Wh battery, supports Rapid Charge (charge up to 80% Storage M.2 SSD / PCIe NVMe, PCIe 3.0 Mone Ac adapter 65W slim tip AC adapter Optical None Preload Windows® 10 Home 64 Limited warranty One of the following, configurable by model: 1-year depot repair service • 11ac, 1x1, Wi-Fi + Bluetooth combo adapter, M.2 Card Fnvironment FNEBGY STAR® 6.1: BoHS-compliant	Display	220 nits, 16:9 aspect ratio Some: 14.0" (355mm) FHD (1920x1080), anti-glare, LED backlight, IPS,								0 1	, , , , , , , , , , , , , , , , , , , ,
Multi-touch Multi-mode OGS/GFF, direct bonding, supports 10-finger gesture 4 modes: notebook, tablet, stand and tent; 360° watchband hinge Lenovo Active Pen 2, with replaceable battery or without battery (battery need to be purchased separately for the models without battery) E-Compass Storage None Storage M.2 SSD / PCIe NVMe, PCIe 3.0 None Integrated Li-Ion 45Wh battery, supports Rapid Charge (charge up to 80% MobileMark® 2014: 8 hr 4C adapter Optical None Optical None WLAN One of the following, configurable by model: • 11ac, 1x1, Wi-Fi + Bluetooth combo adapter, M.2 Card • 11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card Limited warranty • 11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card										G-sensor	Accelerometer
Pen (optional) Lenovo Active Pen 2, with replaceable battery or without battery (battery need to be purchased separately for the models without battery) Battery Max battery life AC adapter Integrated Li-Ion 45Wh battery, supports Rapid Charge (charge up to 80% MobileMark® 2014: 8 hr 65W slim tip AC adapter Storage M.2 SSD / PCIe NVMe, PCIe 3.0 None Preload Windows® 10 Home 64 Ethernet None Limited warranty One of the following, configurable by model: • 11ac, 1x1, Wi-Fi + Bluetooth combo adapter, M.2 Card Limited warranty One of the following configurable by model: • 2-year/1-yr battery depot repair service • 2-year/1-yr battery depot repair service		OGS/GFF, direct bonding, supports 10-finger gesture 4 modes: notebook, tablet, stand and tent; 360° watchband hinge Lenovo Active Pen 2, with replaceable battery or without battery							2	E-Compass	None
Optical None Ethernet None WLAN One of the following, configurable by model: • 11ac, 1x1, Wi-Fi + Bluetooth combo adapter, M.2 Card • 11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card Preload Windows® 10 Home 64 Imited warranty One of the following, configurable by model: • 1-year depot repair service • 2-year/1-yr battery depot repair service • 1-service											
Ethernet None United warranty One of the following, configurable by model: WLAN One of the following, configurable by model: 11ac, 1x1, Wi-Fi + Bluetooth combo adapter, M.2 Card 11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card One of the following, configurable by model: 11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card Environment Environment Environment ENBGY STAB® 6.1: BoHS-compliant 										AC adapter	65W slim tip AC adapter
WLAN One of the following, configurable by model: • 1-year depot repair service • 11ac, 1x1, Wi-Fi + Bluetooth combo adapter, M.2 Card • 1-year depot repair service • 11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card Environment	· ·									Preload	Windows® 10 Home 64
11ac, 1x1, Wi-Fi + Bluetooth combo adapter, M.2 Card 2-year/1-yr battery depot repair service 11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card Environment ENERGY STAB® 6.1: BoHS-compliant										Limited warranty	
11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card Environment ENERGY STAB® 6.1: BoHS-compliant	WLAN						M.2 C	Card			
	Bluetooth™	11ac, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 Card Bluetooth 4.1 wireless, integrated in Wi-Fi + Bluetooth combo adapter								Environment	ENERGY STAR® 6.1; RoHS-compliant

Note: The specifications above may not be available in all regions.

Lenovo July 2018







