

Product Compliance Datasheet

MARKETING NAME......PowerEdge740, PowerEdge740XD, PowerEdge749

REGULATORY MODEL......E38S

REGULATORY TYPE......E38S001

EMC EMISSIONS CLASS....A

EFFECTIVE DATE......July 11, 2017

Table of contents

I.	Statement of Compliance	2
	Global Environmental Information	
	Power Cords and User Documentation	
IV.	Trade (Import/Export) Compliance Data	3
	Product Dimensions and Weight	
	Performance Data	
VII.	Product Materials Information	4
VIII	Packaging	6
IX.	Batteries	6
Χ.	Design for Environment	6
XI.	Recycling / End-of-Life Service Information	7
XII.	Helpful Links	7
Α	Appendix A: FrP Lot 3 Product Energy Consumption Information	۶



I. Statement of Compliance

This equipment has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the equipment is marketed. The equipment is affixed with regulatory marking and text as necessary for the country/agency. Dell manufacturers and markets Multimedia Equipment (MME), Information Technology Equipment (ITE), Audio Visual Equipment (A/V), Industrial, Scientific, Medical Equipment (ISM) or combinations of these. Generally, equipment Safety and EMC compliance is based on International IEC and CISPR standards and their national equivalent along with national standards for Radio (wireless), and Energy. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell equipment does not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive. EMC Emissions Class refers to one of the following use environments:

- EMC Class B equipment is intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A equipment is intended for use in non-residential/non-domestic environments. Class A equipment may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Safety and EMC compliance, this equipment has been assigned a unique regulatory model and regulatory type that is imprinted on the equipment regulatory labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any equipment that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. ErP compliance is tied to the CE mark. REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH. Compliance documentation, such as certification or Declaration of Compliance for the equipment is available upon request to product_compliance@dell.com. Please include equipment identifiers such as marketing name, regulatory model, regulatory type and country that compliance information is needed in request.

II. Global Environmental Information

Environmental (Voluntary Marks)			
Country	Approval	Compliance	
Global	ENERGY STAR (Configration Dependent)	Spec Version 2.1	
China	CECP	Yes	
China	CEC	Yes	



III. Power Cords and User Documentation

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

IV. Trade (Import/Export) Compliance Data

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: www.dell.com/import_export_compliance or send request to WW Export Compliance@dell.com.

V. Product Dimensions and Weight

2.5 inch hard drive configuration systems

Depth,	Width,	Height,	Weight, kg
mm/cm	mm/cm	mm/cm	
760mm	482mm	87mm	26.3Kg Max

3.5 inch hard drive configuration systems

Depth,	Width,	Height,	Weight, kg
mm/cm	mm/cm	mm/cm	
760mm	482mm	87mm	28.6Kg Max

VI. Performance Data

ErP Lot 3 information is located in section Appendix A

For additional information on ENERGY STAR models refer to the following databases:

http://www.dell.com/en-us/work/learn/power-and-cooling-energy-star

USA: https://www.energystar.gov/productfinder/

EU: http://www.eu-energystar.org/db-currentlists.htm



* **Energy Consumption** results are based solely upon the laboratory testing of the **System Configuration** listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click here for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available here

VII. Product Materials Information

Information on Dell's material use is available here.

Dell's Restricted Material for Use guidance document is available here.

- The case material is, > Galvanize Steel <
- This product contains 0% post-consumer recycled plastic/closed loop recycled plastics (Measured as a percentage of total amount of plastic (by weight) in the product as per guidance in EPEAT standard as applies to plastics parts)

Mechanical plastic parts ¹ > 25 g are BFR/PVC free	
Marking of plastics parts greater than 25 grams is in accordance with ISO 11469 (see below)	⊠ Yes □ No □ NA
Printed circuit boards (without components) >25g are BFR PVC free ²	Yes □ No □ NA
Insulation materials of external electrical cables are PVC free	☐ Yes ☒ No ☐ NA
Insulation materials of internal electrical cables are PVC free	☐ Yes ☒ No ☐ NA
Product is BFR/PVC Free (Accessories & Options may not be BFR/PVC-Free, refer to spec ENV0199)	□ Yes ⊠ No

Flame Retardants Used in Motherboard

Part	Flame Retardant
Motherboard	SPB-100

² Dell will adopt the BFR/CFR/PVC-free definition as set forth in the "iNEMI Position Statement on the Definition of 'Low-Halogen' Electronics (BFR/CFR/PVC-Free)." Plastic parts contain <1000 ppm (0.1 percent) of bromine (if the Br source is from BFRs) and <1000 ppm (0.1 percent) of chlorine if the Cl source is from CFRs, PVC or PVC copolymers. All printed circuit board (PCB) and substrate laminates contain bromine/chlorine totaling less than 1,500 ppm (0.15 percent), with maximum chlorine of 900 ppm (0.09 percent) and maximum bromine of 900 ppm (0.09 percent)



^{*} This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

For more details visit www.dell.com/environmental_information

¹ Mechanical plastic part: plastic parts that do not internally carry an electrical signal such as housings, brackets, bezels, latches, etc. that form the basic structure of the product and/or have mechanical functions. Plastic parts such as fans, connectors, printer fuser assemblies, etc. are not considered "mechanical plastic parts" in the context of this specification. Plastics parts do not contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride (Per Dell Spec ENV0424)

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Marking per ISO 11469:2016	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R- Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
PC+ABS	Cycoloy- RCY6214	FR40	V0	N/A
PC+ABS	Cycoloy C6200	FR40	V0	N/A
PC+ABS LEXAN HF 1130		FR40	V-2	N/A

Mercury Information

Number of bulbs	Average per bulb
0	0 mg

Additional information:

• RoHS and REACH declaration - see product material information section at: www.dell.com/environmental information

Products MSDS (Material Safety Data Sheets):

Puttering Data MSDS Data Sheets

Batteries: Battery MSDS Documentation and Declaration

Printer Toner and Ink: MSDS Documentation



VIII. Packaging

Information on Dell's sustainable packaging effort available <u>here</u>.

Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found <u>here</u>.

Packaging Materials	Total Weight of each Material type, (kg)
Corrugated Fiberboard	5.665
EPS	0
EPE	1.44
Molded paper pulp	0
HDPE (including thermoformed)	0
Molded Bamboo	0
LDPE Bags	0
Other, please specify	0

IX. Batteries

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)
CR-2032 coin cell	Lithium	0.003
PERC Battery	Lithium Ion	0.016
NVDIMM Battery	Lithium Ion	0.29
Rechargeable Battery 1 Cell	Lithium Ion	0.0057

X. Design for Environment

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit www.dell.com/environmental information



XI. Recycling / End-of-Life Service Information

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, please visit www.dell.com/recyclingworldwide and select the relevant country.

XII. Helpful Links

Environmental Policy

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf

• Environment Website

www.dell.com/environmental_information

• Corporate Sustainability Report

http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true

ISO 14001 Certification

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf

Materials Restricted for Use

http://www.dell.com/downloads/global/corporate/environ/restricted materials guid.pdf

Chemical Use Policy

http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf

Product Carbon Footprint

http://content.dell.com/us/en/corp/d/corp-comm/environment carbon footprint products

RoHS Compliance

www.dell.com/rohsinfo

REACH Compliance

www.dell.com/REACH

Recycling Information

www.dell.com/recycling

Supplier Responsibility

http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx



A Appendix A: ErP Lot 3 Product Energy Consumption Information

ErP Lot 3 (EU No 617/2013)

The ErP Lot 3 regulation includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops (All-in-One), Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers.

ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for products that are out of scope of ErP Lot 3 for informational purposes only.

Power Supply Model #	Internal or External	Link to efficiency report
D2000E-S0	Internal	https://plugloadsolutions.com/psu_reports/DELL,%20INCD2000E-S0_2000W_SO-864_Report.pdf
Z2000E-S1	Internal	https://plugloadsolutions.com/psu_reports/DELL%20INCZ2000E-S1_2000W_SO-877_Report.pdf
D1600E-S0	Internal	https://plugloadsolutions.com/psu_reports/DELL%20INCD1600E-S0_1600W_SO-597_Report.pdf
D1100E-S0	Internal	https://plugloadsolutions.com/psu_reports/DELL,%20INC. D1100E-S0_1100W_SO-674_Report.pdf
D1100E-S3	Internal	https://plugloadsolutions.com/psu_reports/DELL,%20INC. D1100E-S3_1100W_SO-674.1_Report.pdf
D1100E-S4	Internal	https://plugloadsolutions.com/psu_reports/DELL,%20INC. D1100E-S4_1100W_SO-1189_Report.pdf
L1100E-S1	Internal	https://plugloadsolutions.com/psu_reports/DELL,%20INC. L1100E-S1_1100W_SO-1159_Report.pdf
E1100D-S0	Internal	N/A - DC PSU
D750E-S6	Internal	https://plugloadsolutions.com/psu_reports/DELL,%20INCD750E-S6_750W_SO-668_Report.pdf
D750E-S7	Internal	https://plugloadsolutions.com/psu_reports/DELL,%20INCD750E-S7_750W_SO-669_Report.pdf
E750E-S1	Internal	https://plugloadsolutions.com/psu_reports/DELL,%20INC. E750E-S1_750W_SO-666_Report.pdf
L750E-S0	Internal	https://plugloadsolutions.com/psu_reports/DELL,%20INCL750E-S0_750W_SO-1160_Report.pdf
D750E-S2	Internal	https://plugloadsolutions.com/psu_reports/DELL_D750E-S2_750W_SO-386_Report.pdf
E495E-S1	Internal	https://plugloadsolutions.com/psu_reports/DELL,%20INC. E495E-S1_495W_SO-665_Report.pdf
D495E-S1	Internal	https://plugloadsolutions.com/psu_reports/DELL,%20INC. D495E-S1_495W_SO-667_Report.pdf

^{*} Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click here for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available here

For more details visit www.dell.com/environmental information



^{*} This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

Servers:

Declared A-weighted sound power level of the Server	7.0 bels at Idle	
Declared A-weighted sound power level of the Server	6.8 bels at Operating	

