

ASUS FX EHD-A1T/ EHD-A2T

External Hard Drive



User Guide

E13846 First Edition V1 March 2018

Copyright © 2018 ASUSTeK Computer Inc. All Rights Reserved.

No part of this manual, including the products and software described in it, may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language in any form or by any means, except documentation kept by the purchaser for backup purposes, without the express written permission of ASUSTeK Computer Inc. ("ASUS").

Product warranty or service will not be extended if: (1) the product is repaired, modified or altered, unless such repair, modification of alteration is authorized in writing by ASUS; or (2) the serial number of the product is defaced or missing.

ASUS PROVIDES THIS MANUAL "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL ASUS, ITS DIRECTORS, OFFICERS, EMPLOYEES OR AGENTS BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES (INCLUDING DAMAGES FOR LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OR DATA, INTERRUPTION OF BUSINESS AND THE LIKE), EVEN IF ASUS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES ARISING FROM ANY DEFECT OR ERROR IN THIS MANUAL OR PRODUCT.

SPECIFICATIONS AND INFORMATION CONTAINED IN THIS MANUAL ARE FURNISHED FOR INFORMATIONAL USE ONLY, AND ARE SUBJECT TO CHANGE AT ANY TIME WITHOUT NOTICE, AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY ASUS. ASUS ASSUMES NO RESPONSIBILITY OR LIABILITY FOR ANY ERRORS OR INACCURACIES THAT MAY APPEAR IN THIS MANUAL, INCLUDING THE PRODUCTS AND SOFTWARE DESCRIBED IN IT.

Products and corporate names appearing in this manual may or may not be registered trademarks or copyrights of their respective companies, and are used only for identification or explanation and to the owners' benefit, without intent to infringe.

Contents

1.	Getting to know your ASUS FX	6
	Overview	6
	Specifications summary	6
	Package contents	6
	Disk format	7
	Hardware features	7
2.	Using your ASUS FX	8
	Connecting to a Windows [®] computer	8
	Connecting to a Mac computer	9
	Safely removing your ASUS FX	
3.	Using the utilities	13
	Using Aura	13
	Issues executing the Aura program	15
	Limitations of the Aura lighting modes	15
	Using NTI Backup Now EZ	15
4.	Formating your hard drive	16
5.	Frequently Asked Questions (FAQs)	18
6.	Safety notices	25
7.	Accessory Warranty Policy	25

Notices

In order to maintain compliance with the FCC RF exposure guidelines, this equipment should be installed and operated with a minimum distance [5mm] between the radiator and your body. Use only with supplied antenna. Unauthorized antenna, modification, or attachments could damage the transmitter and may violate FCC regulations.

CAUTION! Any changes or modifications not expressly approved in this manual could void your authorization to use this device.

Federal Communications Commission Statement

This device complies with Part 15 of the Federal Communications Commission (FCC) Rules. Operation is subject to the following two conditions:

- 1) This device may not cause harmful interference.
- 2) This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

Users must not modify this device. Modifications by anyone other than the party responsible for compliance with the rules of the Federal Communications Commission(FCC) may void the authority granted under FCC regulations to operate this device.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

CAUTION! Any changes or modifications not expressly approved by the party responsible for this device could void your authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Regional Notice for California



WARNING! This product may contain chemicals known to the State of California to cause cancer, and birth defects or other reproductive harm. Wash hands after handling.

Proper Disposal



DO NOT throw the product in municipal waste. This product has been designed to enable proper reuse of parts and recycling. This symbol of the crossed out wheeled bin indicates that the product (electrical and electronic equipment) should not be placed in municipal waste. Check local regulations for disposal of electronic products.



DO NOT throw the battery in municipal waste. This symbol of the crossed out wheeled bin indicates that the battery should not be placed in municipal waste.



Cancer and Reproductive Harm-

www.P65Warnings.ca.gov

1. Getting to know your ASUS FX

Overview

Thank you for purchasing the ASUS FX External Hard Drive.

ASUS FX is the world's first gaming external hard drive designed with Aura Sync RGB lighting for you to express your personal style. Built specifically for gaming, ASUS FX also provides extra high-capacity storage under its attractive appearance, as well as a USB 3.1 Gen 1 interface with superior transfer speeds of 5Gbps and a total data backup solution.

Specifications summary

Model name	ASUS FX
Product name	External hard drive
Interface	USB 3.1 Gen 1
Dimensions	128 x 80 x 16.3 mm (L x W x H)
Weight	145 g
System requirements	 Windows[®] 10 / Windows[®] 8 / Windows[®] 7
(Hardware)	Mac [®] OS X 10.6.8 or later version
	 100 MB or above available disk space
System requirements (Utilities)	 Aura: Windows[®] 10 / Windows[®] 8 64-bit are recommendeded. Support may vary depending on the hardware specifications and version of the operating system.
	 NTI Backup Now EZ: Refer to the NTI Backup Now EZ user guide on the hard disk.

Package contents



NOTES:

- If any of the items are damaged or missing, contact your retailer.
- The illustrations above are for reference only. The actual contents may vary by country/region.

Disk format

The default format of your ASUS FX is NTFS. See section **Formatting your ASUS FX** on how to change the disk format.

Hardware features



2. Using your ASUS FX

Connecting to a Windows® computer

- 1. Connect one end of the bundled USB cable to the external hard drive's USB port.
- 2. Connect the other end of the bundled USB cable to your computer's USB port.



3. After ASUS FX has successfully connected to your computer, the Aura LED will light up in the preset lighting mode. The system automatically detects and installs the drivers required by ASUS FX, and displays a new disk icon and code to represent your ASUS FX.



Connecting to a Mac computer

- 1. Connect one end of the bundled USB cable to the external hard drive's USB port.
- 2. Connect the other end of the bundled USB cable to your Mac's USB port.



3. After ASUS FX has successfully connected to your computer, the Aura LED will light up in the preset lighting mode. The system automatically detects and installs the drivers required by ASUS FX, and displays a new disk icon and code to represent your ASUS FX.



NOTES:

- To ensure the high transfer rate of USB 3.1 Gen 1, make sure that you have connected your external hard drive to your computer's USB 3.1 Gen 1 port.
- For the best power efficiency, ensure that you have connected your external hard drive to your computer using the bundled USB 3.1 Gen 1 cable.
- If you want to change the preset lighting mode or synchronize lighting effects with other Auraenabled devices, install the Aura program. The latest version of the Aura program is available at <u>https://www.asus.com/support/</u>.
- To back up your data, install the NTI Backup Now EZ program.
- The Aura program and the NTI Backup Now EZ program are only available on Windows[®] operating systems.
- On a Mac computer, ASUS FX displays the lighting effect in the preset lighting mode. To change the lighting mode and color mode, you need to change the settings from the Aura program on your Windows[®] computer. But when you connect your external hard drive to your Mac after the change, not all lighting effects can be shown propely on your Mac.
- For the limitations of the Aura lighting mode, see the section **Limitations of the Aura lighting modes**.
- We strongly recommend you to periodically back up your data on the ASUS FX as well as backing up or making copies of data on other storage devices, in case the storage device containing your files fails making your original files inaccessible. ASUS will not be responsible for any data loss or damage incurred to your ASUS FX hard drive.

Safely removing your ASUS FX

To avoid data loss, when data transfer is in progress, follow the steps below to remove your hard drive.

On Windows®

1. Click from the taskbar, and then click **Safely Remove Hardware and Eject Media**.



2. Click Eject External USB 3.0 - ASUS FX.

-	Open Devices and Printers
~	ASUS External Drive
	- Eject BD-RE Drive (E:) J_CCSA_X64FRE_EN-US_DV5
~	Eject Ultra Fit
	- USB Drive (F:)
~	Eject External USB 3.0
	- ASUS FX (G:)

3. When the **Safe to Remove Hardware** message pops up, remove your hard drive from your computer.



On Mac

On your desktop, right-click the ASUS FX disk icon, and then click **Exit "ASUS FX"** to safely remove your hard drive.



3. Using the utilities

Using Aura

Aura is an application that controls the RGB LED lighting on Aura-enabled products, including hard drives, monitors, motherboards, graphics cards, desktop PC's, and others. Aura allows you to customize the RGB LED lighting on your ASUS FX, and synchronize lighting with other ASUS Aura Sync products.

Ensure that the Aura program has been installed correctly and it can run properly, and then do the following:

- 1. Ensure that the USB 3.1 Gen 1 cable has been properly connected to your computer's USB port.
- 2. Launch the Aura program. See the following section for the detailed features and functions.

NOTE: If you have any questions about executing the Aura program, please refer to section **Issues** executing the Aura program.

Main screen



Do the following to customize the LED color and the LED lighting effect of your ASUS FX. Select your desired lighting effect, customize the color, and click **Apply** when finish.

ASUS AURA				0 ×
MOTHERBOARD KEYBOARD		HARD DRIVE		ON OFF
Sync All	Settings	Sync at shutdow	n	
Static Breathing Color Cycle Rainbow Comet Flash and Dash Wave Glowing Yoyo Starry-Night Strobing Smart	Color Single Color	Hue 4 °	Saturation	R 255 G 15 B 0
Music		Defa	ult Undo	Apply

Disabling the light effects

Select the Static or Breathing mode, and set Saturation and Brightness to their minimum values.

ASUS AURA				0 X
MOTHERBOARD KEYBOARD	MOUSE UHD BURNER	HARD DRIVE		ON OFF
Sync All	Settings	Sync at shutdown		
Static	Color Single Color		~	
Color Cycle			Saturation	
Rainbow Comet		Hue 0 °	O I I I I I I I I I I I ■	R O G O
Flash and Dash Wave				ВО
Glowing Yoyo				
Strobing				
		Defaul	lt Undo	Apply

Issues executing the Aura program

Please check if you have done the following:

- 1. Ensure that the BIOS is updated to the latest version (for ASUS motherboards only).
- 2. Ensure that the firmware and drivers for your Aura Sync device are updated to the latest version.
- 3. Uninstall the previous version of the Aura program and turn your computer completely off (Turn off the power supply and unplug the power cord).
- 4. Turn on your computer and download the latest version of Aura from ASUS support website at <u>https://www.asus.com/support/</u>.
- 5. Unzip and open the installation file.
- 6. Right-click Setup, and then select Run this as program as an administrator.
- 7. After Aura has been installed successfully, connect the ASUS FX hard drive to your computer, and then reboot your computer.

Limitations of the Aura lighting modes

If Static / Breathing / Color cycle lighting modes are selected, after the power is turned off and on again, the LED will still light up in your selected mode.

But if other lighting modes are selected, after the power is turned off and on again, the LED can only light up in your last selected mode.

Using NTI Backup Now EZ

Refer to the user guide stored on your ASUS FX hard drive on how to use the NTI Backup Now EZ program.

4. Formating your hard drive

CAUTION! Formatting your ASUS FX erase everything on this device. If you have stored data on your ASUS FX, please back up your data using another storage device before formatting your ASUS FX.

On Windows®

- 1. Open **File Explorer**, right-click the ASUS FX hard drive icon, and then select **Format** to display the Format Local Disk menu.
- 2. Make your desired changes on the menu, and then click **Start** to format your hard drive.

Format Local Disk (G:)	X
Capacity:	
931 GB	~
<u>F</u> ile system	
NTFS (Default)	~
<u>A</u> llocation unit size	
4096 bytes	~
Restore <u>d</u> evice defaults	
Volume <u>l</u> abel	
Format <u>o</u> ptions	
✓ Quick Format	
<u>S</u> tart <u>C</u> lose	

On Mac

1. Open Finder and go to Applications > Utilities > Disk Utility.



2. Make your desired changes, and then click **Erase** to format your hard drive.

Era Era the and	ase "ASUS External USB 3.0 Media"? sing "ASUS External USB 3.0 Media" will destroy of all data stored on it. Enter a name, choose a partition map i format.
Name:	Untitled
Format:	OS X Extended (Journaled)
Scheme	GUID Partition Map
	Cancel Erase

5. Frequently Asked Questions (FAQs)

Only basic questions are listed here. For the latest FAQs, go to https://www.asus.com/support/.

Installation

Q1: Why is it that I cannot install the Aura program?

- 1. If you have installed an older version of Aura, uninstall it and reboot your system.
- 2. Download the latest version of Aura from ASUS support website at <u>https://www.asus.com/</u> <u>support/</u>.
- 3. Unzip and open the installation file.
- 4. Right-click **Setup**, and then select **Run this as program as an administrator**.

Quick access AXSP 10/26/2017 132 PM File folder Desktop is 10/26/2017 132 PM File folder Downloads Watshipsperice 10/26/2017 63 PM Configuration sett 4.88 Job25 screen Gatal 1.6dr 9/22/2017 63 PM Configuration sett 1.88 Music Gatal 2 9/22/2017 63 PM Configuration sett 1.88 Screen Shots French 9/21/2017 33 PM Configuration sett 1.88 OneDrive German 9/21/2017 33 PM Configuration sett 1.88 Network Japanese 9/21/2017 33 PM Configuration sett 1.88 Stup Properties Screen Shots Screna Consubity mode for: Wado		Name	Date modified	Туре	Size		
Beskop ## Norm 10020000111321PM File folder Downloads # Image: Comparison of the Comp	Quick access	AVSD	10/26/2017 1-22 DM	File folder			
Pownloads I uptingService 10620071132 PM File folder Documents I uptingService 10620071132 PM File folder Documents AuxSetup 9/21/2017331 PM Application 5,862 KB Itotures I data 9/22/2017 631 PM Cabinet File 2,047 KB AMDDriver, V1730 L I data Indr 9/22/2017 631 PM Cabinet File 2,148 Screen Shots I penjich 9/22/2017 631 PM Configuration sett 1 KB Music I penjich 9/22/2017 631 PM Configuration sett 1 KB OreDrive German 9/21/2017 331 PM Configuration sett 1 KB This PC Ikernet.ex. 5/2/2012 630 PM PC, File 399 KB Network I poputibin 9/21/2017 331 PM Configuration sett 1 KB Network I poputibin 9/21/2017 331 PM Configuration sett 1 KB Stuppersemanifiest 9/21/2017 331 PM Configuration sett 1 KB Stuppersemanifiest 9/21/2017 331 PM Configuration sett 1 KB Stuppersemanifiest 9/21/2017 331 PM Configurat	Desktop 📌		10/26/2017 1.32 PM	File folder			
Documents Splantigeneric Documents Splantigeneric Bounderst Splantigeneric Splantigeneric Splantigeneric Bounderst Splantigeneric Splantigeneric Splantigeneric Bounderst Splantigeneric Splantigeneric Splantigeneric Bounderst Splantigeneric Splantigeneric Splantigeneric AMDDriver V17301 Astas2 Splantigeneric Splantigeneric Screen Shot French Splantigeneric Splantigeneric Screen Shot French Splantigeneric Splantigeneric Bernelez Splantigeneric Splantigeneric Splantigeneric Bis Roc Splantigeneric Splantigeneric Splantigeneric <tr< td=""><td>Downloads 💉</td><td>LightingService</td><td>10/26/2017 1:32 PM</td><td>File folder</td><td></td><td></td><td></td></tr<>	Downloads 💉	LightingService	10/26/2017 1:32 PM	File folder			
Pictures AusSetup 9/22/2017 631 PM Configuration sett 4.88 1.05.25 screen Idati 9/22/2017 631 PM Cables File 2.047 AusSetup 9/22/2017 631 PM Cables File 2.047 5.025 AusDoive Idati 9/22/2017 631 PM Cables File 2.052 Music Gata2 9/22/2017 631 PM Cables File 2.052 Screen Shots French 9/21/2017 331 PM Configuration sett 1.18 OneDrive German 9/21/2017 331 PM Configuration sett 1.18 This PC Ispanse 9/21/2017 331 PM Configuration sett 1.18 Network Isynuthin 9/22/2017 631 PM Noreifyruition sett 1.18 Stup procesmanifest 9/21/2017 331 PM Configuration sett 1.18 Stup procesmanifest 9/21/2017 331 PM Configuration sett 1.18 Stup procesmanifest 9/21/2017 331 PM Configuration sett	Documents 🖈	AsusSetun	9/21/2017 3-31 PM	Application	3 632 KB		
L05.25 screen id stat 1 9/22/2017 631 PM Cabinet File 2,047 K8 AMDOrvey V1730. id stat 1.hdr 9/22/2017 631 PM Cabinet File 2,148 Music id stat.1 9/22/2017 631 PM Cabinet File 2,148 Music id stat.1 9/22/2017 631 PM Configuration sett 1 K8 Music English 9/21/2017 331 PM Configuration sett 1 K8 Screen Shots French 9/21/2017 331 PM Configuration sett 1 K8 Phi PC Japanece 9/21/2017 331 PM Configuration sett 1 K8 Network Roussian 9/21/2017 331 PM Configuration sett 1 K8 Vetwork Roussian 9/21/2017 331 PM Configuration sett 1 K8 Vetwork Roussian 9/21/2017 331 PM Configuration sett 1 K8 Vetwork Stupp POPPErize Stup POPPErize Sting POPPErize Vetwork Stupp POPPErize Configuration sett 1 K8 Vetwork Stupp POPPErize Configuration sett 1 K8 Stupp POPPErize 9/21/2017 331 PM Configurat	Pictures #	AsusSetun	9/22/2017 6:31 PM	Configuration sett	4 KB		
ANDOriver VIT300 Music and the start of the	1.05.25 screen	data1	9/22/2017 6:31 PM	Cabinet File	2.047 KB	THE ALL ALL ALL ALL ALL ALL ALL ALL ALL AL	
Amburder 1752_ Maxic data2 9/22/2017 631 PM Cabinet File 22,539 K8 Screen Shots French 9/21/2017 331 PM Configuration sett 11 K8 hePOre German 9/21/2017 331 PM Configuration sett 11 K8 his PC Japanese 9/21/2017 331 PM Configuration sett 11 K8 d ksuche 9/21/2017 331 PM MANIFEST File 1 K8 d ksuche 9/21/2017 331 PM MAXIFEST File 1 K8 d ksuche 9/21/2017 331 PM K5 File 1 14 K8 d ksuche 9/21/2017 331 PM Configuration sett 11 K8 d ksuche 9/21/2017 331 PM K5 File 1 14 K8 d ksuche 9/21/2017 331 PM Configuration sett 11 K8 d tupics 9/21/2017 331 PM K5 File 1 14 K8 d tupics 9/21/2017 331 PM Configuration sett 11 K8 d tupics 9/21/2017 331 PM Co	AMDDriver V(1720.)	data1.hdr	9/22/2017 6:31 PM	HDR File	21 KB	Setup Properties	×
Music English 9/21/2017 3.31 PM Configuration sett 1 K8 Screen Shots French 9/21/2017 3.31 PM Configuration sett 1 K8 DefDrive German 9/21/2017 3.31 PM Configuration sett 1 K8 This PC Japanese 9/21/2017 3.31 PM Configuration sett 1 K8 Import PC Japanese 9/21/2017 3.31 PM Configuration sett 1 K8 Import PC Japanese 9/21/2017 3.31 PM Configuration sett 1 K8 Schnese 9/21/2017 3.31 PM Configuration sett 1 K8 Stup, sex.manifest 9/21/2017 3.31 PM Configuration sett 1 K8 Stup, sex.manifest 9/21/2017 3.31 PM Configuration sett 1 K8 Stup, inx 9/22/2017 6.31 PM NAINESF File 1 K8 Stup, inx 9/22/2017 6.31 PM Configuration sett 1 K8 Stu	ANDDIWEF_V1/50_V	data2	9/22/2017 6:31 PM	Cabinet File	22,529 KB	General Compatibility Security Details Previous Versions	
Soreen Shots French 9/21/2017 3.31 PM Configuration sett 1 K8 Finite program in the monge offection of the Weelen of Windows, by parsing offection of the Windows, by pa	IVIUSIC	English	9/21/2017 3:31 PM	Configuration sett	1 KB	If this was more large unadding segments on this	
OneDrive German 9/21/2017 331 PM Configuration sett 1 K8 This PC German 9/21/2017 331 PM Configuration sett 1 K8 Mapsace 9/21/2017 331 PM Configuration sett 1 K8 Network Isyoutbin 9/22/2017 631 PM BN File 1 K8 Schices 9/21/2017 331 PM Configuration sett 1 K8 Stup occ.manifest 9/21/2017 331 PM Configuration sett 1 K8 Stup occ.manifest 9/21/2017 331 PM Configuration sett 1 K8 Stup occ.manifest 9/21/2017 331 PM Configuration sett 1 K8 Stup occ.manifest 9/21/2017 331 PM Configuration sett 1 K8 Stup occ.manifest 9/21/2017 331 PM Configuration sett 1 K8 Stup occ.manifest 9/21/2017 331 PM Configuration sett 1 K8 Stup occ.manifest 9/21/2017 331 PM Configuration sett 1 K8 Stup occ.manifest 9/21/2017 331 PM Configuration sett 1 K8 Stup occ.manifest 9/21/2017 331 PM Configuration sett 1 K8 Stup occ.manifest 9/	Screen Shots	French	9/21/2017 3:31 PM	Configuration sett	1 KB	try running the compatibility troubleshooter.	1 A A A A A A A A A A A A A A A A A A A
Ikenel.er_ \$/3/2012.507 PM DC, File 39 K8 How 60 (choose consubility attion manually.2 Japanese 9/21/2017.31 PM Configuration sett 1 K8 How 60 (choose consubility attion manually.2 Vetwork Byoutbin 9/22/2017.31 PM Configuration sett 1 K8 Pun the program in compatibility mode for: Schinese 9/21/2017.31 PM Configuration sett 1 K8 Pun the program in compatibility mode for: Schinese 9/21/2017.31 PM Configuration sett 1 K8 Pun the program in compatibility mode for: Schinese 9/21/2017.31 PM Application 155 K8 Pun the program in compatibility mode for: Setup.oxen.maifest 9/21/2017.31 PM Configuration sett 1 K8 Pun the program in compatibility mode for: Setup.inx 9/22/2017.63 TPM MANREST File 1 K8 Pediced color mode Setup.inx 9/22/2017.63 TPM INX File 1 K8 Pun the program in compatibility mode for: Setup.ins 9/22/2017.63 TPM INX File 1 K8 Pediced color mode Setup.ins 9/22/2017.83 TPM Configuration sett 1 K8 Pun the 400 A 430 scheen resolution <td< td=""><td>OneDrive</td><td>German</td><td>9/21/2017 3:31 PM</td><td>Configuration sett</td><td>1 KB</td><td>Run compatibility troubleshooter</td><td></td></td<>	OneDrive	German	9/21/2017 3:31 PM	Configuration sett	1 KB	Run compatibility troubleshooter	
Imp PC Japanese 9/21/2017.331 PM Configuration sett 1 K8 Composition method in the program in compatibility mode for: Network 9/22/2017.631 PM BN File 1 K8 Composition sett 1 K8 Schinece 9/21/2017.331 PM Configuration sett 1 K8 Compatibility mode for: Stup one 9/22/2017.631 PM Configuration sett 1 K8 Compatibility mode for: Stup one 9/22/2017.631 PM Configuration sett 1 K8 Compatibility mode for: Stup one 9/22/2017.631 PM MANIFEST File 1 K8 Periode door mode Stup intra 9/22/2017.631 PM NK File 1 K8 Periode door mode stup intra 9/22/2017.631 PM NK File 1 K8 Periode door mode stup intra 9/22/2017.631 PM NK File 1 K8 Periode door mode stup intra 9/22/2017.631 PM Configuration sett 1 K8 Periode door mode Stup intra 9/22/2017.631 PM Configuration sett 1 K8 Periode door mode Stup intra 9/22/2017.631 PM		ikernel.ex_	5/3/2012 5:07 PM	EX_File	339 KB	How do L choose compatibility settings manually?	
Network byoutbin 9/22/2017 631 PM BIN File 1K8 Compatibility mode for: Mussian 9/21/2017 331 PM Configuration sett 1 K8 Schuce 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration sett 1 K8 Stup compatibility mode for: 9/21/2017 331 PM Configuration se	This PC	Japanese	9/21/2017 3:31 PM	Configuration sett	1 KB		
Rusian 9/21/2017331PM Configuration sett 1K8 Schup experiments 9/21/20173 J1PM Configuration sett 1K8 Schup experiments 9/21/20173 J1PM Application 155 K8 Schup experiments 9/21/20173 J1PM MANIFEST File 1K8 Schup into 9/22/2017 631 PM NANIFEST File 1K8 9/22/2017 631 PM INX File 141 K8 Batt C550 color stop.pinx 9/22/2017 631 PM INX File 141 K8 Batt C550 color stop.pinx 9/21/2017 331 PM INX File 141 K8 Batt C550 color Stop.prove 9/21/2017 331 PM Strile 141 K8 Batt C550 color Stop.prove 9/21/2017 331 PM Strile 141 K8 Batt C550 color String	Vetwork] layout.bin	9/22/2017 6:31 PM	BIN File	1 KB	Compatibility mode	
Schinese 9/21/2017 3.31 PM Configuration sett 1 K8 Step permanifest 9/27/2017 53.31 PM Application 155 bit permanifest 9/27/2017 3.31 PM K8 Setup prime 9/22/2017 6.31 PM NAX/FEST File 1 K8 Bet/250 coder Setup Setup inits 9/22/2017 6.31 PM NXX File 14 18 Bet/250 coder Setup Setup inits 9/22/2017 3.31 PM Configuration sett 1 K8 Bet/250 coder Setup Spanish 9/22/2017 3.31 PM Configuration sett 1 K8 Bet/250 coder Secure Tokinese 9/21/2017 3.31 PM Configuration sett 1 K8 Bet/250 coder Secure usetup.ixs 9/21/2017 3.31 PM Configuration sett 1 K8 Bet/250 coder Secure		Russian	9/21/2017 3:31 PM	Configuration sett	1 KB		
Stup 9/52001 58.3 AM Application 155.83 Stup.oxe.mail/est 9/21/2017 33.1 PM MAN/FEST File 1.K8 Reduced color mode Stup.oxe.mail/est 9/22/2017 63.1 PM Configuration sett 1.K8 Reduced color mode stup.inx 9/22/2017 63.1 PM INX File 141.K8 Reduced color mode stup.inx 9/22/2017 63.1 PM INX File 141.K8 Run in 640 x 400 score metolution stup.inx 9/21/2017 33.1 PM ISS File 11.K8 Double full color mode Stup.insh 9/21/2017 33.1 PM Configuration sett 1.K8 Double full color mode Tokinese 9/21/2017 33.1 PM Configuration sett 1.K8 Paperation usetup.iss 9/21/2017 33.1 PM SS File 1.K8 Paperation		SChinese	9/21/2017 3:31 PM	Configuration sett	1 KB	Windows 7	
Setup.exemanifest 9/21/20173.311 PM MANIFEST File 1.18 Image: Configuration sett 1.18 Setup.inx 9/22/2017.631 PM NANIFEST File 1.41.83 Image: Configuration sett 1.18 setup.inx 9/22/2017.631 PM INX File 1.41.83 Image: Configuration sett 1.18 setup.inx 9/22/2017.331 PM ISS File 1.18 Image: Configuration sett 1.18 Spanish 9/22/2017.331 PM ISS File 1.18 Image: Configuration sett 1.18 Tohinese 9/22/2017.331 PM ISS File 1.18 Image: Configuration sett 1.18 setup.ixs 9/21/2017.331 PM ISS File 1.18 Image: Configuration sett 1.18 setup.ixs 9/21/2017.331 PM ISS File 1.18 Image: Configuration sett 1.18		🖾 Setup	9/5/2001 5:03 AM	Application	165 KB		-
Setup 9/22/2017 631 PM Configuration sett 1 K8 Instruction • etop.inx 9/22/2017 631 PM INX File 14 K8 Bat (256) color • etop.inx 9/22/2017 631 PM INX File 14 K8 Bat (256) color • etop.inx 9/22/2017 331 PM SS File 1 K8 Configuration sett 1 K8 • Tokinese 9/22/2017 331 PM Configuration sett 1 K8 Seploration • Tokinese 9/22/2017 331 PM Configuration sett 1 K8 Application • usetup.iss 9/21/2017 331 PM Configuration sett 1 K8 Application		Setup.exe.manifest	9/21/2017 3:31 PM	MANIFEST File	1 KB	Settings	
estup.inx 9/22/2017 631 PM INX File 141 K8 EMA (256 color setup.ins 9/21/2017 331 PM ISS File 1 K8 Configuration sett 1 K8 Spanish 9/22/2017 331 PM Configuration sett 1 K8 Overde high DPI social petidowor. Tokinese 9/22/2017 331 PM Configuration sett 1 K8 Particle high DPI social petidowor. usetup.iss 9/21/2017 331 PM ISS File 1 K8 Particle fullowor.		🔄 Setup	9/22/2017 6:31 PM	Configuration sett	1 KB		
setupiss 9/21/2017 3:31 PM ISS File 1 KB Hun in 60x 480 screen resolution Spanish 9/21/2017 3:31 PM Configuration sett 1 KB Overde high DPI scaling behavior. TChinese 9/21/2017 3:31 PM Configuration sett 1 KB Application usetupiss 9/21/2017 3:31 PM ISS File 1 KB Application		📄 setup.inx	9/22/2017 6:31 PM	INX File	141 KB	8-bit (256) color	
Spanish 9/21/2017 331 PM Configuration sett 1 K8 Overdie high OPI soding behavior. Chinese 9/21/2017 331 PM Configuration sett 1 K8 usetup.iss 9/21/2017 331 PM ISS File Deable full coreen optimizations		setup.iss	9/21/2017 3:31 PM	ISS File	1 KB	Run in 640 x 480 screen resolution	
Chinese 9/21/2017 3:31 PM Configuration sett 1 KB usetup.iss 9/21/2017 3:31 PM ISS File 1 KB Deable fullscreen optimizatione		Spanish	9/21/2017 3:31 PM	Configuration sett	1 KB	Override high DPI scaling behavior.	
usetup.iss 9/21/2017 3:31 PM ISS File 1 KB Deable fullecreen optimizations		TChinese	9/21/2017 3:31 PM	Configuration sett	1 KB	Application V	
Usable fullscreen optimizations		usetup.iss	9/21/2017 3:31 PM	ISS File	1 KB		
						Usable fullscreen optimizations	
						Change settings for all users	
Change settings for all users							
Change settings for all usen						OK Cancel App	b/
Change settings for all users OK Cancel Apply							

5. Follow the on-screen instructions to complete the installation.

Q2: How do I install the Aura program?

- 1. If you have installed an older version of Aura, uninstall it and reboot your system.
- 2. Download the latest version of Aura from ASUS support website at <u>https://www.asus.com/</u> <u>support/</u>.
- 3. Unzip and open the installation file.
- 4. Right-click Setup, and then select Run this as program as an administrator.

0.0	iting_Control_1.05.25 > Lighting_Cont	1.02.22			ڻ ~	Search Lighting_Control_1.
Quick accord	Name	Date modified	Туре	Size		
Dealars	AXSP	10/26/2017 1:32 PM	File folder			
Desktop 📌	lo	10/26/2017 1:32 PM	File folder			
Downloads 📌	LightingService	10/26/2017 1:32 PM	File folder			
Documents 💉	AsusSetup	9/21/2017 3:31 PM	Application	3,632 KB		
Pictures 📌	AsusSetup	9/22/2017 6:31 PM	Configuration sett	4 KB		
1.05.25 screen	data1	9/22/2017 6:31 PM	Cabinet File	2,047 KB	Setup Properties	×
AMDDriver V1730 \	data1.hdr	9/22/2017 6:31 PM	HDR File	21 KB	E scop ropenes	~
Music	data2	9/22/2017 6:31 PM	Cabinet File	22,529 KB	General Compatibility Security Details Previous Versions	
Course Chate	📓 English	9/21/2017 3:31 PM	Configuration sett	1 KB	If this program isn't working correctly on this version of Windows	
screen snots	French	9/21/2017 3:31 PM	Configuration sett	1 KB	try running the compatibility troubleshooter.	
OneDrive	🔄 German	9/21/2017 3:31 PM	Configuration sett	1 KB	Run compatibility troubleshooter	
This DC	ikernel.ex_	5/3/2012 5:07 PM	EX_ File	339 KB	How do I choose compatibility settings manually?	
This PC	Japanese	9/21/2017 3:31 PM	Configuration sett	1 KB	Come at hits and a	
Network	ayout.bin	9/22/2017 6:31 PM	BIN File	1 KB	Bun this program in compatibility mode for:	
	🔄 Russian	9/21/2017 3:31 PM	Configuration sett	1 KB	in the program computering mode for	
	SChinese	9/21/2017 3:31 PM	Configuration sett	1 KB	windows /	
	🛃 Setup	9/5/2001 5:03 AM	Application	165 KB		
	Setup.exe.manifest	9/21/2017 3:31 PM	MANIFEST File	1 KB	Detungs	
	Setup	9/22/2017 6:31 PM	Configuration sett	1 KB	L reaced coor mode	
	setup.inx	9/22/2017 6:31 PM	INX File	141 KB	8-bit (256) color	
	setup.iss	9/21/2017 3:31 PM	ISS File	1 KB	Run in 640 x 480 screen resolution	
	Spanish	9/21/2017 3:31 PM	Configuration sett	1 KB	Override high DPI scaling behavior.	
	TChinese	9/21/2017 3:31 PM	Configuration sett	1 KB	Annication	
	usetup.iss	9/21/2017 3:31 PM	ISS File	1 KB	1 MAN COLUMN	
					Disable fullscreen optimizations	
					Run this program as an administrator	
					Change settings for all users	
					OK Cancel Apply	

- 5. Follow the on-screen instructions to complete the installation.
- 6. When done, reboot your system and run Aura.

Device recognition

Q1: My Aura Sync compatible device does not appear on the Aura UI.

- 1. Ensure that the device is correctly connected to your system. Unplug and replug it if necessary.
- 2. Click the refresh button on the top right corner of the UI and wait for a few seconds for the UI to refresh.
- 3. If the steps above do not work, exit and launch the Aura program again.
- 4. If the steps above do not work, restart your system and launch the Aura program again.

AURA				o ×
MOTHERBOARD KEYBOARD	MOUSE UHD BURNER	HARD DRIVE		ON OFF
Sync All	Settings	Sync at shutdown		
Static Breathing Color Cycle Rainbow Comet Flash and Dash Wave Glowing Yoyo	Color Single Color	Hue 4 °	Saturation O I <t< th=""><th>R 255 G 15 B 0</th></t<>	R 255 G 15 B 0
Starry-Night Strobing Smart Music		Default	: Undo	Арріу

Q2: My Aura Sync compatible device appears on the Aura UI, but the Aura lighting effect I selected is not applied on the device.

1. Ensure that the device is synced in Aura. If the link below the device icon that you want to sync appears in red, the device is not synced.

🥢 Aura				0 X
MOTHERBOARD DRAM	ADD STRIP	8		ON OFF
Sync All	Settings	Sync at shutdown		
Static	Mode			
Breathing				
Color Cycle	Surgi			z z
Rainbow	19 19 19 19 19 19 19 19 19 19 19 19 19 1	⊙≡⊙	, UI	E
Comet	Rock	Нір Нор	Party	Sleep
Flash and Dash				
Wave	\bigcirc	\mathbb{C}		<u>`</u>
Glowing Yoyo	ADON.	\sim	لروالي	A
Starry-Night	Funk	Romance		Normal
Strobing				
Smart				
Music				
		Default		

2. To sync your device with Aura, click the link below the device icon that you want to sync, and then confirm your selection on the pop-up window.

The display icon should be light on to indicate that the device is ready to be synced with Aura.



- 3. If the steps above do not work, exit and launch the Aura program again.
- 4. If the steps above do not work, restart your system.

Q3: The motherboard icon does not appear on the Aura UI.

1. Check if the LED on your motherboard is on or off.

The motherboard icon does not appear when you are using a non-ASUS motherboard or an ASUS motherboard/ notebook PC that does not support Aura.

- 2. If the LED on your motherboard is on, follow the steps under question **How do I install the Aura program** to install the Aura program again.
- 3. If the LED on your motherboard is off, reboot your system and enter the BIOS.
- 4. Go to the **Main** menu and check if the LED EC version is displayed.

Friday T3.00 My Favorites Main	Extreme Tweaker	Advanced	Monitor	Boot	Tool	Exit	Hardw	are Monitor
My Pavorites Main BIOS Information BIOS Version Build Date EC1 Version EC2 Version LED EC Version KeyBot Version Processor Information Brand String Speed Total Memory	Extreme Tweaker	Advanced	Monitor 1701 x64 09/22/201 MBEC-AMA RGE2-AM4 LED-0116 KBOT2-RO AMD Ryze Processor 3500 MHz 32768 MB	7 4-0312 1-0106 GG-0122 n 5 1500X	Quad-Cor	e	CPU Frequency 3500 MHz BCLK 100.0 MHz Ratio 35.0 x Frequency Frequency 2133 MHz	Temperature 30°C Core Voltage 1.395 V Voltage 1.199 V
Memory Frequency System Language			2133 MHz English			-	32768 MB	
System Date System The	uage		11/10/20 15:00:54	17			Voltage +12V 12.033 V +3.3V	+5V 4.986 V
				La	ast Modifie	ed EzMo	3.313 V ode(F7)	Search on FAC

- a. Yes, go to **Advanced** > **ROG Effects**, and then set the **Onboard LED** item to Enabled.
- b. No, shut down your computer and check if the LED connector is properly connected. Location of the LED connector varies by your motherboard model. You can visit the ROG forum to get more information.

General issues and reports

Q1: I have problem with execution of the Aura program.

Check if you have:

- 1. The latest BIOS on your motherboard (for ASUS motherboard only)
- 2. The latest version of the Aura program
- 3. The latest drivers and firmwares installed for all of your Aura sync products
- 4. Other lighting control utilities installed on your system. Ensure that they are closed and not running in the background, or uninstalled to avoid conflict.

If you still have an issue, you can report on the ROG Forum - ASUS Software.

Q2: What information do I need to provide when reporting an issue on the <u>ROG</u> <u>Forum - ASUS Software</u>?

You need to provide the following:

- 1. If you are using a notebook PC, please let us know the brand and the model name.
- 2. If you are using a desktop PC, please provide the following system information:
 - Motherboard (brand and model)
 - Processor (brand and model)
 - BIOS version
 - OS version
 - Memory kit (brand and model)
 - Graphics card (brand and model)
 - Mouse (brand and model)
 - Keyboard (brand and model)
 - Cooling system (brand and model)
 - Aura version
- 3. A detailed description of your problem.
- 4. A screenshot / photo / video showing your problem.

If the LED on your motherboard is not working properly, please send a screenshot of the BIOS Main menu. See the example below.

VEF	BIOS Utility	y – Advanced Mode		-			//	4
11/10/2017 1	:00 ₽ ∣⊕	English 🗐 MyFavorite(F3)	🗞 Qfan Control(F6) 🛛 EZ Tun	ing Wizard(F11) [? Hot Keys		
My Favo	ites <u>Main</u>	Extreme Tweaker	Advanced	Monitor	Boot Tool	Exit	Hardwa	are Monitor
BIOS Info	nation						CPU	
BIOS Vers	on			1701 x64			Frequency	Temperature
Build Date	Build Date 09/22/2017						3500 MHz	30°C
EC1 Version MBEC-AM4-0312							BCLK	Core Voltage
EC2 Versio				RGE2-AM4-	0106		100.0 MHz	1.395 V
LED EC Ve	LED EC Version LED-0116							
KeyBot Version				KBOT2-ROG-0122			35.0 x	
Processor	nformation							
Brand Stri	Brand String AMD Ryzen 5 1500X Quad-Core Processor				re	Memory		
Speed				3500 MHz			2133 MHz	voitage 1.199 V
Total Memory				32768 MB (DDR4)				
Memory F	equency			2133 MHz			Capacity 32768 MB	
System La	guage			English		•		
System Da	e			11/10/201	7		Voltage	
System T	e			15:00:54			+12V 12.033 V	4.986 V
(i) Choose the	system default lan	guage					+3.3V 3.313 V	
Last Modified EzMode(F7)]								

5. If you are using any other lighting control software, please mention it.

NOTE: Conflicts might occur between Aura and other lighting control software. If you are having problem controlling the lighting of your Aura Sync products, ensure that any other lighting control software and its background processes are closed/uninstalled to avoid conflict.

Q3: Why is it that my computer cannot recognize the hard disk?

- 1. Ensure that your ASUS FX is connected properly to your computer's USB port.
- 2. Ensure that the USB driver is installed and working properly.
- 3. If there is a problem with the USB card or the driver, contact your USB card manufacturer.

Q4: Why is the data transfer rate much slower than normal USB 3.1 Gen 1 connection?

- 1. Ensure that your ASUS FX is connected properly to your computer's USB port.
- 2. Ensure that the USB driver is installed and working properly.
- 3. If both the USB card and the driver are working properly, your system may not support the USB 3.1 Gen 1. Thus it can only operate at USB 2.0 or lower speed.

Q5: How do I determine whether or not my device supports USB 3.1 Gen 1?

- 1. USB 3.1 Gen 1 ports are usually blue while USB 2.0 ports are black in color.
- 2. If you cannot determine the USB type from the port's appearance, you can differentiate them by the transmission speed. The data transmission speed of USB 3.1 Gen 1 can reach up to 5Gbps.
- 3. Use a USB device identifier to identify whether your device supports USB 3.1 Gen 1.

6. Safety notices

For safe and correct use, be sure to read this section before using your product.

- Use this product in an environment with ambient temperatures between 0°C (32°F) and 40°C (104°F).
- Do not allow your ASUS FX to come in contact with water or any other liquids. Do not use a damp/wet cloth to wipe or clean the exterior case.
- Do not use or place your ASUS FX in any of the following environments:
 - Directly sunlight
 - Next to an air conditioner, electric heater or other heat sources
 - In a closed car that is in direct sunlight
 - In an area with strong magnetic fields or excessive vibration
- Avoid squeezing and bumping your ASUS FX without proper protection. Doing so may cause damage to the hard disk.
- Do not place anything on your ASUS FX to avoid possible damage.
- If your computer failed to boot up while ASUS FX is connected, please disconnect ASUS FX from your computer first and connect ASUS FX to your computer again after it successfully boots up.

7. Accessory Warranty Policy

A Limited Warranty is offered on ASUS branded hardware products. This Limited Warranty does not cover any software applications or programs; non-ASUS products or non-ASUS branded peripherals.

ASUS guarantees that the ASUS Accessory that you have purchased are free from defects in materials or workmanship under normal use during the Limited Warranty Period. The Limited Warranty Period starts from the date of purchase. Your sales receipt, showing the date of purchase, is the proof of your purchase date. You may be required by your Purchase Site or ASUS Authorized Service Providers to present the proof of purchase as a condition of receiving warranty service. You are entitled to a hardware warranty service if a repair is required within the Limited Warranty Period.

During the Limited Warranty Period, ASUS will, at its sole discretion, repair or replace any defective component. All spare-parts or module removed under this Limited Warranty become the property of ASUS.

Exclusions from this Limited Warranty Service

ASUS does not guarantee uninterrupted or error-free operation of this product. Any technical or other support provided for the product under warranty, such as assistance via telephone with "how-to" questions and those regarding product setup and information, being provided without warranties of any kind. The warranty only covers failures or malfunctions occurred in normal use during the warranty period, as well as for any material or workmanship defect. The warranty will not apply if:

- a. the product has been tampered, repaired and/or modified by non-authorized personnel;
- b. the serial number has been altered, cancelled or removed;
- c. the warranty seals have been broken or altered;

- d. the damage is caused by accident, natural disaster, intentional or accidental misuse, abuse, neglect or improper maintenance, or the abnormal use conditions;
- e. the damage is caused by an external electrical fault or any accident;
- f. the damage from use outside of the operation or storage parameters or environment detailed in the User's Manual;
- g. the damage is caused from the using of parts not manufactured or sold by ASUSTEK.
- h. damage is caused from third party software or from virus(es);
- i. the software loss or data loss that may occur during repair or replacement.

Returning an Accessory to your Purchase Site or an ASUS Authorized Service Provider during the warranty period does not automatically mean that it will be repaired free of charge. Upon receiving your product, the Service Centre reserves the right to check the validity of your warranty and your request for warranty service.

Neither ASUS, ASUS Notebook Service Center, ASUS Authorized Service Provider, nor your reseller are responsible for any of your confidential, proprietary or personal information contained in the product which you return to ASUS, ASUS Notebook Service Centre or ASUS Authorized Service Provider for any reason. You should remove all such information from the product prior to its return.

ASUS Notebook Service Centre n or ASUS Authorized Service Provider is not responsible for damage or loss of any personal data, programs, or removable storage media. ASUS is not responsible for the restoration or reinstallation of any data or programs other than software installed by ASUS when the product was manufactured.

Warning:

- 1. Warranty period may differ regionally, please check with your purchase Site.
- 2. Warranty invalid if damage/dysfunction caused by improper handling/usage, destruction.
- 3. Warranty invalid if serial label is removed, broken.
- 4. Warranty invalid if disassembly by end-user or non-ASUS-authorized repair centers.
- 5. Australia statement notice

From 1 January 2012 updated warranties apply to all ASUS products, consistent with the Australian Consumer Law. For the latest product warranty details please visit <u>http://www.asus.com/support/</u>. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.