HP LaserJet Enterprise MFP M528 series



Handle business solutions securely, plus help conserve energy with HP EcoSmart toner

Choose an HP LaserJet Enterprise MFP designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart toner black. Keep up with the demands of growing business with a printer you can rely on.8

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



HP LaserJet Enterprise MFP M528dn



HP LaserJet Enterprise MFP M528f



HP LaserJet Enterprise Flow MFP M528c



HP LaserJet Enterprise Flow MFP M528z

The world's most secure printing¹

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

Low costs, low energy use

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP Toner cartridges.
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.²
- Enhanced energy savings —up to 29% over prior products⁸ plus save with Auto-on/Autooff technology.
- This MFP fits in tight places to boost performance in almost any workspace.

Your whole fleet. At your control.

- Centralize control of your printing environment with HP Web Jetadmin⁴—and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloudbased printer.
- Set security configuration policies and automatically validate settings for every HP printer
- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.⁷

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 100 pages into the automatic document feeder for fast, unattended scanning.6

¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims
4 Hip Mato-Only Technology capabilities are subject to printer and settings.
4 HiP Auto-Only Technology capabilities are subject to printer and settings.
4 HiP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin
5 HiP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager
5 Ean speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
7 To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth* Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam
8 HP calculations based on Energy Star normalized TEC data comparing the HP Laser/let 500 series monochrome printers introduced in spring 2019 HP B9A/X/Y compared to HP B7A/X.
9 An FCC Class A emissions compliant device meets the less stringent fingleny levels of emissions allowed by the Coff or a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the intereased risk of interference to radio communications.

Product walkaround

- 1. 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage¹
- 2. 2nd generation Hardware Integration Pocket²
- 3. Easy-access USB port³
- 4. 250-sheet output bin
- 5. Top cover (access to Original HP JetIntelligence toner cartridge)
- $6.\,100$ -sheet multipurpose tray 1 supports media sizes up to $8.5\,x\,14$ inches ($216\,x\,356$
- 7. 550-sheet input tray 2 supports media sizes up to 8.5×14 inches (216 \times 356 mm)
- 8. 8.0-inch (20.3 cm) pivoting color touchscreen
- 9. Pull-out keyboard¹
- 10. Convenience stapler4
- 11. Automatic two-sided printing
- 12. Dual-band Wi-Fi® with Bluetooth® Low Energy⁵
- 13. Slot for cable-type security lock
- 14. Gigabit Ethernet
- 15. Hi-Speed USB 2.0 printing port
- 16. USB port for connecting external USB devices



Series at a glance









Model	HP LaserJet Enterprise MFP M528dn	HP LaserJet Enterprise MFP M528f	HP LaserJet Enterprise Flow MFP M528c	HP LaserJet Enterprise Flow MFP M528z	
Product number	1PV64A	1PV65A	1PV66A	1PV67A	
Functions	Print, scan, copy, (fax optional)	Print, scan, copy, fax			
Print speed (black) ⁶	Up to 45/43 pages per minute (ppm) (letter/A4) (all models)				
Convenience stapler ⁴	Not available	√			
Advanced workflow features ¹	Not available		,	√	
100-sheet multipurpose tray 1, 550-sheet input tray 2	·				
Optional 550-sheet paper tray	Add up to three (all models)				
Optional printer cabinet	Add up to one (all models)				
Input capacity (standard/max ⁷)	Up to 650/2,300 sheets (all models)				
RMPV ⁸	2,000 to 7,500 pages (all models)				
Cartridge yield ⁹	Black: ~5,000/10,000/20,000 (standard/high-yield/extra-high-yield) (all models)				
HP High-Performance Secure Hard Disk ¹⁰	Not available	√			
Wireless direct printing ¹¹ /NFC touch-to-print ¹²	Optional Built-in wireless direct printir optional NFC touch-to-prin			Built-in wireless direct printing; optional NFC touch-to-print	
Dual-band Wi-Fi® with Bluetooth® Low Energy ⁵	Optional Built-in			Built-in	

1 Advanced workflow features are available on the Flow MFP M528c and M528z models only and include HP EveryPage, a pull-out keyboard, embedded capture functionality, built-in OCR, plus automatic page orientation, cropping, and tone adjustment.

2 Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Laser Jet Enterprise MFP M528 series comes with a second-generation HIP.

3 An administrator must enable the easy-access USB port before use.

4 The convenience stapler is only available on the MFP M52B, Flow MFP M52Bc, and Flow MFP M52Bc models.

5 Dual-band Mr-FP with Bluescoth the Low Energy is standard on the Flow MFP M52Bc model and optional on all other models with the addition of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). If selected, you cannot also select the HP Jetdirect 2900m Print Server (J803 1A). Wireless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Learn more at hp. com/go/mobileprinting.

6 Measured Using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

7 Purchase of optional paper trays required to reach maximum input capacity.

8 Recommended Monthly Page Volume: HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty perior.

Recommended Monthly Page Volume: HP recommends that the number of pages per monute state of a support of the period.

Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.

Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.

The encrypted HP High-Performance Secure Hard Disk is optional on the HP Laser/let Enterprise MFP MS28t, model and is standard on the HP Laser/let Enterprise MFP MS28t, and Flow MFP MS28z model and optional on all other models with the addition of the HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting.

Touch-to-print capability requires purchase of the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:

Top features

HP printers have the industry's strongest security because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Good resource management is good business. Help reduce costs and energy use with an HP LaserJet designed to be more efficient than its predecessors, using HP JetIntelligence toner cartridges. HP, like you, is committed to keeping business moving.

Every business values a problem solver. Help get more control with a robust management system and solutions that keep up

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 60 ipm⁶—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories

1PV95A HP Internal USB Ports Qty 100 for M507 and M528

2EH31A HP MFP Analog Fax Accessory 700 2MU47A HP Accessibility Assistant

2NR12A HP Removable Hard Drive Enclosure

2TD64A HP Accessibility Kit

3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory

4QL32A HP Legic Secure USB Reader

5ELO3A HP TAA Version Secure Hard Disk Drive

A7W14A HP LaserJet Swedish Overlay Keyboard

B5I 28A HP Internal LISB Ports

B5L29A HP High-Performance Secure Hard Disk

B5L31A HP Foreign Interface Harness

E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM

F2A72A HP LaserJet 550-sheet Paper Tray

F2A73A HP LaserJet Printer Cabinet

J8030A HP Jetdirect 3000w NFC/Wireless Accessory

J8031A HP ADF Roller Replacement Kit

X3D03A HP Universal USB Proximity Card Reader

Y7C05A HP HIP2 Keystroke Reader

Supplies

Q7432A HP Staple Cartridge Refill

W5U23A HP 200 ADF Roller Replacement Kit

CF289A HP 89A Black Original LaserJet Toner Cartridge (~5,000 pages)

CF289X HP89X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages) CF289Y HP89Y Extra High Yield Black Original LaserJet Toner Cartridge (~20,000 pages)

Services

UB7B2E - HP 3 years Next Business Day w/DMR LaserJet M528 SVC

UB7B3E - HP 4 years Next Business Day w/DMR LaserJet M528 SVC

UB7B4E - HP 5 years Next Business Day w/DMR LaserJet M528 SVC

UB7B5E - HP 3 years 4 hours 9x5 w/DMR LaserJet M528 SVC

UB7B6E - HP 4 years 4 hours 9x5 w/DMR LaserJet M528 SVC UB7B7E - HP 5 years 4 hours 9x5 w/DMR LaserJet M528 SVC

UB7C1E - HP 3 years ChnlPartsOnly LaserJet M528 SVC

UB7C2E - HP 4 years ChnlPartsOnly LaserJet M528 SVC

UB7C3E - HP 5 years ChnlPartsOnly LaserJet M528 SVC

UB7C4PE - HP 1 year PW Next Business Day w/DMR LaserJet M528 SVC

UB7C5PE - HP 2 years PW Next Business Day w/DMR Laser let M528 SVC

UB7C6PE - HP 1 year PW w/DMR 4 hours 9x5 LaserJet M528 SVC UB7C7PE - HP 2 years PW w/DMR 4 hours 9x5 LaserJet M528 SVC

UB7D0PE - HP 1 year PW ChnlPartsOnly LaserJet M528 SVC UB7D1PE - HP 2 years PW ChnlPartsOnly LaserJet M528 SVC













Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/Printers ThatProtect. For more information http://www.hp.com/go/printersecurityclaims
Single HP Auto-Only Technology capabilities are subject to printer and settings.
HP Auto-Only Technology capabilities are subject to printer and settings.
HP Auto-Only Technology capabilities are subject to printer and settings.
HP Jet Advantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager
HP Jet Advantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager
Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Buletooth* Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam
HP Calculations based on Energy Star normalized TEC data comparing the HP Laser Jet 500 series monochrome printers introduced in spring 2019 HP BBA/X/Y compared to HP BTA/X.
A necessary of the BBA/X/Y compared to HP BTA/X.
A device should not be purchased for use in a residential environment and an FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a resident

HP LaserJet Enterprise MFP M528 series

Model	HP LaserJet Enterprise MFP M528dn	HP LaserJet Enterprise MFP M528f	HP LaserJet Enterprise Flow MFP M528c	HP LaserJet Enterprise Flow MFP M528z				
Product number	1PV64A	1PV65A	1PV66A	1PV67A				
AIO functions	Print, copy, scan and optional fax	Print, copy, scan, fax						
Print		•						
Print speed ¹⁴ , ¹² , ¹³	Letter: Up to 45 ppm (default); Up to 52 ppm (HP High Speed) Black; 2-sided: Up to 36 ipm Black; First page out: As fast as 6 sec Black; Print speed (Landscape, A5): Up to 65 ppm Black							
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi							
Print technology	Laser; Print resolution technology: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200							
Print cartridges number	1 (black)							
Standard print languages	HP PCL 6, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™							
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB							
Printer management / HP SureSupply ⁷	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) Yes							
Scan								
Scan type / Technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (C	CIS)						
Scan resolution	Hardware: Up to 600 x 600 dp; Optical : Up to 600 dpi							
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A		Digital Send: PDF, IPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, IPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Pri from easy access USB: PDF, PS, Print Ready files (prn, pd, , cht)					
Scan input modes	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications							
Scan Size	ADP: 8.5 x 34.0 in Maximum; 4 x 5.8 in Minimum; Flatbed: 8.5 x 14 in							
Scan speed ¹²	Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color) Duplex : Up to 43 ipm (b&w), up to 38 ipm (color) Duplex : Up to 64 ipm (b&w), up to 58 ipm (color) Up to 45 ppm/58 ipm (color) Duplex : Up to 64 ipm (b&w), up to 58 ipm (color)							
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dp; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets		Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto					
Bit depth / Grayscale levels	orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone							
bit depti1/ draystate tevets		Scan to E-mail; Save-to-Network Folder; Save-to-USB	To					
Digital sending standard features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Scan to E-mail; Save-to-Network Folder; Save-to-USB d Send to Internet Fax; OCR; Local Address Book; SMTP ov Auto Crop To Content; Compact PDF; Auto Tonescale; Au Crop To Page; OCR	er SSL; Blank Page Removal; Edge Erase; Auto Color Sens				
Сору			•					
Copy speed ¹⁵	Black (ISO): Up to 43 cpm (default) ; Up to 50 cpm (HP Hi	gh Speed); First copy out: As fast as 6.5 sec Black; 2-sided	: Up to 36 cpm Black					
Copy resolution	Color (text and graphics): Up to 600 x 600 dpi							
Maximum Number of Copies	Un to 1999 coies							
Copier resize	op to 3535 copies 25 to 400%							
Copier settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; content orientation; collation; booklet; job build; edge-to-edge job storage; ID Copy; Book Copy; A-to-E Copy (different media sizes)							
Fax								
Fax speed		Up to: 33.6 kbps / Letter:3 sec per page						
Fax resolution		Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi						
Fax smart software features		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; I	Fax address book; LAN/Internet fax; Fax number confirmati	on; Holiday fax schedule				
Fax Features		Fax memory: Up to 500 pages; Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax polling supported: Yes; Doll to receive only); Fax telephone mode supported: No; Bax barrier supported: Yes; Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Fax pende retrieval capability supported: No; Telephone handest supported: No; Telephone handest supported: No						
Connectivity								
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket	2 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Fax;	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Fax;	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Fax Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy				
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/blg/n wireless networking (optional); second Ethernet port (optional).	Yes, via HP Jetdirect Ethernet embedded print server (st 1000Base-T; 802.3az (EEE) support on Fast Ethernet ar wireless networking and second Ethernet port.	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Embedd 802.11a/b/g/ wireless networking and second Ethernet port					
Wireless capability		accessory. Single band Wireless Station and Wi-Fi Direct fu Direct functionality available with HP Jetdirect 3100w BLE Print Server J8031A	Yes, built-in Embedded Wi-Fi with Dual band Wireless Station and Wi-Fi Direct functionality and BLE.					
Mobile printing capability ⁵	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria	™ Certified; Roam capable for easy printing	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing; Wireless Direct Printing					
	Standard: 1.25 GB (printer); 512 MB (Scanner); Maximum: 3.75 GB MAX memory, when Accessory DIMM is installed							
Memory				1.2 GHz / Storage: 16 GB eMMC / 1.2 GHz / Storage: 500 GB hard disk drive / Hard disk: Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)				
Memory Processor speed				rd Disk (AES 256 hardware encryption or greater)				

HP LaserJet Enterprise MFP M528 series

Model	HP LaserJet Enterprise MFP M528dn	HP LaserJet Enterprise MFP M528f	HP LaserJet Enterprise Flow MFP M528c	HP LaserJet Enterprise Flow MFP M528z			
Product number	1PV64A	1PV65A	1PV66A	1PV67A			
Paper handling							
nput	100-sheet multipurpose Tray 1, 550-sheet input Tray 2,	automatic duplex printing; Up to 650 sheets Standard; Up	to 10 envelopes				
Output	Standard: 250-sheet output bin; Up to 250 sheets Standard; Transparencies: Up to 75 sheets Standard; Transparencies: Up to 75 sheets						
Duplex Options	Automatic (standard)						
Auto document feeder capacity	Standard, 100 sheets						
Envelope feeder	No						
Standard paper trays	2						
Media types	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined						
Media weight	Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb						
Media sizes	Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 550-sheet tray: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional Automatic Duplexer: letter, legal, 8.5 x 13 in						
Media Sizes Custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.14 x 5.83 to 8.5 x 14	in; Optional 550-sheet Tray: 4.14 x 5.83 to 8.5 x 14 in					
Dimensions (w x d x h)	18.98 x 19.52 x 19.55 in; Maximum : 19.96 x 24.83 x 19.55 in						
Weight ²	47.56 lb	48.76 lb	49.16 lb				
What's in the box ¹	HP Laser Jet Enterprise MS28dn MFP; HP Original Laser Jet Introductory Toner Cartridge (~7,500 pages); Regulatory (fiyer (CD replacement); Chile Regulatory (fiyer (ACB); Unpack fiyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list Japan jtr errata (ABJ)	HP LaserJet Enterprise M528f MFP: HP Original LaserJet Toner Cartridge Introductory (-7.500 pages); Regulators flyer (CD replacement); Unpack flyer; Installation Guide; Power cord: Warranty Cards; Support flyers/phone number list; Fax Cable; Japan Jtr errata (ABJ)	HP Laser let Enterprise Flow MS28c MFP: HP Original Laser let Introductory Toner Cartridge (~7,500 pages); Regulatory flyer (CD replacement). Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Control Panel Overlay Label Sets (Flow); Overlay keyboard (ABJ); Fax cable; Japan jtr errata (ABJ)	HP Laser let Enterprise Flow MS-28z MFP: HP Original Laser let Introductory Toner Cartridge (~7,500 pages); Regulatory fiver (CD replacement); Unpack fiver; Installation Guide; Power cord; Warranty Cards; Suppor fivers/phone unumber list; Control Panel Overlay Label Sets (Flow); Overlay keyboard (ABJ); Fax Cable; Japan jt errata (ABJ)			
Replacement cartridges ¹⁶	HP 89A Black Original Laser Jet Toner Cartridge (~5,000 pages) CF289A; HP89X High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~20,000 pages) CF289Y						
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G; wty ID A001)						
Energy star certified	Yes						
Energy efficiency compliance	ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel DE-UZ-205 EPEAT® Gold; ENERGY STAR® qualified; CECP; Blue Angel DE-UZ-205						
Control panel	8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick retri		return to the Home menu)	8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Integrated Keyboard			
Display	8.0 in (20.3 cm), touchscreen (1024x768), LCD (color graphics), smooth gesture, enabled touchscreen						
Software included	No software solutions are included in the Box, only on ht	tp://hp.com, http://123.hp.com					
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscriopt Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available wia third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at Http://www.hp.com/go/laserjetfonts						
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS Mojawe v10.14, Discrete PCLS Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information or the supported operating systems see www.hp.com/go/upd						
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready KIT Certification Up to Citrix Server 7.18 for more information see http://citrixready.citrix.com, Linu. For more information see http://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://hp.com/go/upd						
Minimum system requirements	PC:2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com						
Power ^{8 9}	Power supply type: Built-in 115V or 220V Power Supply; Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/-10%), 50 - 60 Hz nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/-10%), 50 - 60						
Acoustics	Acoustic power emissions: 6.8 B(A) Acoustic power emissions: 6.8 B(A)						
Operating environment	Operating temperature range: 50 to 90.5°F; Recommen 70% RH	Operating temperature range: 50 to 90.5°F; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: 4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH					
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Fraze; SSLTICS (HTTPS); Encrypted Credentials; Ost, USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability, Whitelisting - loads only known good code (DLLs, EXEs,); Connection Inspector - helps pensure network connections to device are safe, Security management: Compatible with HP JetAdvantage Security Manager, HP Printer Security Plugin for Microsoft SCCM, Device Security Syslog Messages processed and accessable in ArcSight, Splunk, and McAfee(ESM) SIEMS.						

Data sheet I HP LaserJet Enterprise MFP M528 series

- 1 In box cartridge yields 7,500 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.
 2 With print cartridges
 3 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
 4 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit. http://www.hp.com/go/learnaboutsupplies
 5 To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://hp.com/go/roam

- For enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://hp.com/go/roam % HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. PHP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit http://www.hp.com/go/SureSupply.

 8 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

 9 Best TEC is not applicable to ES 2.0 TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum sleep delay was used, Wi-Fi Direct was disabled and Active I/O Energy Efficient Ethernet was used.

 10 EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.hp.com/go/printerclaims.status by country.

 13 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

 14 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, driver, and document complexity.

 14 Measured using ISO/IEC 24734 Office Suite and Feature Test, Sc Landscape Feed. Speed may very based on content, PC, media orientation, and media type.

 15 First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printercl



