HP Laser MFP 130 series



Full-featured laser printing. Entry-level pricing.

Get productive MFP performance at an affordable price. Print, scan, copy, and fax, produce high-quality results, and print and scan from your phone. 2,3



HP Laser MFP 135a



HP Laser MFP 135w

Highlights

- Ideal size for any workspace
- Sharp black text, crisp graphics
- Print, scan, copy and fax (fax in 'f model only)
- Speeds up to 20 ppm in A42
- 40-sheet automatic document feeder (137fwg)
- Wireless-network printing (135wg, 137fwg)
- In box 500 pages initial toner
- Easy mobile printing and scanning with the HP Smart app (135wg, 137fwg)
- Apple AirPrint™, Mopria-certified, Google Cloud Print™ certified



Compact size



Quality laser printing



Mobile printing

Legendary quality at an affordable price

- This surprisingly small laser delivers exceptional quality, page after page.
- Produce sharp text, bold blacks, and crisp graphics.
- Rely on a high-performance laser MFP at an affordable price.

Designed to fit your space

- You can fit this MFP almost anywhere it's that small and compact.
- Get print speeds up to 20 ppm.⁴
- Get hands-free printing, scanning, copying, and faxing, using the 40-page ADF. 1
- Get guick and easy printing and faxing directly at the control panel.

Easy mobile printing and scanning with HP Smart app

- Get simple setup, and print and scan from your phone, with the HP Smart app. ^{2,3}
- Easily print from a variety of smartphones and tablets.^{3,5}
- Easily share resources access and print with wireless and Ethernet networking. 3,6,7
- Connect your smartphone or tablet directly to your printer easily print without accessing a network.3,8

Product walkaround

HP Laser 137fnw shown

- 1. 20 ppm A4
- 2. Flatbed scanner handles up to A4
- 3. 40 page ADF (f models)
- 4. 2-line LCD and keypad (f models)
- 5. 100 sheet output bin
- 6. Hi-Speed USB 2.0; Fast Ethernet (n models); Fax (f model) ports
- 7. Built-in wireless networking; Wi-Fi Direct printing (w model)
- 8. 150 sheet input tray
- 9. Pre-installed Original HP Toner cartridge delivers up to 500 pages



Series at a glance







Model	HP Laser MFP 135a	HP Laser MFP 135w	HP Laser MFP 137fnw
Product number	4ZB82A	4ZB83A	4ZB84A
Memory/processor	128MB/600MHz		
Control panel	2-line LCD and keypad		
Mobile printing	HP's best-in-class mobile printing app - HP Smart App; AirPrint 1.8 enabled; Mopria; Google Cloud Print™		
Connectivity (USB, wireless, Wi-Fi Direct, Ethernet)	USB 2.0 high-speed, no, no, no	USB 2.0 high-speed, yes, yes, no	USB 2.0 high-speed, yes, yes, yes
Recommended Monthly Page Volume	Up to 2,000 pages		
Print speed (A4)	Up to 20 ppm		

Configurable Items, Accessories, Supplies and Support

Supplies	W1106A HP 106A Black Original Laser Toner Cartridge (~1,000 pages)
Service and Support	UB4W1E HP 3 year Standard Exchange Service for Laser 135 and 137 series UB4V8E HP 3 year Next Business Day Exchange Service for Laser 135 and 137 series UB4W3E HP 2 year Return to Depot Service for Laser 135 and 137 series UB4W4E HP 3 year Return to Depot Service for Laser 135 and 137 series UB4W4E HP 3 year Return to Depot Service for Laser 135 and 137 series (UB4W1E - All EMEA countries except ME, Africa, South Africa, Israel, Turkey, Rusia, CIS, UB4V8E - Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech Republic, Greece, Hungary, Poland, Slovakia, UB4W3E - ME, Africa, South Africa, Israel, Turkey,
	UB4W4E - Adriatic, Africa, ClS, EEM, Israel, Slovenia, South Africa, Turkey)

Technical specifications

Model	HP Laser MFP 135a	HP Laser MFP 135w	HP Laser MFP 137fnw				
Product number	4ZB82A	4ZB83A	4ZB84A				
Functions	Print, copy, scan	7200A	Print, copy, scan, fax				
Control panel	2-Line LCD; 12 Buttons (Power, Cancel, Start, Navigation(Menu, OK, Back, Left, Right), ID Copy, Contrast, Scale, Info); LED indicator lights (Power, Status)	2-Line LCD; 12 Buttons (Power, Cancel, Start, Navigation (Menu, OK, Back, Left, Right), ID Copy, Contrast, Scan to, Wireless); LED indicator lights (Power, Status, Wireless)	Print, Cupy, Start, Tax 2-Line LCD; 30 Buttons (Power, Cancel, Start, Navigation (Menu, OK, Back, Left, Right), ID Copy, Contrast, Scale, Wireless, Numeric & Tel(1 to 9, 0, * #, Address Book, Redial, On hook), Mode (Fax, Copy, Scan to); LED indicator lights (Power, Status, Wireless, Mode)				
Print							
Print technology Print speed ¹	Laser						
First page out ²	Black (A4, normal) Up to 20 ppm Black (A4, ready): As fast as 8.3 sec; Black (A4, sleep): As fast as 18 sec						
Print resolution	Black (best): Up to 1,200 x 1,200 dpi ; Technology: ReCP						
Monthly duty cycle ³	Up to 10,000 pages A4; Recommended monthly page volum	e ⁴ : 100 to 2,000					
Printer smart software	Manual duplex and booklet print, N-up printing, skip blank pages, poster print, watermarks						
features Standard print languages	SPL						
Print area	Print margins Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm; Maximum print area: 216 x 356 mm						
Duplex printing	Manual (driver support provided)						
Сору							
Copy speed ⁵	Black (A4): Up to 20 cpm						
Copier specifications	Copies; Original Size; Reduce/Enlarge; Darkness; Original T Reduce/Enlarge: 25 to 400%	ype; Collation; 2-Up; 4-Up; ID Copy; Adjust Background; Auto	Fit Copy; ; Maximum number of copies. Up to 99 copies;				
Scan							
Scan speed			Normal (A4): Up to 20 ipm (b&w), up to 7 ipm (color)				
Scan file format	Windows Scan SW supports file format: PDF, JPG, TIFF, PNG	, BMP					
Scanner specifications Scanner advanced features	Scanner type: Flatbed; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front-panel copy, HP MFP scan software, user application via TWAIN or WIA; Twain version: Version 1.9; Scan size maximum (flatbed): 216 x 297 mm; Optical scan resolution: Up to 600 × 600 dpi		Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes Front-panel copy, HF MFP scan software, user application via TWAIN or WIA; Twain version: Version 1.9; Scan size maximum (flatbed): 216 x 297 mm; Optical scan resolution: Up to 600 x 600 dpi				
Scariner advanced reactives	Scarr to WSD (network support only), Book Scarring, Poster	stitching for multiple scan; Text converting; Scan to E-Book	Maximum media size (flatbed): 216 x 297 mm; Minimum				
Scannable area Bit depth/ Grey scale levels	Maximum media size (flatbed): 216 x 297 mm;		media size (ADF): 145 x 145 mm Maximum media size (ADF): 216 x 356 mm				
Digital sending	8-bit (monochrome) 32-bit (color) / 256 Standard: PC Scan	Standard: Scan to WSD; WSD Scan; PC Scan					
Fax	Statidatu. PC Stati	Stalidard. Stall to WSD, WSD Stall, PC Stall					
Fax	No,		Yes, black & white and color (send only), 33.6 kbps				
Fax specifications			Fax memory: Up to 400 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; 256 levels of grey; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 200 numbers				
Fax smart software features			Permanent fax memory backup, colour faxing, auto fax reduction, auto redialing, delayed sending, fax forwarding, PC fax, secure receive				
Processor speed	600 MHz						
Connectivity	Т	Г	11: C 11:CD 2 O. F+ F-h				
Standard	Hi-Speed USB 2.0	Hi-Speed USB 2.0; Wireless 802.11 b/g/n	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-Tx network port; Wireless 802.11 b/g/n				
Optional	None						
Wireless	No Yes, built-in Wi-Fi 802.11b/g/n						
Mobile printing capability		Apple AirPrint™; Google Cloud Print™; Mobile Apps, Mopria					
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6, Print: WSD; Discovery; SLP, Bonjour, WS-Discovery; IP Config: IPv and via Router, Stateful via DHCPv6); Management: SNMf		I (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local v1/v2/v3, HTTP				
Network capabilities Memory	No		Via built-in 10/100 Base-TX networking				
Media handling	Standard: 128 MB; Maximum ⁵ : 128 MB						
Number of paper trays	Standard: 1 ; Maximum: 1						
Media types	Plain, Thick, Thin, Cotton, Colour, Preprinted, Recycled, Lab	els, CardStock, Bond, Archive, Envelope					
Media size	Custom (metric): 76 x 127 to 216 x 356 mm; Suppo		Custom (metric): 76 x 127 to 216 x 356 mm; Supported (metric): A4; A5; A5 (LEF); B5 (JIS); Oficio; Envelope (DL, C5); ADF: A4, A5, B5, Executive, Letter				
Media handling	Standard input: 150 sheet input tray Standard output: 100	sheet output bin	Standard input: 150 sheet input tray Standard output: 100 sheet output bin ADF: Standard, 40 sheets				
Media weight	60 to 163 g/m²;		60 to 163 g/m²; ADF : 60 to 105 g/m²				
Input capacity	Tray 1: Sheets (75 g/m²): 150; Envelopes: 10 Maximum: Up	to 150 sheets	Tray 1: Sheets (75 g/m²): 150; Envelopes: 10 Maximum: Up to 150 sheets ADF: Standard, 40 sheets				
Output capacity	Standard: Up to 100 sheets Envelopes: Up to 10 envelopes	Maximum: Up to 100 sheets					
Compatible operating systems ⁷	Windows® 7 (32/64-bit), 2008 Server R2, 8 (32/64-bit), 8.1 (32/64 bit), 10 (32/64-bit), 2012 Server, 2016 Server; macOS	v10.14 Mojave, macOS v10.13 High Sierra, macOS v10.12				
Compatible network operating	Sierra, OS X v10.11 El Capitan	(22/54 htt) 40/22/54 htt) 2002 5					
systems	Windows®: 7 (32/64-bit), 2008 Server R2, 8 (32/64-bit), 8.1	(32/64-Dit), 10 (32/64-Dit), 2012 Server, 2016 Server					
Minimum system requirements	Windows Windows 7 or newer, Intel® Pentium® IV 1 GHz 32/64-bit processor or higher, 1 GB RAM, 16 GB HDD; Mac OS X v10.11 or newer, AirPrint 1.8 compatible with MacOS 10.11, 1.5 GB available hard disk space, Internet Explorer; Mac Apple®OS X EL Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), 1.5 GB available hard disk space, Internet required, USB						
Software included	Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA	Driver, HP MFP Scan, OCR program	Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Driver, HP MFP Scan, HP LJ Network PC-FAX, OCR program				
Security management	No Password-protected network embedded Web server; Enable/disable Network ports; SNMPv1 community password change; SNMPv2/V3; IPSec; Filtering: MAC, IPv4, IPv6						
Printer management	None						
Dimensions and weight			Lucius de occión de la companya de l				
Printer dimensions (W x D x H) ⁸	Minimum 406 x 359.6 x 253 mm; Maximum 406 x 424 x 25.	Minimum 406 x 359.6 x 308.7 mm; Maximum: 421.9 x 424 x 308.7 mm					
Printer weight ⁹	7.46 kg 8.58 kg						
Operating environment	Temperature: 10 to 30°C; Humidity: 20 to 70% RH (non-condensing)						
Storage conditions	Temperature: -20 to 40°C Assurtis power principes 6 F P(A) (spiriting at 20 ppm):						
Acoustics	Acoustic power emissions. 6.5 B(A) (printing at 20 ppm);						
- 10	i		i -				

Power ¹⁰	Requirements: 220 to 240 VAC, 50/60Hz; Consumption: 300 watts (Active Printing), 38 watts (Ready), 1.9 watts (Sleep), 0.2 watts (Manual Off), 0.2 watts (Auto Off/Manual On); Typical Electricity Consumption (TEC) ¹¹ : Blue Angel: 0.876 kWh/Week; Energy Star: 0.924 kWh/Week; Power supply type: Internal (Built-in) power supply		Requirements 110-volt input voltage: 110 to 127 VAC, 50/60Hz and 220-volt input voltage: 220 to 240 VAC, 50/60Hz. Not dual voltage, power supply varies by part number with # Option code identifier.; Consumption: 300 watts (Active Printing), 38 watts (Ready), 1.9 watts (Sleep), 0.2 watts (Manual Off); Typical Electricity Consumption (TEC) ¹¹ : Blue Angel: 0.876 kWh/Week; Energy Star: 0.924 kWh/Week; Power supply type: Internal (Built-in) power supply		
Energy savings feature technology	HP Auto-Off Technology; Power save	HP Auto-Off Technology; Power save			
Certifications	UL listed; CE Marking; Nemko; Fimko; Demko; Semko; Eastern European Electromagnetic emission standard: EN 61000-3-2:2014, EN 61000-3-3:2013, EN55024:2010, EN 55032:2012/AC2013, 47 CFR Part 15, Subpart B1 ANSI C63.4-2009, ICES-003 Issue 5, KN32, KN35, GB/T 9254-2008, GB17625.1-2012, CISPR22:2008, CISPR32:2012, CNS 13438, other EMC approvals as required by individual countries	UL listed; CE Marking; Nemko; Fimko; Demko; Semko; Eastern European Electromagnetic emission standard: EN 61000-3-2:2014, EN 61000-3-3:2013, EN55024:2010, EN 55032-012/AC:2013, 47 CFR Part 15, Subpart B I ANSI C63.4-2009, ICES-003 Issue 5, KN32, KN35, GB/T 9254- 2008, GBI7625.1-2012, CISPR22:2008, CISPR32:2012, CNS 13438, other EMC approvals as required by individual countries	UL listed; CE Marking; Nemko; Fimko; Demko; Semko; Eastern European Electromagnetic emission standard: EN 61000-3-2:2014, EN 61000-3-3:2013, EN55024:2010, EN 55032:2012/AC:2013, 47 CFR Part 15, Subpart B1 ANSI C63.4-2009, ICES-003 Issue 5, NN32, KN35, G8/T 9254- 2008, GB17625.1-2012, USPR22:2008, USPR32:2012, CNS 13438, other EMC approvals as required by individual countries Telecom compliance: EBR21		
Sustainable impact specifications	Mercury free				
Country of origin	Made in China				
What's in the box ¹²	4ZB82A HP Laser MFP 135a Printer; Preinstalled introductory HP Laser Black print cartridges (500 pages); Setup guide; Reference guide; Regulatory statements flyer; Power cord	4ZB83A HP Laser MFP 135w Printer; Preinstalled introductory HP Laser Black print cartridges (500 pages); Setup guide; Reference guide; Regulatory statements flyer; Power cord; USB cable	4ZB84A HP Laser MFP 137fnw Printer; Preinstalled introductory HP Laser Black print cartridges (500 pages); Setup guide; Reference guide; Regulatory statements flyer; Power cord; USB cable; Telecom cable		
Warranty	One-year limited hardware warranty; For more info please visit us at https://www.support.hp.com				

Footnotes

- $^{\rm 1}$ Fax capabilities and ADF only available on p, pn, pnw, and fnw models.
- ² Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting.
- ³ Wireless and mobile printing available only on w, nw, pnw, or fnw models.
- 4 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁵ For details on local printing requirements see http://www.hp.com/go/mobileprinting.
- ⁶ Wireless operations are compatible with 2.4 GHz operations only. Learn more at http://www.hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®.
- ⁷ Ethernet networking available only on nw, pn, pnw, or fnw models.
- 8 Mobile device needs to be connected to Wi-Fi Direct® signal of a Wi-Fi Direct-supported AiO or printer prior to printing. Details at http://www.hp.com/go/mobileprinting. Wi-Fi Direct® is a registered trademark of Wi-Fi Alliance®.

Technical specifications disclaimers

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³ Duty cycle is defined as the maximum number of pages per month of imaged output.
- ⁴ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 5 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 128 MB (DDR3-1333).
- ⁷ Windows 7 or higher.
- ⁸ Dimensions vary as per configuration.
- ⁹ Weight varies as per configuration.
- 10 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

 11 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based
- on measurement of 115V device and 230V for Blue Angel.

 12 Introductory cartridges included; Yield: 500 black pages. Replacement cartridge average declared yield 1,000 based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other
- factors. For details see http://www.hp.com/go/learnaboutsupplies.











