Fujitsu recommends Windows 10 Pro.

Data Sheet FUJITSU Notebook LIFEBOOK U758

Ultra-Mobile Meets Ultra Secure

The new LIFEBOOK U758, based on the 8th generation Intel[®] Core[™] processor is a slim and light ultra-mobile notebook for business professionals supporting ergonomics in the office. With its 39.6 cm (15.6-inch) and light weight of only 1.74 kg (3.83 lbs.) it provides excellent mobility. Ergonomic viewing is guaranteed with the anti-glare HD, FHD or optional FHD touch display options and the embedded palm vein or finger print sensor provide outstanding security. Smart design combines legacy interfaces like full-size VGA and easy upgradeability with a thin and durable housing. The common port replicator of the LIFEBOOK U family facilitates workplace sharing within today's modern workstyle.

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

Battery, memory and internal storage can be changed easily

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard layout, BIOS and bit image across the ultra-mobile LIFEBOOK U family

Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

A remarkable slim 19.2 mm ultra-mobile notebook starting from 1.74 kg, HD or FHD display, anti-glare, FHD touch panel option, aluminum/magnesium housing, optional backlit keyboard and num pad

Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

Embedded palm vein or finger print sensor, Trusted Platform Module 2.0, integrated SmartCard reader

Premium connectivity

Stay flexible and productive within a modern Workplace environment

- Full set of interfaces with, full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G/LTE, WLAN and Bluetooth











Components

Base unit	LIFEBOOK U758				
Operating systems					
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home				
Operating system notes	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Win 10 releases for a period of maximum 5 years – depending on the available extension of hardware services throu FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channe Support" at http://support.ts.fujitsu.com.				
Processor	Intel® Core™ i7-8650U processor (1.9 GHz, up to 4.2 GHz, 8 MB)				
	Intel® Core™ i7-8550U processor (1.8 GHz, up to 4.0 GHz, 8 MB) *				
	Intel® Core™ i5-8350U processor (1.7 GHz, up to 3.6 GHz, 6 MB)				
	Intel® Core™ i5-8250U processor (1.6 GHz, up to 3.4 GHz, 6 MB) *				
	Intel® Core™ i5-8130U processor (2 Cores / 4 Threads, 2.2 GHz, up to 3.4 GHz, 4 MB) *				
	Intel® Core™ i5-7300U processor (2.6 GHz, up to 3.5 GHz, 3 MB)				
	Intel® Core™ i5-7200U processor (2.5 GHz, up to 3.1 GHz, 3 MB) *				
	*Processor only for retail, SMB, education and government				
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,400 MHz, SO DIMM				
	8 GB (1 module(s) 8 GB) DDR4, 2,400 MHz, SO DIMM				
	16 GB (1 module(s) 16 GB) DDR4, 2,400 MHz, SO DIMM				
Hard disk drives (internal)	SSD SATA III, 1024 GB M.2 module, OPAL capable				
(SSD SATA III, 512 GB M.2 module, OPAL capable				
	SSD SATA III, 256 GB M.2 module, OPAL capable				
	SSD SATA III, 256 GB M.2 module				
	PCIe-SSD, 1024 GB M.2 NVMe module, SED				
	PCIe-SSD, 512 GB M.2 NVMe module, SED				
	PCIe-SSD, 256 GB M.2 NVMe module, SED				
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III or PCIe If configured with an HDD, the drive has an integrated shock sensor.				
Interface add on cards/components (optional)					
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)				
WLAN (optional)	Intel [®] Dual Band Wireless-AC8265 11ac with integrated Bluetooth 4.2				
Display	39.6 cm (15.6-inch),LED backlight,(UHD/4K),Anti-glare IPS display,magnesium,3,840 x 2,160 pixel,700:1,300 cd/m ²				
	39.6 cm (15.6-inch),LED backlight, (HD),Anti-glare display,magnesium,1,366 x 768 pixel,350:1,220 cd/m ²				
	39.6 cm (15.6-inch),LED backlight,(Full HD),Anti-glare IPS touchscreen,magnesium,1,920 x 1,080 pixel,700:1,260 cd m ²				
	39.6 cm (15.6-inch),LED backlight, (Full HD), Anti-glare IPS display, magnesium, 1,920 x 1,080 pixel, 700:1,300 cd/m ²				
Multimedia					
Camera	Optional: Built-in webcam, HD (Microsoft® Lync™)				
Camera notes	720p, 1 megapixels, 1280 x 720				
Microphone	dual digital array microphone				

Base unit

D ::	UEFR00// UZF0				
Base unit	LIFEBOOK U758				
General system information					
Chipset	Integrated				
Supported capacity RAM (max.)	32 GB				
Memory slots	2 SO DIMM (DDR4, 2400 MHz)				
LAN	10/100/1,000 MBit/s Intel® I219LM				
BIOS version	UEFI Specification 2.5				
BIOS features	InsydeH20 Bios				
Audio type	On board				
Audio codec	Realtek ALC255 with MaxxAudio				
Audio features	Stereo speakers				
MIL-STD tested	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.				
Display					
Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gamut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gamut: 72% UHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gamut: 72%				
Graphics					
Base unit	LIFEBOOK U758				
TFT resolution (DisplayPort)	up to 4,096 × 2,160				
TFT resolution (HDMI)	up to 1,920 x 1,200				
TFT resolution (VGA)	up to 1,920 x 1,200				
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200				
Graphics brand name	Intel® UHD Graphics 620, Intel® HD Graphics 620				
Graphics features	3 Display Support				
Graphics notes	Shared memory depending on main memory size and operating system				
Interfaces					
DC-in	1				
Audio: line-out / headphone	1 (combo port with Audio line-in)				
Audio: line-in / microphone	1 (combo port with Audio line-out)				
Internal microphones	2x digital array microphones (optional)				
USB 3.1 Gen1 (USB 3.0) total	2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality)				
USB Туре-С	1				
VGA	1				
DisplayPort	1 (exclusive with HDMI)				
HDMI	1 (exclusive with DP)				
Ethernet (RJ-45)	1 (with status LED)				
Memory card slots	1 - SD/microSD card : 2GB - SDHC/microSDHC card : 32GB - SDXC card : 512GB - microSDXC card : 200GB (or 128GB) Speed Class: up to UHS-I				
SmartCard slot	1 (optional)				
SIM card slot	1 (only for models with integrated 4G/LTE module)				

Port Replicator interfaces (optional)						
i ore replicator interfaces (optional)	Model: NPR46					
DC-in	1 (19V)					
Power on switch	1					
Audio: headphone	1					
Audio: microphone	1					
USB 3.1 Gen1 (USB 3.0) total	4x Type-A					
	2x Type-C					
DisplayPort	2					
/GA	1					
DVI	1					
Ethernet (RJ-45)	1 (10/100/1000)					
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)					
Keyboard and pointing devices						
	Keyboard w/o touchstick (spill-resistant)#Keyboard w/ touchstick#Backlight keyboard w/o touchstick (spill-resistant)					
	Number of keyboard keys: 106, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm					
	Multi gesture touchpad with two mouse buttons					
	Status LED					
	Power Button					
Wireless technologies						
Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional					
Bluetooth	v4.2					
VLAN encryption	WEP, WPA, WPA2					
VLAN notes	Import and usage according to country-specific regulations.					
JPS	Embedded in 3G/4G module if configured with WWAN					
Power supply						
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter					
-	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology					
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter					
Votes	65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator					
Ist battery options	Lithium polymer battery 4-cell, 50 Wh					
Ist battery	Lithium polymer battery 4-cell					
Battery features	Quick Charge: 80% in 1 h					
Runtime 1st battery	up to 12 h 10min					
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.					
Noise emission						
Noise emission	Please refer to the Eco Declaration					
Dimensions / Weight / Environmental						
Dimensions (W x D x H)	378 x 256 x 19.2 (non-touch and touch) mm					
	14.88 x 10.08 x 0.76 (non-touch and touch) inch					
Weight	From 1.74 (non-touch), 1.95 (touch) kg					
Weight (lbs)	From 3.83 (non-touch), 4.30 (touch) lbs					
Weight notes	Weight may vary depending on actual configuration					
Operating ambient temperature	5 - 35 °C (41 - 95 °F)					
Operating relative humidity	20 - 80 %					

Еигоре	CE CB https://sp.ts.fujitsu.com/sites/certificates				
Compliance link					
Additional Software					
Additional software (preinstalled)	McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility)				
	Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)				
Additional software (optional)	Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®				
Manageability					
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology iAMT 11.6 (depending on processor)				
Manageability software	DeskView Client DeskView Instant BIOS Management				
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management				
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)				
Manageability link	http://www.fujitsu.com/fts/manageability				
Security					
System and BIOS Security	Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional) Credential Guard Ready and Device Guard Capable (Windows 10, v. 1809)				
User Security	Integrated palm vein sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)				

Warranty			
Warranty period	2 years (for countries within EMEIA)		
Warranty type	Bring-in Service / Collect & Return Service (depending on country)		
Warranty Terms & Conditions http://support.ts.fujitsu.com/warranty Product Related Services - the perfect extension			
Recommended Service	9x5, Onsite Response Time: Next Business Day		
Spare Parts availability	5 years after end of product life		
Service Weblink	htttp://ts.fujitsu.com/Supportservice		

Recommended Accessories

USB Port Replicator PR09	The new FUJITSU USB Port Replicator PR09 is the perfect solution for shared desk environments within a hyperconnected world. It connects your mobile system to your main peripherals with a single USB plug. This Port Replicator is equipped with the most powerful DisplayLink chipset supporting high performance video streaming with Dualhead-DisplayPort. Highest data throughput is guaranteed due to an USB Type-C based Gen2 Hub-Controller enabling up to 10Gbit/s data streaming. The newest version of USB Power Delivery chipset (PD3.0) provides powerful charging during your workday.	
Supreme Case	The Supreme Case protects notebooks with up to 15.6-inch screens and provides ample storage for power adapters, office supplies and documents. The high-quality leather used for this case is sure to impress with its strong, yet lightweight structure and rich, dark color. Customers will also be pleased to note the smooth interior design of the bag, as well as the robust metal clips which keep your notebook safe. The professional finish, elegant design and carrying comfort of this model make it the ideal business case.	
Display B34-9 UE	The FUJITSU Display B34-9 UE is an ultrawide curved display with 3440 x 1440 resolution with a thin bezel housing. The monitor has a 1900R curvature and a wide viewing angle that delivers consistent picture quality, DisplayView™ software and a range of connectivity options ideal for medium- and large-sized businesses.	Order Code: S26361-K1642-V140
Display P24-9 TE		Order Code: S26361-K1646-V140
Notebook Mouse M420NB	The Notebook Mouse M420NB is the perfect optical notebook mouse for busy professionals on the road. It is compact enough that it easily slips into a notebook bag or briefcase without getting in the way. It features two buttons and a scroll wheel which can also be used as a third button.	Order Code: S26381-K454-L100
Keyboard KB950 Phone	The KB950 Phone is a modern and slim line USB keyboard with integrated Skype for business features. This extremely reliable, high-speed input device is the perfect way to manage incoming and outgoing calls, even when the system is locked. Three additional keys make it easy to accept and end calls and mute your microphone during a call. Easy number dialing is assured with the numpad. The integrated 61 x 12 mm display shows the time and date, the user status and shows incoming call data in the form of the calling number and caller ID.	S26381-F950-L4** (**: Country specific variation)

More information

Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK U758, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U758, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http:// www.fujitsu.com/fts/resources/navigation/ terms-of-use.html

Copyright 2019 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2019-02-21 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html Copyright 2019 Fujitsu Technology Solutions GmbH