

ThinkCentre M920 Tiny 10RS002YSP

Product ThinkCentre M920q Tiny	Toolless Chassis Screw Toolless Chassis Screw
Region WE	Speaker 1.5Wx1
Country Spain	Dust Filter Dust Filter
Machine Type 10RS	VESA Mount None
TopSeller TopSeller	Stand Stand
Processor Core i7-8700T (6C / 12T, 2.4 / 4.0GHz, 12MB)	Keyboard / Mouse USB / USB
vPro vPro	Power Supply 90W 88% Adapter
Graphics Integrated Intel UHD Graphics 630	TUV Low Noise None
Monitor Cable None	Operating System Windows 10 Pro 64
Memory 1x 16GB DDR4-2666	Bundled Software None
Storage 512GB SSD M.2 2280 PCIe x4 NVMe opal	Warranty 3-year, Onsite
Optical None	End of Support 2024-08-17
WLAN + Bluetooth Intel 9560 11ac, 2x2 + BT5.0	Announce Date 2018-07-17
Ethernet Integrated	
Optional Rear Ports 1x DP + 1x Serial	
Chassis Intrusion Switch Chassis Intrusion Switch	
Kensington Cable Lock None	
Adapter Cage None	



WWW.LENOVO.COM

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication “as is” without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<http://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2019. All rights reserved.



Lenovo™

ThinkCentre M920 Tiny Platform Specifications

Product Specifications Reference (PSREF)



Processor	Intel® Celeron®, Intel Pentium®, or 8th / 9th Gen Intel Core™ i3 / i5 / i7 / i9 Processor						Bluetooth Ethernet (Opt.)	Some: Bluetooth 4.2/5.0 wireless, integrated in Wi-Fi + BT combo adapter Gigabit ethernet, Intel Ethernet Connection I219-LM(Jacksonville), Wake on LAN® Some: Intel Ethernet Server Adapter I350-T4, gigabit ethernet, 4x RJ-45, PCIe x4																			
	Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics	Manageability	Intel Active Management Technology 12 (Intel AMT 12); Intel vPro technology on some models (require choosing a vPro-support Wi-Fi adapter to enable vPro function through wireless connection)																			
	Celeron G4900T	2 / 2	2.9G	2 MB	DDR4-2400	UHD 610		Security chip Security features	Discrete TPM 2.0, TCG Certified																		
	Celeron G4930T	2 / 2	3.0G	2 MB	DDR4-2400	UHD 610			<ul style="list-style-type: none"> Security slot (in rear for optional Kensington® MicroSaver® cable) Chassis intrusion switch Power-on password Administrator password Hard disk password 	<ul style="list-style-type: none"> Boot sequence control Boot without keyboard and mouse Individual USB port disablement Smart USB protection, allows keyboard/mouse only, blocks all storage devices 																	
	Pentium Gold G5400T	2 / 4	3.1G	4 MB	DDR4-2400	UHD 610				Keyboard	Some: Lenovo Calliope Keyboard (USB connector), black																
	Pentium Gold G5500T	2 / 4	3.2G	4 MB	DDR4-2400	UHD 630					Mouse	Some: Lenovo Traditional Keyboard (USB connector), black															
	Pentium Gold G5600T	2 / 4	3.3G	4 MB	DDR4-2400	UHD 630						Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black	Some: Lenovo Calliope Mouse (USB connector), black														
	Pentium Gold G5420T	2 / 4	3.2G	4 MB	DDR4-2400	UHD 610							Some: Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black	Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black													
	Core i3-8100T	4 / 4	3.1G	6 MB	DDR4-2400	UHD 630								Mechanical	Tiny (1L), black color; metal case												
	Core i3-8300T	4 / 4	3.2G	8 MB	DDR4-2400	UHD 630									<ul style="list-style-type: none"> Toolless chassis open (need optional toolless chassis screw) Toolless HDD, SSD, memory removal Optional dust filter 	one 2.5" bay for HDD/SSD, one PCIe 3.0 x8 slot (low-profile), two M.2 slots (one for WLAN, one for M.2 SSD), 2.5" HDD/SSD and PCIe card are mutually exclusive											
	Core i5-8400T	6 / 6	1.7G / 3.3G	9 MB	DDR4-2666	UHD 630										<table border="1"> <thead> <tr> <th></th> <th>Dimensions (WxDxH)</th> <th>Weight (Approx.)</th> </tr> </thead> <tbody> <tr> <td>Tiny only</td> <td>7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm</td> <td>2.91 lb (1.32 kg), vary by config</td> </tr> <tr> <td>With VESA mount & ODD box</td> <td>7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm</td> <td>3.66 lb (1.66 kg), vary by config</td> </tr> </tbody> </table>		Dimensions (WxDxH)	Weight (Approx.)	Tiny only	7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm	2.91 lb (1.32 kg), vary by config	With VESA mount & ODD box	7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm	3.66 lb (1.66 kg), vary by config	Optional VESA mount bracket kit, supports VESA 75mm and 100mm	
		Dimensions (WxDxH)	Weight (Approx.)																								
	Tiny only	7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm	2.91 lb (1.32 kg), vary by config																								
	With VESA mount & ODD box	7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm	3.66 lb (1.66 kg), vary by config																								
	Core i5-8500T	6 / 6	2.1G / 3.5G	9 MB	DDR4-2666	UHD 630											Optional system floor stand for vertical orientation	Power supply									
	Core i5-8600T	6 / 6	2.3G / 3.7G	9 MB	DDR4-2666	UHD 630												Some: 65 watts AC/DC adapter, autosensing, 88% PSU Some: 90 watts AC/DC adapter, autosensing, 88% PSU Some: 135 watts AC/DC adapter, autosensing, 88% PSU	Limited warranty								
	Core i7-8700T	6 / 12	2.4G / 4.0G	12 MB	DDR4-2666	UHD 630													Some: 1-year or 3-year, depot service / service upgrades available Some: 1-year or 3-year, limited onsite service / service upgrades available	Preload							
Core i3-9100T	4 / 4	3.1G / 3.7G	6 MB	DDR4-2400	UHD 630	<p>Preloaded operating system</p> <p>Some: Windows® 10 Pro 64-bit Some: Windows 10 Home 64-bit</p> <p>Preloaded applications (only some listed)</p> <ul style="list-style-type: none"> Lenovo Vantage Microsoft Office preloaded; purchase a product key to activate Cyberlink PowerDVD (only for models with DVD / DVD±RW) Cyberlink Power2GO (only for models with DVD±RW) LinkedIn Intel Unite (Machine Type 10V8 models only) 														Environment							
Core i3-9300T	4 / 4	3.2G / 3.8G	8 MB	DDR4-2400	UHD 630		ENERGY STAR® 7.0, EPEAT™ Silver rating (North America), ErP Lot 3, TCO, TUV ultra low noise verified (coming soon, on some models), RoHS-compliant													MIL-SPEC test							
Core i5-9400T	6 / 6	1.8G / 3.4G	9 MB	DDR4-2666	UHD 630			MIL-STD-810G military certification (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation)												Accessories							
Core i5-9500T	6 / 6	2.2G / 3.7G	9 MB	DDR4-2666	UHD 630				For compatible accessories, please go to http://smartfind.lenovo.com											Memory							
Core i5-9600T	6 / 6	2.3G / 3.9G	9 MB	DDR4-2666	UHD 630					32GB max, DDR4-2666*, two 260-pin SO-DIMM sockets, dual-channel capable * System automatically clocks down for the processors with lower memory controller										Storage							
Core i7-9700T	8 / 8	2.0G / 4.3G	12 MB	DDR4-2666	UHD 630						Some: Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" Some: M.2 SSD / PCIe NVMe, PCIe 3.0 x 4*, 32Gb/s * 128GB SSD M.2 (2242) PCIe NVMe only supports PCIe 3.0 x 2, 16Gb/s Some: Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2 Some: DVD-ROM, slim (9.0mm), via USB external ODD box Some: DVD Burner (DVD±RW), slim (9.0mm), via USB external ODD box									Optical							
Core i9-9900T	8 / 16	2.1G / 4.4G	16 MB	DDR4-2666	UHD 630							One onboard SATA 6.0Gb/s connector								Onboard SATA							
Intel HD Graphics 610/630 in processor, uses main memory, DirectX® 12, one DisplayPort™, one HDMI, one optional video port (2nd HDMI, VGA, 2nd DP, or USB 3.1 Type-C Gen1 with DisplayPort function), up to 3 independent displays; Max resolution: 4096x2304 (DP)@60Hz; 4096x2304 (Type-C)@60Hz; 4096x2160 (onboard HDMI)@24Hz; 2048x1536 (VGA)@50Hz													Graphics														
Optional DP to VGA dongle, DP to DVI-D dongle, DP to dual DP dongle (for Collage Display with intel integrated graphics), or DP to HDMI 1.4 dongle													Monitor cable														
Intel Q370 Chipset													Chipset														
* one USB 3.1 Gen1 (Always On and fast charge), one USB 3.1 Type-C Gen 1, one microphone (3.5mm), one headphone / microphone combo jack (3.5mm)													Front ports (Std.)														
2x USB 3.1 Gen2, 2x USB 3.1 Gen1, 1x ethernet (RJ-45), 1x DisplayPort, 1x HDMI													Rear ports (Std.)														
Two optional ports (mutually exclusive with PCIe card): Port 1 for VGA / 2nd DP / 2nd HDMI / serial / USB 3.1 Type-C Gen 1 with DP function); Port 2 for serial; Optional ports via PCIe card: 2x USB 3.1 Gen1 via PCIe x1, 4x serial (9-pin) via PCIe x1, 1x Thunderbolt 3 (combo USB3.1 Type-C Gen 2 / DisplayPort) via PCIe x4													Rear ports (Opt.)														
* Depending on many factors, actual data transfer speed may be lower than theoretical speed																											

Note: The specifications above may not be available in all regions.

Lenovo, June 2019

ThinkCentre M920 Tiny

